



# Welcome to perfection, functionality and quality.

Welcome to König & Meyer.





In the music world, we have stood for intelligent accessories of an outstanding quality and unique design since 1949. Over the decades, many developments have become standard in the music industry, such as the classic 101 music stands, the 210/2 microphone stands, but also the instrument stands for trumpets, clarinets, and flugelhorns, which can be stored in the instrument bell or the invention of the ring-lock system to firmly position speakers.

We remain a family-run company for whom social and environmental responsibility is important and we are proud of where we are based, in Wertheim, Germany. Here we have 250 employees who ensure that our products are efficiently made to high quality standards with good service and punctual delivery. From development through production to marketing, we are uncompromising in our goal of providing a premium-level service.

Above all, however, it is people who make our company what it is: our customers, our employees, and our suppliers. By working in partnership with one another and ensuring mutual respect, we have enjoyed trusted collaborations for decades. It is our ethos to build up reliable and long-term relationships with our partners and to ensure that these relationships are maintained. Thank you for remaining true to our company and our products for so many years. We are looking forward to continuing our successful collaboration in the future.

Gabriela König CEO

Heiko Wolz CTO

Haike hok

Martin König President



# TECHNOLOGY

# Precision is the ultimate key to quality

Technology is our focus right from the start with the initial design of a new product. Together with our highly qualified employees we operate an independent research and development department. Processing is not the only area that requires careful planning; the qualities and functions that make our stands so outstanding also have to be well thoughtout. We even make our own tools and equipment so that the new products we envision achieve the quality we are known for.

Our certified quality management system (DIN EN ISO 9001:2008) and qualified employees ensure that every single product is delivered on time in the very best quality. Innovative technology, exceptional high vertical integration and consistent reinvestment in machinery provide König & Meyer with the flexibility to respond quickly and easily to customer needs.



# **IDEAS**

# Innovation as a driving force

"Our products are the result of an understanding of tradition, a demand for quality and a talent for invention."

Driven by perfection, innovation and precision, we continually develop new products. The products of tomorrow are based on state-of-the-art computer technology, short development times and the very best quality.

Design, feel, and ergonomics – we test and assess everything to ensure it meets our uncompromising expectations from the initial design to the final product. At König & Meyer perfection is the standard. We know only a strong brand with unique service and outstanding quality will keep our customers coming back.

## 2013

Precision and perfection down to the smallest detail – thanks to a new flat laser cutting machine.

### 2010

Solar energy panels, a second tube laser cutting machine and a vertival conveyor improve process flow.

### 2009

Awarded the "Safety with System" seal of quality for excellent safety and health in the workplace

### 2007

Certification for the successful introduction of a quality management system.

## 2006

A new tube laser cutting machine is taken online, opening up new manufacturing potential.

### 2001

König & Meyer supports different bands and projects from a wide range of musical genres.

# 1987

The production range is expanded to include keyboard stands, mixer stands and 19" racks.

# 1968

Stands manufactured for other industry branches (e.g. IV stands, stands for hair-dryer hoods) 1959

An extensive range from microphone stands and boom arms to speaker stands is developed.

# 1951

The number of employees increases to 60. The range is expanded to include instrument and microphone stands.

# 1949

Company founded with ten employees who manufacture music stands and measuring instruments.





# Enjoy the pleasure of making music

Music means something different to everyone. From classic to electronic, live or solo vocals: every artist lives through the music they create. So it is important to recognize the very different needs musicians have and to be able to offer the best range of accessories.

From classical to pop, from the garage to the largest stage – across the globe musicians and artists encounter the König & Meyer product world they have come to trust – music stands, microphone and instrument stands, a wide range of other stands and holders, and much, much more.



# PASSION

# Perfection is our philosophy



"Our philosophy is to produce products of excellent quality and durability in an environmentally friendly manner so that musicians worldwide can focus on what's most important – their music."

Whether you are a beginner or a professional – König & Meyer offers optimal music accessories for any area of application. First-rate materials and optimized product processing result in tangible manufacturing quality right down to the smallest details. We only use precision steel tubes, which are consistent in their dimensions and tolerances. Metal and plastic parts are manufactured in-house and we have been developing and building tools and equipment ourselves for many years now. Our exceptional standards have established the König & Meyer name as an outstanding brand throughout the world.

Assion

# ENVIRONMENT

# Sustainable management

"Resources are too valuable to waste. Whether we are making a music stand, a microphone stand or a speaker stand, resource conservation and environmental protection are firmly anchored in every step of our production."

We prevent waste, conserve water and energy and reduce emissions whenever possible. All environmentally relevant processes are continually reviewed and we develop strategies and measures to minimize resource consumption and environmental impact.

At König & Meyer environmental protection has been a fundamental corporate goal for decades. Our unlimited commitment to quality and the environment in the production process translates into the most effective use of raw materials, saving energy, increasing our use of renewable energies, recycling components and products at the end of their lives, avoiding pollutants in production, reducing CO<sub>2</sub> emissions, lowering water consumption and treating waste water from the production process, turning it back into drinking water. Since 1979 we have succeeded in reducing our water consumption by 94 percent.

König & Meyer was awarded the Environmental Prize of the Federal State of Baden-Württemberg for our outstanding achievements in promoting environmental protection and for our environment-based management.





# SERVICE

# A strong partnership

Along with optimal delivery capacity and products of exceptional quality, we offer our customers additional services: a 5-year warranty on our products (excludes lights, bulbs and batteries) and 10-year spare parts service for all our catalogue products. Our service range distinguishes the König & Meyer brand. We want to make it even easier for our customers to choose in favor of our music accessories.





Our idea of customer satisfaction includes offering extensive product information and quick and direct routes of communication. Visit our website for information, videos and setup instructions, and keep up the latest König & Meyer brand news on Facebook, Twitter and our YouTube channel. We welcome your feedback.





www.k-m.de/en



contact@k-m.de



www.facebook.com/KoenigundMeyer



twitter.com/koenigumeyer\_en



www.youtube.com/KoenigundMeyer



# Feel free to choose

When it comes to stands for speakers, guitars, or music: König & Meyer knows what musicians want. We develop and optimize our products according to their needs and wishes to ensure they fulfill every expectation.



# BASELINE \*

Basic and/or standard products

# TOPLINE \*\*

Professional products for stage and studio

# STARLINE \*\*\*

Products with extraordinary features or special designs




TÜV type approved



Product video via the internet (per QR code)

Using an app (small program) and your smart phone camera, you can view a video about this product. You can also enter the internet address into your web browser.







Drummer's thrones, benches & stools

Keyboard stands

Stands for mixer, monitors and 19" rack-mounted products

Microphone stands

Speaker, lighting and monitor stands
206

Multimedia equipment

Shop fittings 266







König & Meyer music stands are virtually unsurpassed in quality the world over. All elements of the stands' construction are precisely calibrated to ensure perfect interplay.

Meticulously selected materials guarantee carefree setup and breakdown – and of course a sturdy stand – year after year.

Thanks to the variety of styles and sizes of music stands that König & Meyer has to offer, everyone – from the budding music pupil to the professional musician – can find the perfect stand for his or her individual needs.





| 101              | BASELINE               |
|------------------|------------------------|
| Weight           | 1.04 kg                |
| Special features | the K&M Classic        |
| Material         | steel                  |
| Leg construction | brace construction,    |
|                  | folds compactly        |
| Music desk       | traditionally foldable |
| Rod combination  | 3-piece folding        |
|                  | design                 |
| Size when folded | 390 mm                 |
| Height           | from 650 to            |
|                  | 1,225 mm               |
| Music desk       |                        |
| dimensions       | 440 x 215 mm           |

Order No.
nickel-colored 10100-013-11 10100-013-55 black

Accessories Page Carrying case 10111 44









| 100/1            | BASELINE               |
|------------------|------------------------|
| Weight           | 1.3 kg                 |
| Special features | different colors       |
|                  | available              |
| Material         | steel                  |
| Leg construction | U-profile legs snap    |
|                  | into socket            |
| Music desk       | traditionally foldable |
| Rod combination  | 3-piece folding        |
|                  | design                 |
| Size when folded | 490 mm                 |
| Height           | from 625 to            |
|                  | 1,240 mm               |
| Music desk       |                        |
| dimensions       | 435 x 215 mm           |
| dimensions       | 435 x 215 mm           |

| Order | N | 0 |
|-------|---|---|
|-------|---|---|

| blue          | 10010-000-54 |
|---------------|--------------|
| black         | 10010-000-55 |
| white         | 10010-000-57 |
| red           | 10010-000-59 |
| green         | 10010-000-60 |
| yellow        | 10010-000-61 |
| lilac         | 10010-000-65 |
| silver shadow | 10010-000-78 |
| rainbow       | 10010-000-99 |
|               |              |

Accessories Page Carrying case 10012 44



| 10040                 | BASELINE   |
|-----------------------|--|
| Weight                | 1.3 kg   |
| Special features      | music stand can be<br>opened and folded<br>in one simple move-<br>ment |
| Material              | steel  |
| Leg construction      | U-profile legs<br>snap into socket                                     |
| Music desk            | easy to fold   |
| Rod combination       | 3-piece folding design   |
| Size when folded      | 490 mm   |
| Height                | from 650 to<br>1,240 mm  |
| Music desk dimensions | 425 x 215 mm   |

| Order No. |              |
|-----------|--------------|
| black     | 10040-000-55 |

| Accessories         | Page |
|---------------------|------|
| Carrying case 10012 | 44   |

# NEW MUSIC STAND

| 100/5                    | BASELINE                            |
|--------------------------|-------------------------------------|
| Weight                   | 1.5 kg                              |
| Special features         | different colors available          |
| Material                 | steel                               |
| Leg construction         | brace construction, folds compactly |
| Music desk               | traditionally foldable              |
| Rod combination          | 3-piece folding design              |
| Size when folded         | 460 mm                              |
| Height                   | from 500 to<br>1,300 mm             |
| Music desk<br>dimensions | 435 x 215 mm                        |
|                          |                                     |

| Order No.      |              |
|----------------|--------------|
| nickel-colored | 10050-000-11 |
| blue           | 10050-000-54 |
| black          | 10050-000-55 |
| red            | 10050-000-59 |
| silver shadow  | 10050-000-78 |
| rainbow        | 10050-000-99 |

| Accessories         | Page |
|---------------------|------|
| Carrying case 10012 | 44   |

# **MUSIC STAND**

# NEW

| 10052            | BASELINE               |
|------------------|------------------------|
| Weight           | 1.5 kg                 |
| Special features | extra high             |
| Material         | steel                  |
| Leg construction | brace construction,    |
|                  | folds compactly        |
| Music desk       | traditionally foldable |
| Rod combination  | 3-piece folding        |
|                  | design                 |
| Size when folded | 580 mm                 |
| Height           | from 640 to            |
|                  | 1,500 mm               |
| Music desk       |                        |
| dimensions       | 435 x 215 mm           |

# Order No.

| black | 10052-000-55 |
|-------|--------------|
|       |              |
|       |              |

| Accessories         | Page |
|---------------------|------|
| Carrying case 10711 | 44   |







MUSIC STAND »ROBBY PLUS«

| 10062            | TOPLINE  |
|------------------|--|
| Weight           | 1.75 kg  |
| Special features | extra-wide, extra<br>stable expandable<br>music desk, with<br>additional sheet<br>holders (775 mm) |
| Material         | steel  |
| Leg construction | U-profile legs with cross braces   |
| Music desk       | traditionally foldable   |
| Rod combination  | 3-piece folding design   |
| Size when folded | 500 mm   |
| Height           | from 580 to<br>1,220 mm  |
| Music desk       |  |
| dimensions       | 485 x 240 x 42 mm  |

| 5 |
|---|
|   |
|   |

Order No.

| Accessories         | Page |
|---------------------|------|
| Carrying case 10012 | 44   |

# NEW MUSIC STAND

| 10065                 | TOPLINE                          |
|-----------------------|----------------------------------|
| Weight                | 1.55 kg                          |
| Material              | steel                            |
| Leg construction      | U-profile legs with cross braces |
| Music desk            | traditionally foldable           |
| Rod combination       | 3-piece folding design           |
| Size when folded      | 490 mm                           |
| Height                | from 585 to<br>1,220 mm          |
| Music desk dimensions | 485 x 240 x 42 mm                |
|                       |                                  |

| Order No.      |              |
|----------------|--------------|
| nickel-colored | 10065-000-11 |
| black          | 10065-000-55 |
| silver shadow  | 10065-000-78 |

| Accessories         | Page |
|---------------------|------|
| Carrying case 10012 | 44   |

# **MUSIC STAND**

| STARLINE               |
|------------------------|
| 2.45 kg                |
| extremely stable       |
| steel                  |
| solid brace construc-  |
| tion, folds compactly  |
| traditionally foldable |
| 3-piece folding        |
| design                 |
| 680 mm                 |
| from 675 to            |
| 1,470 mm               |
|                        |
| 485 x 240 x 42 mm      |
|                        |

Order No. nickel-colored 10700-000-11 black 10700-000-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 10711 | 44   |





| STARLINE               |
|------------------------|
| 2.5 kg                 |
| integrated nameplate   |
| steel                  |
| U-profile legs with    |
| cross braces           |
| traditionally foldable |
| 3-piece folding        |
| design                 |
| 680 x 90 x 120 mm      |
| from 720 to            |
| 1,520 mm               |
|                        |
| 500 x 240 mm           |
|                        |

| Order No. |              |
|-----------|--------------|
| black     | 10810-000-55 |

The most impressive stand in its class. This extremely stable design of stand has a sheet music desk of 500 x 240 mm – for size plus grandeur. The three-piece folding music stand has easy-to-use clamping elements. Its large music desk (with integrated name plate) has plenty of room for heavy folders and is an alternative to a music stand with a plate.

| Accessories         | Page |
|---------------------|------|
| Carrying case 10811 | 44   |





| 11870            | BASELINE                             | 121   |
|------------------|--------------------------------------|-------|
| Weight           | 2.8 kg                               | Weigl |
| Special features | user-friendly,<br>quick-release lock | Spec  |
| Material         | aluminum stand,                      | Mate  |
|                  | steel desk                           | Leg c |
| Base diameter    | 750 mm                               |       |
| Leg construction | tube legs with cross braces          | Rod   |
| Rod combination  | 3-piece folding design               | Conn  |
| Connection       |                                      | Heigh |
| stand/plate      | quick-release lock                   |       |
| Size when folded | 655 x 100 x 100 mm                   | Music |
| Height           | from 650 to                          | dime  |
|                  | 1,500 mm                             |       |
| Music desk       |                                      | Order |
| dimensions       | 490 x 340 x 50 mm                    | black |
|                  |                                      |       |

| Order No. |              |
|-----------|--------------|
| black     | 11870-015-55 |

| Accessories         | Page |
|---------------------|------|
| Carrying case 11450 | 44   |

# NEW MUSIC STAND

| 12179                 | BASELINE                           |
|-----------------------|------------------------------------|
| Weight                | 3.02 kg                            |
| Special features      | perforated music desk              |
| Material              | steel                              |
| Leg construction      | U-profile legs<br>snap into socket |
| Rod combination       | 2-piece folding design             |
| Connection            |                                    |
| stand/plate           | quick-release lock                 |
| Height                | from 610 to<br>1,080 mm            |
| Music desk dimensions | 500 x 340 mm                       |
|                       |                                    |

| Order No. |              |
|-----------|--------------|
| hlack     | 12170 000 55 |

| Accessories         | Page |
|---------------------|------|
| Carrying case 11450 | 44   |

# SCHOOL ORCHESTRA MUSIC STAND

| TOPLINE           |
|-------------------|
| 265 kg            |
| eel stand,        |
| ıminum desk       |
| profile legs with |
| oss braces        |
| oiece folding     |
| sign              |
| smatic »V-block«  |
| nnector           |
| m 555 to          |
| 190 mm            |
|                   |
| 0 x 300 mm        |
|                   |

# Order No.

10068-000-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 11450 | 44   |



| 1.10/1            | T001015               |
|-------------------|-----------------------|
| 118/1             | TOPLINE               |
| Weight            | 4.3 kg                |
| Material          | steel stand, aluminum |
|                   | or wooden desk        |
| Leg construction  | socket with foldable  |
|                   | legs                  |
| Rod combination   | 2-piece folding       |
|                   | design                |
| Connection        | prismatic »V-block«   |
| stand/plate       | connector             |
| Height            | from 680 to           |
|                   | 1,210 mm              |
| Music desk        |                       |
| dimensions (wood) | 550 x 355 mm          |
| Music desk        |                       |
| dimensions        |                       |
| (Aluminum)        | 520 x 355 mm          |

# Order No.

| nickel stand,       |              |
|---------------------|--------------|
| walnut wooden desk  | 11811-050-01 |
| nickel stand,       |              |
| walnut wooden desk  |              |
| (unit: 2 pcs.)      | 11811-000-01 |
| nickel stand,       |              |
| black wooden desk   | 11812-000-01 |
| black stand,        |              |
| black wooden desk   | 11812-000-55 |
| black stand,        |              |
| black aluminum desk | 11818-000-55 |
| nickel stand, beech |              |
| wooden desk         | 11819-500-01 |
|                     |              |

# Accessories Page Carrying case 11450 44

# ORCHESTRA MUSIC STAND

| 118/3            | TOPLINE                   |
|------------------|---------------------------|
| Weight           | 5 kg                      |
| Special features | additional shelf          |
| Material         | steel stand, wooden desk  |
| Leg construction | socket with foldable legs |
| Rod combination  | 2-piece folding design    |
| Connection       | prismatic »V-block«       |
| stand/plate      | connector                 |
| Height           | from 615 to               |
|                  | 1,150 mm                  |
| Music desk       |                           |
| dimensions       | 550 x 440 mm              |

# Order No.

| nickel stand with  |              |
|--------------------|--------------|
| walnut wooden desk | 11831-000-01 |
| nickel stand with  |              |
| black wooden desk  | 11832-000-01 |





| 118/4            | TOPLINE                   |
|------------------|---------------------------|
| Weight           | 4.6 kg                    |
| Special features | extra high                |
| Material         | steel stand, wooden desk  |
| Leg construction | socket with foldable legs |
| Rod combination  | 3-piece folding design    |
| Connection       | prismatic »V-block«       |
| stand/plate      | connector                 |
| Height           | from 740 to               |
|                  | 1,635 mm                  |
| Music desk       |                           |
| dimensions       | 550 x 355 mm              |

# Order No.

| nickei stand, wainut |              |
|----------------------|--------------|
| wooden desk          | 11841-000-01 |
| nickel stand, black  |              |
| wooden desk          | 11842-000-01 |

# **ORCHESTRA MUSIC STAND**

| 118/5                    | TOPLINE                     |
|--------------------------|-----------------------------|
| Weight                   | 5.73 kg                     |
| Special features         | stackable                   |
| Material                 | steel stand, wooden<br>desk |
| Leg construction         | socket with screw-in legs   |
| Rod combination          | 2-piece folding design      |
| Connection               | prismatic »V-block«         |
| stand/plate              | connector                   |
| Height                   | from 785 to                 |
|                          | 1,235 mm                    |
| Music desk<br>dimensions | 550 x 355 mm                |
|                          |                             |

# Order No.

| black 1185 | 2-000-55 |
|------------|----------|
|------------|----------|

| Accessories         | Page |
|---------------------|------|
| Carrying case 11450 | 44   |

# ORCHESTRA MUSIC STAND »SYMPHONY«

| 11865                 | TOPLINE   |
|-----------------------|---|
| Weight                | 3.92 kg   |
| Special features      | unique stamping;<br>clutch height<br>adjustment |
| Material              | steel   |
| Leg construction      | socket with foldable legs                       |
| Rod combination       | 2-piece folding design                          |
| Connection            | prismatic »V-block«                             |
| stand/plate           | connector                                       |
| Height                | from 790 to<br>1,340 mm                         |
| Music desk dimensions | 480 x 340 mm                                    |

# Order No.

black 11865-000-55



| 11899                 | TOPLINE                        |
|-----------------------|--------------------------------|
| Weight                | 4.17 kg                        |
| Special features      | perforated music desk          |
| Material              | steel                          |
| Leg construction      | tube legs with cross<br>braces |
| Rod combination       | 2-piece folding design         |
| Connection            |                                |
| stand/plate           | quick-release lock             |
| Height                | from 700 to<br>1,200 mm        |
| Music desk dimensions | 500 x 340 mm                   |

| Order No |
|----------|
|----------|

black 11899-000-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 11450 | 44   |

# **ORCHESTRA MUSIC STAND**

| 11940            | TOPLINE                               |
|------------------|---------------------------------------|
| Weight           | 3.6 kg                                |
| Special features | user-friendly, quick-<br>release lock |
| Material         | steel                                 |
| Base diameter    | 750 mm                                |
| Leg construction | tube legs with cross<br>braces        |
| Rod combination  | 2-piece folding design                |
| Connection       |                                       |
| stand/plate      | quick-release lock                    |
| Size when folded | 730 x 100 x 100 mm                    |
| Height           | from 740 to                           |
|                  | 1,270 mm                              |
| Music desk       |                                       |
| dimensions       | 490 x 340 x 50 mm                     |
|                  |                                       |

# Order No.

black 11940-000-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 11460 | 44   |

# **ORCHESTRA MUSIC STAND**

NEW

| 11960            | TOPLINE                     |
|------------------|-----------------------------|
| Weight           | 3.7 kg                      |
| Special features | user-friendly, quick-       |
|                  | release lock                |
| Material         | steel                       |
| Base diameter    | 750 mm                      |
| Leg construction | tube legs with cross braces |
| Rod combination  | 2-piece folding design      |
| Connection       |                             |
| stand/plate      | quick-release lock          |
| Size when folded | 730 x 100 x 100 mm          |
| Height           | from 740 to                 |
|                  | 1,270 mm                    |
| Music desk       |                             |
| dimensions       | 490 x 340 x 50 mm           |

# Order No.

black 11960-000-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 11460 | 44   |





Order No. black

| 12120                 | TOPLINE   |
|-----------------------|---|
| Weight                | 2.64 kg   |
| Special features      | collapsible music<br>desk;<br>nylon bag is included |
| Material              | steel stand, plastic desk                           |
| Leg construction      | socket with foldable legs                           |
| Rod combination       | 2-piece folding design                              |
| Connection            |   |
| stand/plate           | non-detachable                                      |
| Height                | from 545 to<br>1,220 mm                             |
| Music desk dimensions | 505 x 340 mm  |

12120-000-55

# **ORCHESTRA MUSIC STAND**

Order No. black

| 12125            | TOPLINE                      |
|------------------|------------------------------|
| Weight           | 3.14 kg                      |
| Special features | extra high;                  |
|                  | collapsible music desk:      |
|                  | nylon bag is included        |
| Material         | steel stand, plastic<br>desk |
| Leg construction | socket with foldable         |
|                  | legs                         |
| Rod combination  | 3-piece folding              |
|                  | design                       |
| Connection       |                              |
| stand/plate      | non-detachable               |
| Height           | from 720 to                  |
|                  | 1,550 mm                     |
| Music desk       |                              |
| dimensions       | 505 x 340 mm                 |
|                  |                              |

12125-000-55

# **ORCHESTRA MUSIC STAND**

| 11888            | STARLINE                    |
|------------------|-----------------------------|
| Weight           | 3.06 kg                     |
| Material         | aluminum                    |
| Leg construction | tube legs with cross braces |
| Rod combination  | 2-piece folding design      |
| Connection       | prismatic »V-block«         |
| stand/plate      | connector                   |
| Height           | from 710 to                 |
|                  | 1,215 mm                    |
| Music desk       |                             |
| dimensions       | 520 x 360 mm                |
| Order No.        |                             |

 Order No.

 black
 11888-050-55

 black (unit: 2 pcs.)
 11888-000-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 11450 | 44   |



# ONE-HAND ORCHESTRA MUSIC STAND

| 11950            | STARLINE            |
|------------------|---------------------|
| Weight           | 4.7 kg              |
| Special features | infinitely variable |
|                  | one-hand height     |
|                  | adjustment;         |
|                  | maximum stability   |
|                  | and legroom;        |
|                  | for stationary use  |
| Material         | steel               |
| Base diameter    | 645 mm              |
| Leg construction | fixed screw-in legs |
| Rod combination  | 2-piece folding     |
|                  | design              |
| Connection       | prismatic »V-block« |
| stand/plate      | connector           |
| Height           | from 740 to         |
|                  | 1,250 mm            |
| Music desk       |                     |
| dimensions       | 520 x 355 mm        |

| Order No. |              |
|-----------|--------------|
| olack     | 11950-000-55 |

# ONE-HAND ORCHESTRA MUSIC STAND

| 11980            | STARLINE              |
|------------------|-----------------------|
| Weight           | 4.68 kg               |
| Special features | infinitely variable   |
|                  | one-hand height       |
|                  | adjustment;           |
|                  | for mobile or statio- |
|                  | nary use              |
| Material         | steel                 |
| Base diameter    | 740 mm                |
| Leg construction | tube legs with cross  |
|                  | braces                |
| Rod combination  | 2-piece folding       |
|                  | design                |
| Connection       | prismatic »V-block«   |
| stand/plate      | connector             |
| Height           | from 785 to           |
|                  | 1,290 mm              |
| Music desk       |                       |
| dimensions       | 500 x 340 mm          |

 Order No.

 black
 11980-000-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 11460 | 44   |



# ORCHESTRA CONDUCTOR STAND

| 12342            |                     |
|------------------|---------------------|
| Weight           | 6.62 kg             |
| Special features | for mobile or       |
|                  | stationary use;     |
|                  | pull-out music      |
|                  | racks on both sides |
|                  | (to 875 mm)         |
| Material         | steel stand,        |
|                  | wooden desk         |
| Leg construction | tube legs with      |
|                  | cross braces        |
| Rod combination  | 2-piece folding     |
|                  | design              |
| Connection       |                     |
| stand/plate      | screw connection    |
| Height           | from 690 to         |
|                  | 1,160 mm            |
| Music desk       |                     |
| dimensions       | 575 x 355 mm        |

# Order No.

black 12342-000-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 11450 | 44   |







# **SOUND INSULATION STAND**

| 11900             |                     |
|-------------------|---------------------|
| Weight            | 3.02 kg             |
| Special features  | can be used         |
|                   | on both sides       |
|                   | (concave, convex)   |
| Material          | stand steel,        |
|                   | plexiglass shield   |
| Base diameter     | 670 mm              |
| Leg construction  | socket with         |
|                   | foldable legs       |
| Rod combination   | 2-piece folding     |
|                   | design              |
| Connection stand/ | prismatic »V-block« |
| shield            | connector           |
| Height            | from 900 to         |
|                   | 1,400 mm            |
| Dimensions shield | 450 x 240 mm        |

# Order No.

black 11900-000-55





# **WOODEN MUSIC STAND**

| 116/1                 |                        |
|-----------------------|------------------------|
| Weight                | 2.81 kg                |
| Material              | wood                   |
| Rod combination       | 2-piece folding design |
| Connection stand/     |                        |
| plate                 | screw connection       |
| Height                | from 715 to            |
|                       | 1,225 mm               |
| Music desk dimensions | 460 x 300 mm           |

# Order No.

| walnut     | 11611-000-00 |
|------------|--------------|
| beech      | 11616-000-00 |
| cherrywood | 11617-000-00 |

# **WOODEN MUSIC STAND**

| 117                      |                          |
|--------------------------|--------------------------|
| Weight                   | 3.28 kg                  |
| Special features         | curved baroque<br>design |
| Material                 | wood                     |
|                          | 2-piece folding          |
| Rod combination          | design                   |
| Connection stand/        |                          |
| plate                    | screw connection         |
| Height                   | from 960 to              |
|                          | 1,320 mm                 |
| Music desk<br>dimensions | 450 x 310 mm             |

| Order No.  |              |
|------------|--------------|
| walnut     | 11701-000-00 |
| beech      | 11706-000-00 |
| cherrywood | 11707-000-00 |





# **TABLE MUSIC STAND**

| 124                      |   |
|--------------------------|---|
| Weight                   | 0.28 kg   |
| Special features         | Expandable, folding table-top music stand with sheet music retainers; also for zither players |
| Material                 | steel   |
| Size when folded         | 260 x 47 x 37 mm  |
| Music desk<br>dimensions | 500 x 200 mm  |

# Order No.

nickel-colored 12400-000-11

# **UNI-BOY »BOOK« STAND**

| 12440                |                   |
|----------------------|-------------------|
| Weight               | 1.98 kg           |
| Special features     | for sheet music,  |
|                      | books, magazines, |
|                      | reports etc.      |
| Material             | plastic           |
| Size when folded     | 235 x 173 x 13 mm |
| Music desk           |                   |
| dimensions           | 173 x 235 mm      |
| Angle of inclination | 10° to 50°        |

# Order No.

| 4 color set (unit: 22 pcs.) | 12440-000-00 |
|-----------------------------|--------------|
| blue (unit: 12pcs.)         | 12440-012-54 |
| red (unit: 12 pcs.)         | 12440-012-59 |
| green (unit: 12 pcs.)       | 12440-012-60 |
| yellow (unit: 12 pcs.)      | 12440-012-61 |

# **UNI-BOY »CLASSIC« STAND**

| 12450                | _                 |  |
|----------------------|-------------------|--|
| Weight               | 2.02 kg           |  |
| Special features     | for sheet music,  |  |
|                      | books, magazines, |  |
|                      | reports etc.      |  |
| Material             | plastic           |  |
| Size when folded     | 230 x 173 x 13 mm |  |
| Music desk           |                   |  |
| dimensions           | 173 x 230 mm      |  |
| Angle of inclination | 10° to 50°        |  |

# Order No.

| 4 color set (unit: 22 pcs.) | 12450-000-00 |
|-----------------------------|--------------|
| blue (unit: 12 pcs.)        | 12450-012-54 |
| red (unit: 12 pcs.)         | 12450-012-59 |
| green (unit: 12 pcs.)       | 12450-012-60 |





# MUSIC STAND LIGHT

| 122e                 |                      |
|----------------------|----------------------|
| Weight               | 0.37 kg              |
| Special features     | CE-mark              |
| Material             | steel                |
| Connection           | electric cable 2 m   |
| Electrical           |                      |
| connection data      | 230 V AC 50Hz        |
| Intensity            | ~2500 lux            |
| Clamping range       | up to 20 mm          |
| Power output         | max. 25 Watt         |
| Lighting appliance   | 1 light bulb         |
| Lamp shade length    | 160 mm               |
| Power supply         | only mains operation |
| Light positioning by | pivoted joint        |

# Order No.

| black | 12250-013-55 |
|-------|--------------|
|       |              |
|       |              |

| Accessories                | Page |
|----------------------------|------|
| Replacement bulb 12290     | 43   |
| LED replacement bulb 12293 | 43   |

# DOUBLE MUSIC STAND LIGHT

| 122/6                | _                    |
|----------------------|----------------------|
| Weight               | 0.52 kg              |
| Special features     | CE-mark              |
| Material             | steel                |
| Connection           | electric cable 2 m   |
| Electrical           |                      |
| connection data      | 230 V AC 50Hz        |
| Intensity            | 2 x ~2500 lux        |
| Clamping range       | up to 20 mm          |
| Power output         | max. 25 Watt         |
| Lighting appliance   | 2 light bulbs        |
| Lamp shade length    | 320 mm               |
| Power supply         | only mains operation |
| Light positioning by | pivoted joint        |

# Order No.

| 3-55 |
|------|
|      |

| Accessories                | Page |
|----------------------------|------|
| Replacement bulb 12290     | 43   |
| LED replacement bulp 12293 | 43   |

# **DOUBLE MUSIC STAND LIGHT**

| 12275                | _                    |
|----------------------|----------------------|
| Weight               | 0.58 kg              |
| Special features     | CE-mark              |
| Material             | steel                |
| Connection           | electric cable 2 m   |
| Electrical           |                      |
| connection data      | 230 V AC 50Hz        |
| Intensity            | 2 x ~2500 lux        |
| Clamping range       | up to 20 mm          |
| Power output         | max. 25 Watt         |
| Lighting appliance   | 2 light bulbs        |
| Lamp shade length    | 320 mm               |
| Power supply         | only mains operation |
| Light positioning by | gooseneck            |

# Order No.

black 12275-000-55

| Accessories                | Page |
|----------------------------|------|
| Replacement bulb 12290     | 43   |
| LED replacement bulb 12293 | 43   |





# LED PIANO LAMP

| 12296                |                      |
|----------------------|----------------------|
| Weight               | 1.6 kg               |
| Special features     | includes power       |
|                      | adapter;             |
|                      | perfect for stage    |
|                      | and digital pianos;  |
|                      | very bright LED      |
|                      | piano lamp;          |
|                      | CE-mark              |
| Material             | Base zinc die-cast,  |
|                      | gooseneck steel,     |
|                      | plastic lamp shade   |
| Connection           | electric cable 3 m   |
| Electrical           |                      |
| connection data      | 230 V AC 50Hz        |
| Intensity            | ~2500 lux            |
| Lighting appliance   | 12 LEDs              |
| Lamp shade length    | 296 mm               |
| Power supply         | only mains operation |
| Light positioning by | gooseneck            |

# Order No.

black 12296-000-55











Includes power adapter.

# **LED PIANO LAMP**

| 12297                |                      |
|----------------------|----------------------|
| Weight               | 1.75 kg              |
| Special features     | includes power       |
|                      | adapter;             |
|                      | very bright LED      |
|                      | piano lamp;          |
|                      | CE-mark              |
| Material             | Base zinc die-cast,  |
|                      | gooseneck steel,     |
|                      | plastic lamp shade   |
| Connection           | electric cable 3 m   |
| Electrical           |                      |
| connection data      | 230 V AC 50Hz        |
| Intensity            | ~2500 lux            |
| Lighting appliance   | 12 LEDs              |
| Lamp shade length    | 296 mm               |
| Power supply         | only mains operation |
| Light positioning by | gooseneck            |
|                      |                      |

# Order No.

| gold-colored | 12297-000-40 |
|--------------|--------------|
| black        | 12297-000-55 |
| silver       | 12297-000-63 |

Piano light with an elegant design. State-of-the-art LED technology guarantees bright light (12 LEDs, 2500 Lux), long life and low energy consumption. Optimum positioning thanks to a long, flexible goose neck (415 mm length). Heavy base ensures stable positioning. Includes power adapter.









# MUSIC STAND LIGHT

NEW

| 12295                |                      |
|----------------------|----------------------|
| Weight               | 0.285 kg             |
| Special features     | CE-mark;             |
|                      | 12 energy saving     |
|                      | and durable LEDs;    |
|                      | brightness dimmable  |
| Material             | steel                |
| Connection           | electric cable 3 m   |
| Electrical           | 110 V - 240 V AC     |
| connection data      | 50Hz - 60Hz          |
| Intensity            | 2 x ~1400 lux        |
| Clamping range       | up to 25 mm          |
| Lighting appliance   | 2 x 6 LEDs           |
| Lamp shade length    | 300 mm               |
| Power supply         | only mains operation |
| Light positioning by | gooseneck            |

# Order No.

black 12295-000-55

Perfect lighting for any situation. Equipped with 12 energy saving and durable LEDs guaranteeing optimal music desk lighting. The brightness is adjusted using a variable dimmer switch. The flexible goose neck ensures that the light is ideally positioned. A handy clip provides for easy attachment to all music desks with a thickness of 25 mm. A power supply with a 3 m cord is included.





For music desks up to 25 mm thickness





# **MUSIC STAND LIGHT »TWIN HEAD«**

| 10000                |                       |
|----------------------|-----------------------|
| 12270                |                       |
| Weight               | 0.28 kg               |
| Special features     | newest LED            |
|                      | technology;           |
|                      | bright and focused    |
|                      | light;                |
|                      | both light heads      |
|                      | work individually     |
| Material             | plastic               |
| Size when folded     | 165 x 100 x 55 mm     |
| Connection           | electric cable 3 m    |
| Electrical           | 110 V - 240 V AC      |
| connection data      | 50Hz - 60Hz           |
| Intensity            | 2 x ~1400 lux         |
| Clamping range       | up to 25 mm           |
| Lighting appliance   | 2 x 4 LEDs            |
| Power supply         | battery operation     |
|                      | 3 x Mignon (AA) 1.5 V |
|                      | or mains power with   |
|                      | power unit            |
| Light positioning by | goosenecks            |

# Order No.

black 12270-000-55

Another "highlight" from König & Meyer's range of lights. The exceptionally flexible goose neck allows the musician to choose either a focussed beam or flat light. Each lamp head contains a pack with four LEDs, which can be switched on or off individually. The latest LED technology guarantees a bright source of light, long product life and minimal consumption of energy. The light is attached to surfaces with a maximum thickness of 25 mm using the clip. This multipurpose attractive lamp functions with batteries or external power supply. The power pack and 3 batteries are included in the delivery.



# MUSIC STAND LIGHT

| 12285                |   |
|----------------------|---|
| Weight               | 0.42 kg   |
| Special features     | high-efficiency electric lighting system  |
| Material             | gooseneck steel,<br>plastic lamp shade  |
| Intensity            | ~2500 lux   |
| Clamping range       | up to 20 mm   |
| Lighting appliance   | 1 light bulb  |
| Lamp shade length    | 240 mm  |
| Power supply         | battery operation<br>3/6/9 x Mignon (AA)<br>1.5 V or mains power<br>with power unit |
| Light positioning by | gooseneck   |

# Order No.

12285-000-55 black

Accessories Page Power unit 12280 42

# MUSIC STAND LIGHT PACKAGE

| 12286            |  |
|------------------|--|
| Weight           | 0.7 kg   |
| Special features | K&M battery light<br>12285 with power<br>unit 12280, packed<br>in an attractive<br>carrying case 12281 |
|                  |  |

# Order No.

12286-000-55 black

# **READING LIGHT** »MIGHTY BRIGHT - XTRA FLEX 2«

| 85610                |                       |
|----------------------|-----------------------|
| Weight               | 0.08 kg               |
| Special features     | batteries included    |
| Material             | plastic               |
| Intensity            | ~550 lux              |
| Clamping range       | up to 25 mm           |
| Lighting appliance   | 2 LEDs                |
| Power supply         | battery operation     |
|                      | 3 x Micro (AAA) 1.5 V |
|                      | or mains power with   |
|                      | power unit            |
| Light positioning by | gooseneck             |

# Order No.

| blue   | 85610-000-54 |
|--------|--------------|
| black  | 85610-000-55 |
| green  | 85610-000-60 |
| violet | 85610-000-65 |

| Accessories      | Page |
|------------------|------|
| Dower unit 95655 | 40   |





# MUSIC STAND LIGHT »MIGHTY BRIGHT - XTRA FLEX«

| 85620                |                       |
|----------------------|-----------------------|
| Weight               | 0.055 kg              |
| Special features     | batteries included    |
| Material             | plastic               |
| Intensity            | ~300 lux              |
| Clamping range       | up to 25 mm           |
| Lighting appliance   | 1 LED                 |
| Power supply         | battery operation     |
|                      | 3 x Micro (AAA) 1.5 V |
| Light positioning by | gooseneck             |

# Order No.

| black  | 85620-000-55 |
|--------|--------------|
| silver | 85620-000-63 |

| Accessories         | Page |
|---------------------|------|
| Magnet holder 85695 | 42   |

# MUSIC STAND LIGHT »MIGHTY BRIGHT - DOUBLE FLEX«

| 85640                |                       |
|----------------------|-----------------------|
| Weight               | 0.06 kg               |
| Material             | plastic               |
| Size when folded     | 70 x 55 x 50 mm       |
| Intensity            | 2 x ~400 lux          |
| Clamping range       | up to 25 mm           |
| Lighting appliance   | 2 LEDs                |
| Power supply         | battery operation     |
|                      | 3 x Micro (AAA) 1.5 V |
| Light positioning by | goosenecks            |

# Order No.

black 85640-000-55

| Accessories         | Page |
|---------------------|------|
| Magnet holder 85695 | 42   |







# MUSIC STAND LIGHT »MIGHTY BRIGHT - DUET 2«

| 85650                |                       |
|----------------------|-----------------------|
| Weight               | 0.11 kg               |
| Special features     | 4 LEDs switchable     |
|                      | individually;         |
|                      | batteries included    |
| Material             | plastic               |
| Size when folded     | 90 x 60 x 50 mm       |
| Intensity            | 2 x ~1000 lux         |
| Clamping range       | up to 25 mm           |
| Lighting appliance   | 2 x 2 LEDs            |
| Power supply         | battery operation     |
|                      | 3 x Micro (AAA) 1.5 V |
|                      | or mains power with   |
|                      | power unit            |
| Light positioning by | goosenecks            |

# Order No.

black 85650-000-55

The useful »Mighty Bright Duet 2« light is the ideal light to take on tour or to use at home. Its flexible goosenecks mean it can easily be adjusted to suit individual needs. Long-life LEDs easily light a 2 x A4-sized surface. A practical attachment clip allows it to be used on music stands or as a standing light. Four bright light diodes to switch on individually are powered optionally by re-chargeable batteries or by a power supply unit.

| Accessories         | Page |
|---------------------|------|
| Power unit 85655    | 42   |
| Magnet holder 85695 | 42   |





# MUSIC STAND LIGHT »MIGHTY BRIGHT - PEDAL BOARD LIGHT«

| 85660                | _                          |
|----------------------|----------------------------|
| Weight               | 0.15 kg                    |
| Special features     | 4 LEDs (2x red,            |
|                      | 2 x white) switchable      |
|                      | individually;              |
|                      | batteries included         |
| Material             | plastic                    |
| Intensity            | 1 x $\sim$ 500 lux and 1 x |
|                      | ~1000 lux                  |
| Clamping range       | up to 25 mm                |
| Lighting appliance   | 2 x 2 LEDs                 |
| Power supply         | battery operation          |
|                      | 3 x Micro (AAA) 1.5 V      |
|                      | or mains power with        |
|                      | power unit                 |
| Light positioning by | goosenecks                 |

# Order No.

black 85660-000-55

| Accessories         | Page |
|---------------------|------|
| Power unit 85655    | 42   |
| Magnet holder 85695 | 42   |

# MUSIC STAND LIGHT »MIGHTY BRIGHT - HAMMER HEAD«

| Weight 0.12 kg Special features switch between 2 levels of brightness; batteries included and bag Material plastic Intensity ~1400 lux | 85665                |                         |
|--|----------------------|-------------------------|
| 2 levels of brightness;<br>batteries included<br>and bag<br>Material plastic   |                      | 0.12 kg                 |
| batteries included and bag  Material plastic   | Special features     | switch between          |
| and bag Material plastic   |                      | 2 levels of brightness; |
| Material plastic   |                      | batteries included      |
| P. 444   |                      | and bag                 |
| Intensity ~1400 lux  | Material             | plastic                 |
|  | Intensity            | ~1400 lux               |
| Clamping range up to 25 mm   | Clamping range       | up to 25 mm             |
| Lighting appliance 6 LEDs  | Lighting appliance   | 6 LEDs                  |
| Lamp shade length 75 mm  | Lamp shade length    | 75 mm                   |
| Power supply battery operation   | Power supply         | battery operation       |
| 3 x Micro (AAA) 1.5 V  |                      | 3 x Micro (AAA) 1.5 V   |
| or mains power with  |                      | or mains power with     |
| power unit   |                      | power unit              |
| Light positioning by gooseneck   | Light positioning by | gooseneck               |

# Order No.

black 85665-000-55

| Accessories         | Page |
|---------------------|------|
| Power unit 85655    | 42   |
| Magnet holder 85695 | 42   |

# MUSIC STAND LIGHT »MIGHTY BRIGHT - ORCHESTRA LIGHT«

| 85670                |                         |
|----------------------|-------------------------|
| Weight               | 0.48 kg                 |
| Special features     | switch between          |
|                      | 2 levels of brightness; |
|                      | inclusive power         |
|                      | supply, battery         |
|                      | and bag                 |
| Material             | plastic                 |
| Size when folded     | 297 x 287 x 82 mm       |
| Connection           | electric cable 4 m      |
| Electrical           | 110 V - 240 V AC        |
| connection data      | 50Hz - 60Hz             |
| Intensity            | ~1700 lux               |
| Clamping range       | up to 20 mm             |
| Lighting appliance   | 9 LEDs                  |
| Lamp shade length    | 210 mm                  |
| Power supply         | battery operation       |
|                      | 3 x Mignon (AA) 1.5 V   |
|                      | or mains power with     |
|                      | power unit              |
| Light positioning by | gooseneck               |
|                      |                         |

Order No.

black 85670-000-55





# MUSIC STAND LIGHT »MIGHTY BRIGHT - ENCORE LIGHT«

| 85675                |                         |
|----------------------|-------------------------|
| Weight               | 0.32 kg                 |
| Special features     | switch between          |
|                      | 2 levels of brightness; |
|                      | inclusive power         |
|                      | supply, battery         |
|                      | and bag                 |
| Material             | plastic                 |
| Size when folded     | 190 x 180 x 65 mm       |
| Connection           | electric cable 4 m      |
| Electrical           | 110 V - 240 V AC        |
| connection data      | 50Hz - 60Hz             |
| Intensity            | ~1150 lux               |
| Clamping range       | up to 25 mm             |
| Lighting appliance   | 6 LEDs                  |
| Lamp shade length    | 150 mm                  |
| Power supply         | battery operation       |
|                      | 3 x Micro (AAA) 1.5 V   |
|                      | or mains power with     |
|                      | power unit              |
| Light positioning by | gooseneck               |

# Order No.

black 85675-000-55

| Accessories         | Page |
|---------------------|------|
| Magnet holder 85695 | 42   |











# MUSIC STAND LIGHT »MIGHTY BRIGHT - CRESCENDO«

NEW

| 85690                |                      |
|----------------------|----------------------|
| Weight               | 0.35 kg              |
| Special features     | CE-mark;             |
|                      | 20 energy saving     |
|                      | and durable LEDs;    |
|                      | brightness dimmable; |
|                      | micro USB charging   |
|                      | cable included       |
| Material             | plastic              |
| Size when folded     | 220 x 180 x 30 mm    |
| Connection           | USB                  |
| Intensity            | ~1400 lux            |
| Clamping range       | up to 12 mm          |
| Lighting appliance   | 20 LEDs              |
| Lamp shade length    | 220 mm               |
| Power supply         | rechargeable battery |
| Light positioning by | spring hinge         |

# Order No.

black 85690-000-55

Music stand light in a new innovative design with an energy-efficient and long-lasting LED technology. The light is constructed of flexible elastomer and durable ABS plastic. The brightness is dimmable between 10 and 100 lumens.

Battery lifetime is up to 40 hours depending on the brightness setting. The light comes with a battery life indicator. Minimalist design shields light from audience and folds into a compact shape. A sturdy metal clip firmly affixes the light to most music stands. The light charges via micro USB port in 2 hours. Charging cable with micro USB port is included.



# 1 LED USB LIGHT »MIGHTY BRIGHT«

| 85681                |                 |
|----------------------|-----------------|
| Weight               | 0.06 kg         |
| Special features     | illuminates the |
|                      | entire keyboard |
| Material             | plastic         |
| Connection           | USB             |
| Lighting appliance   | 1 LED           |
| Light positioning by | gooseneck       |

# Order No.

silver 85681-000-63

# 2 LED USB LIGHT »MIGHTY BRIGHT«

| illuminates the entire keyboard |
|---------------------------------|
| plastic                         |
| USB                             |
| 2 LEDs                          |
| gooseneck                       |
|                                 |

### Order No.

85682-000-63 silver

# **POWER UNIT**

| 12280                        |   |
|------------------------------|---|
| Weight                       | 0.09 kg                                 |
| Special features             | CE-mark                                 |
| Connection                   | electric cable 2 m                      |
| Frequency                    | 50-60 Hz                                |
| Input                        | 110 to 240 V AC                         |
| Output                       | 4.5 V DC                                |
| Fits                         | 12285                                   |
| Frequency<br>Input<br>Output | 50-60 Hz<br>110 to 240 V AC<br>4.5 V DC |

# Order No.

12280-000-00





### **POWER UNIT**

| 85655            | _                  |
|------------------|--------------------|
| Weight           | 0.07 kg            |
| Special features | CE-mark;           |
|                  | can also be used   |
|                  | as replacement     |
|                  | for 12270, 85670   |
|                  | and 85675          |
| Connection       | electric cable 3 m |
| Input            | 110 to 240 V AC    |
| Output           | 4 V DC             |
| Fits             | 85610, 85650,      |
|                  | 85660, 85665       |
|                  |                    |

# **MAGNET HOLDER**

| 85695    | _             |
|----------|---------------|
| Weight   | 0.12 kg       |
| Material | plastic       |
| Fits     | 85620, 85640, |
|          | 85650, 85660, |
|          | 85665, 85675  |
|          |               |

# Order No.

black 85695-000-55

# **CARRYING CASE**

| 0.22 kg            |
|--------------------|
| molded interior    |
| recesses for light |
| nylon              |
|                    |
| handle             |
| zip fastener       |
| 290 x 225 x 70 mm  |
| 12285              |
|                    |

# Order No.







# REPLACEMENT BULB

| 12290           |                    |
|-----------------|--------------------|
| Weight          | 0.02 kg            |
| Electrical      |                    |
| connection data | 230 V AC 50Hz      |
| Power output    | max. 25 Watt       |
| Socket          | E 14               |
| Fits            | 122/6, 12275, 122e |

# LED REPLACEMENT BULP

| 12293           |                    |
|-----------------|--------------------|
| Weight          | 0.02 kg            |
| Electrical      |                    |
| connection data | 230 V AC 50Hz      |
| Power output    | 3 Watt             |
| Socket          | E 14               |
| Fits            | 122/6, 12275, 122e |

Order No.

12290-000-00

Order No.

12293-000-00







#### **CARRYING CASE**

| 10012         |                      |
|---------------|----------------------|
| Weight        | 0.12 kg              |
| Material      | nylon                |
| Handle or     |                      |
| carrying type | shoulder strap       |
| Fastener      | hook-and-loop        |
|               | fastener             |
| Dimensions    | 500 mm               |
| Fits          | 100/1, 100/5, 10040, |
|               | 10062, 10065         |

Order No.

10012-000-00

#### **CARRYING CASE**

| 10111         |               |
|---------------|---------------|
| Weight        | 0.08 kg       |
| Material      | nylon         |
| Handle or     |               |
| carrying type | handle        |
| Fastener      | hook-and-loop |
|               | fastener      |
| Dimensions    | 400 mm        |
| Fits          | 101           |
|               |               |

Order No.

10111-000-00

### **CARRYING CASE**

| 10711         |                |
|---------------|----------------|
| Weight        | 0.213 kg       |
| Material      | nylon          |
| Handle or     |                |
| carrying type | shoulder strap |
| Fastener      | hook-and-loop  |
|               | fastener       |
| Dimensions    | 680 mm         |
| Fits          | 10052, 107     |
|               |                |

Order No.

10711-000-00



### **CARRYING CASE**

| 10811         |                      |
|---------------|----------------------|
| Weight        | 0.22 kg              |
| Material      | nylon                |
| Handle or     |                      |
| carrying type | handle               |
| Fastener      | zip fastener         |
| Dimensions    | 700 mm               |
| Fits          | 10810, 141/1,        |
|               | 149/9, 14950, 14951, |
|               | 14985, 15060, 252,   |
|               | 259, 259/1, 25910,   |
|               | 28130                |

Order No.

10811-000-00

### **CARRYING CASE**

| 0.82 kg   |
|---|
| 2 internal compart-<br>ments and outside<br>pocket for music<br>and accessories |
| nylon   |
| handle and shoulder straps  |
| zip fastener  |
| 700 x 120 x 450 mm  |
| 10068, 118/1,<br>118/5, 11870, 11888,<br>11899, 12150, 12155,<br>12179, 12342   |
|   |

|                 | 11460            |
|-----------------|------------------|
|                 | Weight           |
| art-<br>de<br>; | Special features |
|                 | Material         |
|                 | Handle or        |
|                 | carrying type    |
|                 | Fastener         |
| mm              | Dimensions       |
|                 | Fits             |
| 888,<br>2155,   | Order No.        |
|                 |                  |

**CARRYING CASE** 

11460-000-00

0.57 kg

nylon

handle

zip fastener

820 x 100 x 380 mm 11940, 11960, 11980

2 internal compartments and outside pocket for music and accessories

# Order No.



11450-000-00





### **TRAY**

| 122a             |                              |
|------------------|------------------------------|
| Weight           | 0.4 kg                       |
| Special features | with felt inner-lining       |
| Material         | wood                         |
| Dimensions       | 390 x 120 mm                 |
| Screw-on to      | tube diameter<br>up to 30 mm |

### Order No.

12211-000-55 walnut

# **TRAY**

| 12218            |                        |
|------------------|------------------------|
| Weight           | 0.48 kg                |
| Special features | with felt inner-lining |
| Material         | aluminum               |
| Dimensions       | 390 x 125 mm           |
| Screw-on to      | tube diameter          |
|                  | up to 30 mm            |
|                  |                        |

### Order No.

12218-000-55 black

# **MUSIC HOLDER**

| 131              |                  |
|------------------|------------------|
| Weight           | 0.32 kg          |
| Special features | folds very small |
| Material         | steel            |
| Screw-on to      | tube diameter    |
|                  | up to 30 mm      |

# Order No.

13100-000-55 black







### **FILE HOLDER**

| 13020            |                 |
|------------------|-----------------|
| Weight           | 0.889 kg        |
| Special features | collapsible;    |
|                  | 2 additional    |
|                  | instrument pegs |
|                  | mountable       |
| Material         | steel           |
|                  |                 |

# Order No.

black 13020-000-55

# **ADVERTISING PANEL FOR**

# **ORCHESTRA MUSIC DESKS**

| 12384            |   |
|------------------|---|
| Weight           | 1.9 kg  |
| Special features | for mounting to<br>orchestra music<br>desks;<br>two clamps included |
| Material         | aluminum  |
| Dimensions       | 520 x 800 x 1.5 mm  |

## Order No.

12384-000-55 black

### MAGNET

NEW

| 115/6            |                     |
|------------------|---------------------|
| Weight           | 0.035 kg            |
| Special features | with felt lining;   |
|                  | imprint of customer |
|                  | logos is possible   |
| Dimensions       | 58 x 27 mm          |
|                  |                     |

# Order No.

black with K&M logo 11560-000-55 black with customer logo (plus charges for special logo) 11561-000-55







### **POWER MAGNET**

| 11580               |                      |
|---------------------|----------------------|
| Weight              | 0.052 kg             |
| Special features    | Strong magnetic      |
|                     | power - mini size;   |
|                     | 2 magnets in blister |
|                     | packaging            |
| Material            | steel                |
| Dimensions diameter | 12 x 16 mm           |

# Order No.

zinc-plated (unit: 2 pcs.) 11580-000-29 zinc-plated (unit: 10 pcs.

in PET bag) 11581-000-29

# **SHEET MUSIC HOLDER**

| 11590            |  |
|------------------|--|
| Weight           | 0.014 kg                               |
| Special features | suitable for the                       |
|                  | music stands product groups »Baseline« |
|                  | and »Topline«;                         |
|                  | easy to use;                           |
|                  | folds small                            |
| Material         | plastic                                |
| Dimensions       | 78 x 30 x 10 mm                        |
|                  |  |

### Order No.

black 11590-000-55

# SHEET MUSIC CLIP

| _                      |
|------------------------|
| 0.014 kg               |
| 4 pieces in a poly bag |
| plastic                |
| 51 x 50 x 22 mm        |
|                        |

# Order No.

black (unit: 4 pcs.) 16060-000-55 black (unit: 100 pcs.) 16060-100-55







### **DRINK HOLDER**

| 160/2        |                      |
|--------------|----------------------|
| Weight       | 0.24 kg              |
| Material     | steel                |
| Screw-on to  | tube diameter        |
|              | up to 30 mm          |
| Suitable for | bottles, glasses and |
|              | cups with maximum    |
|              | diameter of 85 mm    |

## Order No.

black 16020-000-55

# UNIVERSAL DRINK HOLDER

| 16022        |  |
|--------------|--|
| Weight       | 0.389 kg   |
| Material     | steel  |
| Screw-on to  | tube diameter<br>up to 30 mm                                   |
| Suitable for | bottles, glasses and<br>cups with maximum<br>diameter of 95 mm |

## Order No.

black 16022-000-55

### **ASHTRAY**

| 16015            |                  |
|------------------|------------------|
| Weight           | 0.222 kg         |
| Special features | with sliding lid |
| Material         | plastic          |
| Dimensions       | 103 x 60 x 70 mm |
| Screw-on to      | tube diameter    |
|                  | up to 30 mm      |

# Order No.

black 16015-013-55









# PENCIL HOLDER

| 16092               |             |
|---------------------|-------------|
| Weight              | 0.002 kg    |
| Material            | plastic     |
| Suitable for tubing | 13 to 15 mm |
| diameter of         |             |

| Order No. |              |
|-----------|--------------|
| hlack     | 16092-000-55 |

# PENCIL HOLDER

| 16094                           |             |
|---------------------------------|-------------|
| Weight                          | 0.003 kg    |
| Material                        | plastic     |
| Suitable for tubing diameter of | 20 to 22 mm |

| Order No. |              |
|-----------|--------------|
| black     | 16094-000-55 |

# PENCIL HOLDER

| 16096                           |             |  |
|---------------------------------|-------------|--|
| Weight                          | 0.004 kg    |  |
| Material                        | plastic     |  |
| Suitable for tubing diameter of | 24 to 26 mm |  |


| Order No. |              |  |
|-----------|--------------|--|
| black     | 16096-000-55 |  |











# STANDS AND ACCESSORIES FOR INSTRUMENTS

From all-round guitar stands to stands for rare musical instruments, König & Meyer offers a wide range of professional instrument stands.

Continually tested, tweaked and refined, many of these stands have set the standard for functionality and workmanship for many years.

Behind every innovation there is 60 years of experience and expertise – expertise that allows us to develop instrument stands that precisely and compactly guarantee the very best footing for your instrument.



# **E-GUITAR STAND**

| 17540              |                    |
|--------------------|--------------------|
| Weight             | 1.86 kg            |
| Material           | steel              |
| Instrument support | non-marring        |
|                    | plastic material   |
| Suitable for       | electric guitars   |
| Adjustment         | push-button system |
| Width-adjustable   | from 220 to 350 mm |
| Height             | 420 mm             |

### Order No.

| black | 17540-013-55 |
|-------|--------------|
| cork  | 17540-013-95 |

Stable and easy to adjust and fold by

push-button system

### A-GUITAR STAND

| 17541              |                    |
|--------------------|--------------------|
| Weight             | 1.93 kg            |
| Material           | steel              |
| Instrument support | non-marring        |
|                    | plastic material   |
| Suitable for       | acoustic guitars   |
| Adjustment         | push-button system |
| Width-adjustable   | from 220 to 350 mm |
| Height             | 420 mm             |

### Order No.

| black | 17541-013-55 |
|-------|--------------|
| cork  | 17541-013-95 |

### **GUITAR STAND »MEMPHIS TRAVEL«**

| 17550              |   |
|--------------------|---|
| Weight             | 0.46 kg   |
| Special features   | fits in almost every Gig Bag; very light; folds very small; instrument support arms adjust to fit various guitar sizes; the two feet which can be folded out at the front ensure additional stability |
| Material           | aluminum  |
| Instrument support | non-marring<br>plastic material   |
| Suitable for       | acoustic and electric guitars   |
| Support depth      | from 68 to 127 mm   |
| Size when folded   | 290 mm  |
| Height             | 275 mm  |

# Order No.

17550-000-35 black anodized









p02e.k-m.de Product video



# E+A GUITAR STAND »DUET«

| 17570              |                        |
|--------------------|------------------------|
| Weight             | 1.23 kg                |
| Special features   | integrated pick holder |
| Material           | steel                  |
| Instrument support | non-marring            |
|                    | plastic material       |
| Suitable for       | acoustic and           |
|                    | electric guitars       |
| Adjustment         | push-button system     |
| Width-adjustable   | from 195 to 255 mm     |
| Size when folded   | 310 x 81 x 410 mm      |
| Height             | 375 mm                 |
|                    |                        |

# Order No.

black with translucent support elements

17570-000-00


Stable and easy to adjust and fold by pushbutton system











#### **A-GUITAR STAND »HELI 2«**

| 17580              |                     |
|--------------------|---------------------|
| Weight             | 0.95 kg             |
| Special features   | also for headless   |
|                    | guitars, cellos and |
|                    | french horns;       |
|                    | easy to transport   |
|                    | and store;          |
|                    | integrated guitar   |
|                    | pick holders,       |
|                    | 2 picks included    |
| Material           | steel               |
| Instrument support | non-marring         |
|                    | plastic material    |
| Suitable for       | acoustic guitars    |
| Adjustment         | foldable by bracket |
|                    | with hinge          |
| Width-adjustable   | from 185 to 230 mm  |
| Size when folded   | 365 x 295 x 30 mm   |
| Height             | 330 mm              |

# Order No.

| blue  | 17580-014-54 |
|-------|--------------|
| black | 17580-014-55 |
| red   | 17580-014-59 |
| cork  | 17580-014-95 |

The completely revised world-renowned classic stand is presented in a new look. The instrument is particularly well cared for thanks to the elaborate new rubber structure. With the new innovative adjustable cross bar, guitars of different sizes or even other instruments such as a cello or French horn can be placed on the stand. For storage and transport the stand folds flat. In addition, we provide a practical transport lock. An additional feature includes integrated guitar pick holders. Heli 2 is available in black, red, blue and cork.



# E-GUITAR STAND »HELI 2«

| 17581              |  |
|--------------------|--|
| Weight             | 1.32 kg                                      |
| Special features   | New in 4 positions adjustable support system |
| Material           | steel  |
| Instrument support | non-marring<br>plastic material              |
| Suitable for       | electric guitars                             |
| Adjustment         | foldable by bracket with hinge               |
| Width-adjustable   | from 185 to 230 mm                           |
| Size when folded   | 380 x 290 x 33 mm                            |
| Height             | 350 mm                                       |

# Order No.

| black | 17581-014-55 |
|-------|--------------|
| cork  | 17581-014-95 |

# E-GUITAR STAND »WAVE 20«

black

| 17590            |   |
|------------------|---|
| Weight           | 0.48 kg   |
| Material         | plastic   |
| Suitable for     | electric guitars  |
| Adjustment       | 5-way width adjust-<br>able by two cross<br>braces with inserted<br>screw |
| Support depth    | 58 mm   |
| Size when folded | 290 x 25 x 210 mm   |
| Height           | 290 mm  |
| Order No.        |   |

17590-000-55

| Order No. |              |
|-----------|--------------|
| black     | 17591-000-55 |

| 17591            | _   |
|------------------|---|
| Weight           | 0.6 kg  |
| Special features | also for french horns, cellos, banjos                                     |
| Material         | plastic   |
| Suitable for     | acoustic guitars  |
| Adjustment       | 5-way width adju-<br>stable by two cross<br>braces with inserted<br>screw |
| Support depth    | 135 mm  |
| Size when folded | 290 x 25 x 320 mm   |
| Height           | 320 mm  |

A-GUITAR STAND »WAVE 10«



# **GUITAR STAND »MEMPHIS 20«**

| 17685              |  |
|--------------------|--|
| Weight             | 1.08 kg  |
| Special features   | instrument support<br>arms adjust to fit<br>various guitar sizes |
| Material           | steel  |
| Instrument support | non-marring<br>plastic material                                  |
| Suitable for       | acoustic and electric guitars                                    |
| Adjustment         | clamp lever(s)   |
| Support depth      | from 68 to 127 mm  |
| Height             | 735 mm   |
| Yoke               | with safety strap  |

# Order No.

black 17685-000-55

# **GUITAR STAND »MEMPHIS 10«**

| 17680              |   |
|--------------------|---|
| Weight             | 1.6 kg                                  |
| Special features   | anti-twist feature on the extension rod |
| Material           | steel                                   |
| Instrument support | foam pads                               |
| Suitable for       | acoustic and electric guitars           |
| Rod combination    | 2-piece folding design                  |
| Adjustment         | clamp lever(s)                          |
| Height             | from 550 to<br>1,120 mm                 |
| Yoke               | with safety strap                       |

# Order No.

black 17680-000-55

# **GUITAR STAND »MEMPHIS PRO«**

| 17670              | _  |
|--------------------|--|
| Weight             | 1.5 kg   |
| Special features   | folds small; patented flexible hooking-in and clamping system; studs at support arms provide extra protection; anti-twist feature on the extension rod; suitable for asymmetric guitar necks |
| Material           | steel  |
| Instrument support | non-marring rubber   |
| Suitable for       | acoustic and electric guitars  |
| Rod combination    | 2-piece folding design   |
| Adjustment         | clamp lever(s)   |
| Height             | from 550 to<br>1,000 mm  |
| Yoke               | self-locking   |
|                    |  |

# Order No.

black 17670-000-55





# **GUITAR STAND »DOUBLE«**

| 17620              |  |
|--------------------|--|
| Weight             | 2.053 kg                                   |
| Special features   | to hook 2 guitars;<br>suitable for all     |
|                    | guitars with head-<br>stock, basses,       |
|                    | acoustic guitars,<br>ukuleles, banjos etc. |
| Material           | steel                                      |
| Base diameter      | 760 mm                                     |
| Instrument support | non-marring plastic<br>material            |
| Suitable for       | acoustic and electric guitars              |
| Rod combination    | 2-piece folding design                     |
| Size when folded   | 750 x 260 mm                               |
| Height             | from 800 to<br>1,300 mm                    |
| Yoke               | self-locking                               |

Order No. black 17620-000-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 18846 | 142  |









Suitable for unusually shaped guitars



Foldable for transport





Product video

#### FOUR GUITAR STAND »ROADIE«

| 17604              |   |
|--------------------|---|
| Weight             | 4.79 kg   |
| Special features   | suitable for 4 guitars;<br>also for special<br>V- and X-shaped<br>guitar models;<br>also suitable for<br>guitars with attached<br>cable connectors<br>and straps;<br>foldable for transport |
| Material           | steel   |
| Instrument support | non-marring<br>plastic material   |
| Suitable for       | acoustic and electric guitars   |
| Rod combination    | 2-piece folding design  |
| Adjustment         | in 3 steps  |
| Base dimensions    | 660 x 350 mm  |
| Height             | from 1,030 to<br>1,185 mm   |
| Yoke               | fixed   |

### Order No.

17604-000-55 black

Have you ever inadvertently left your guitar on top of a cable or jack plug? It simply cannot happen with this unique four guitar stand. The newly developed guitar stand is the ideal stage companion, but it also does a superb job in the studio or at home. Thanks to the moveable hanger and easy height adjustment, up to 4 acoustic, electric and bass guitars are always easy to hand and ready for playing. Even unusually shaped guitars can be stored safely. Large soft foam rolls protect the guitars from inadvertent knocks or bumps. The "fit-for-tour" steel tube construction is stable and durable. The base legs can be folded with little effort into a compact and flat package for transport.





# Foldable



For electric guitars







#### **FIVE E-GUITAR STAND »GUARDIAN 5«**

| 17525              |                                 |
|--------------------|---------------------------------|
| Weight             | 4.7 kg                          |
| Special features   | Protective bars                 |
|                    | prevent damage from             |
|                    | bumps or knocking;              |
|                    | holds the guitar's              |
|                    | neck without                    |
|                    | touching the strings;           |
|                    | integrated pick                 |
|                    | holders                         |
| Material           | plastic                         |
| Instrument support | non-marring plastic<br>material |
| Suitable for       | electric guitars                |
| Base dimensions    | 688 x 335 mm                    |
| Size when folded   | 688 x 670 x 173 mm              |
| Height             | 700 mm                          |

### Order No.

black with translucent support elements

17525-000-00

Guardian securely holds up to 5 E-guitars or base guitars, saving space. Specifically adjusted and cushioned rests provide a secure and protective grip. The flexible protective arms protect the guitar from moving and provide protection when putting down or picking up the guitar from mistakenly hitting the frame of the stand. The soft pads are equipped with cushioning qualities. They softly support the guitars weight and avoid any damage to the instrument. The Guardian is easy to transport and carry and thanks to an innovative folding mechanism, it can even be stored in an upright position. Flexible, proportioned system arms with integrated pick holders allow the guitars to be put down both on the right or the left side, and also ensures that the guitar strings are not touching anything. The translucent elements ensure that discoloration does not occur as a result of nitro-coatings.

# **FIVE GUITAR STAND »GUARDIAN 5«**

| 17515              |   |
|--------------------|---|
| Weight             | 4.65 kg   |
| Special features   | Protective bars prevent damage from bumps or knocking; additional slots for electric guitars; holds the guitar's neck without touching the strings; integrated pick holders |
| Material           | plastic   |
| Instrument support | non-marring<br>plastic material   |
| Suitable for       | acoustic and electric guitars   |
| Base dimensions    | 996 x 335 mm  |
| Size when folded   | 996 x 670 x 173 mm  |
| Height             | 700 mm  |

| Order | No. |
|-------|-----|
|-------|-----|

| black with translucent |              |
|------------------------|--------------|
| support elements       | 17515-000-00 |
| black                  | 17515-000-55 |

# THREE GUITAR STAND »GUARDIAN 3«

| 17513              |                       |
|--------------------|-----------------------|
| Weight             | 3.6 kg                |
| Special features   | Protective bars       |
|                    | prevent damage from   |
|                    | bumps or knocking;    |
|                    | additional slots for  |
|                    | electric guitars;     |
|                    | holds the guitar's    |
|                    | neck without touching |
|                    | the strings;          |
|                    | integrated pick       |
|                    | holders               |
| Material           | plastic               |
| Instrument support | non-marring           |
|                    | plastic material      |
| Suitable for       | acoustic and          |
|                    | electric guitars      |
| Base dimensions    | 626 x 335 mm          |
| Size when folded   | 626 x 670 x 173 mm    |
| Height             | 700 mm                |
|                    |                       |

# Order No.

| black with translucent |              |
|------------------------|--------------|
| support elements       | 17513-000-00 |
| black                  | 17513-000-55 |

# **GUITAR PERFORMER STAND**

| 14760                          |                                       |
|--------------------------------|---------------------------------------|
| Weight                         | 3.29 kg                               |
| Special features               | angle and length adjust to your needs |
| Material                       | steel                                 |
| Instrument support             | felt-lined                            |
| Suitable for                   | electric guitars                      |
| Rod combination                | 3-piece folding design                |
| Size when folded               | 790 mm                                |
| Height                         | from 690 to                           |
|                                | 1,550 mm                              |
| Suitable for instrument widths | from 39 to 60 mm                      |

# Order No.

black 14760-000-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 18846 | 142  |







# **GUITAR PERFORMER STAND**

| 14761                          |                                       |
|--------------------------------|---------------------------------------|
| Weight                         | 2.23 kg                               |
| Special features               | angle and length adjust to your needs |
| Material                       | steel                                 |
| Instrument support             | felt-lined                            |
| Suitable for                   | acoustic guitars                      |
| Rod combination                | 3-piece folding design                |
| Size when folded               | 790 mm                                |
| Height                         | from 690 to<br>1,550 mm               |
| Suitable for instrument widths | from 75 to 135 mm                     |

# Order No.

black 14761-000-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 18846 | 142  |


# **GUITAR HOLDER**

| 16150            |  |
|------------------|--|
| Weight           | 0.195 kg   |
| Special features | clamp suitable for tube diameter 15 mm; elastic ring suitable for tube diameter from 19 to 20 mm; incl. pick support |
| Material         | steel  |
| Order No.        |  |
| black            | 16150-000-55   |

# **GUITAR WALL MOUNT**

| 162                |                      |
|--------------------|----------------------|
| Weight             | 0.16 kg              |
| Special features   | two fastening points |
| Material           | steel                |
| Instrument support | non-marring          |
|                    | plastic material     |
| Suitable for       | acoustic and         |
|                    | electric guitars     |
| Direction          | forward-turned       |
| Yoke               | fixed                |
| Dimensions         | 84 x 215 x 150 mm    |
|                    |                      |

| Order No. |              |
|-----------|--------------|
| black     | 16200-000-55 |



# **GUITAR WALL MOUNT**

| 16220              |                                 |
|--------------------|---------------------------------|
| Weight             | 0.13 kg                         |
| Material           | wood                            |
| Instrument support | non-marring<br>plastic material |
| Suitable for       | acoustic and electric guitars   |
| Size when folded   | 115 x 82 x 55 mm                |
| Direction          | forward-turned                  |
| Yoke               | fixed                           |
| Dimensions         | 82 x 100 x 115 mm               |

# Order No.

cork 16220-000-95

# **GUITAR WALL MOUNT**

| _                |
|------------------|
| 0.155 kg         |
| plastic, steel   |
| non-marring      |
| plastic material |
| acoustic and     |
| electric guitars |
| forward-turned   |
| self-locking     |
| 94 x 66 x 138 mm |
|                  |

# Order No.

| black                  | 16280-000-55 |
|------------------------|--------------|
| cork                   | 16280-000-95 |
| white with translucent |              |
| support elements       | 16280-014-00 |

# **GUITAR WALL MOUNT**

| 16250              |                     |
|--------------------|---------------------|
| Weight             | 0.17 kg             |
| Special features   | additional guard    |
|                    | cams prevent guitar |
|                    | from turning;       |
|                    | automatic back      |
|                    | release mechanism;  |
|                    | support arms work   |
|                    | individually;       |
|                    | suitable for asym-  |
|                    | metric guitar necks |
| Material           | plastic, steel      |
| Instrument support | non-marring         |
|                    | plastic material    |
| Suitable for       | acoustic and        |
|                    | electric guitars    |
| Direction          | forward-turned      |
| Yoke               | self-locking        |
| Dimensions         | 80 x 60 x 116 mm    |

# Order No.

black 16250-000-55





# **GUITAR WALL MOUNT**

| 16240              |   |
|--------------------|---|
| Weight             | 0.2 kg  |
| Special features   | patented flexible<br>hooking-in and<br>clamping system;<br>studs at support<br>arms provide extra<br>protection;<br>suitable for asym-<br>metric guitar necks |
| Material           | plastic, steel  |
| Instrument support | non-marring<br>plastic material   |
| Suitable for       | acoustic and electric guitars   |
| Direction          | forward-turned  |
| Yoke               | self-locking  |
| Dimensions         | 84 x 108 x 152 mm   |

# Order No.

black

16240-000-55

# **GUITAR WALL MOUNT**

| 16235              |                      |
|--------------------|----------------------|
| Weight             | 0.24 kg              |
| Material           | steel                |
| Instrument support | non-marring          |
|                    | plastic material     |
| Suitable for       | acoustic and         |
|                    | electric guitars     |
| Direction          | left or right turned |
| Yoke               | fixed                |
| Dimensions         | 300 x 108 x 70 mm    |

# Order No.

black 16235-000-55

# **GUITAR WALL MOUNT**

| 16255              |                                 |
|--------------------|---------------------------------|
| Weight             | 0.45 kg                         |
| Material           | steel                           |
| Instrument support | non-marring<br>plastic material |
| Suitable for       | acoustic and                    |
| Sultable 101       | electric guitars                |
| Direction          | left or right turned            |
| Yoke               | self-locking                    |
| Dimensions         | 300 x 153 x 70 mm               |

# Order No.

black with translucent support elements 16255-000-00 black 16255-000-55



# WALL MOUNT FOR ELECTRIC GUITAR

| 16295              |                       |
|--------------------|-----------------------|
| Weight             | 1.17 kg               |
| Special features   | flexible support arms |
|                    | for neck and body     |
| Material           | steel                 |
| Instrument support | silicone cover        |
| Suitable for       | electric guitars      |
| Size when folded   | 565 x 230 x 150 mm    |
| Direction          | in 8° settings 360°   |
|                    | adjustable            |
| Dimensions         | 690 x 220 x 155 mm    |

| Order No. |              |
|-----------|--------------|
| black     | 16295-000-55 |

# WALL MOUNT FOR ACOUSTIC GUITAR

| 16296              |                       |
|--------------------|-----------------------|
| Weight             | 1.14 kg               |
| Special features   | flexible support arms |
|                    | for neck and body     |
| Material           | steel                 |
| Instrument support | silicone cover        |
| Suitable for       | acoustic guitars      |
| Size when folded   | 565 x 230 x 150 mm    |
| Direction          | in 8° settings 360°   |
|                    | adjustable            |
| Dimensions         | 690 x 220 x 205 mm    |
|                    |                       |

| Order No. |              |
|-----------|--------------|
| black     | 16296-000-55 |

# **FOOTREST**

| 14640             |                       |
|-------------------|-----------------------|
| Weight            | 0.31 kg               |
| Material          | aluminum, plastic     |
| Height adjustment | 4 different positions |
| Height            | from 105 to 180 mm    |
| Dimensions        | 202 x 91 mm           |
|                   |                       |

| Order No. |              |
|-----------|--------------|
| black     | 14640-000-55 |



# **FOOTREST**

| 14670             |                       |
|-------------------|-----------------------|
| Weight            | 0.6 kg                |
| Special features  | non-skid plastic pad  |
| Material          | steel                 |
| Height adjustment | 6 different positions |
| Height            | from 119 to 264 mm    |
| Dimensions        | 250 x 98 mm           |

# Order No.

| nickel-colored | 14670-014-11 |
|----------------|--------------|
| blue           | 14670-014-54 |
| black          | 14670-014-55 |
| red            | 14670-014-59 |







# **GUITAR CAPO**

| 14530              |  |
|--------------------|--|
| Weight             | 0.05 kg  |
| Special features   | ergonomic design;<br>no "string bend" -<br>tuning is not affected;<br>unique clamping<br>mechanism, easy<br>to operate |
| Material           | zinc die-cast frame  |
| Instrument support | non-marring plastic<br>material  |
| Finger board       | flat   |
| Clamping           | one-step push and release system   |
| Clamping range     | 20 to 30 mm  |
| Dimensions         | 72 x 14 x 65 mm  |

# Order No.

mat chrome 14530-000-06

This appealing, ergonomically designed and easy-to-use professional capo is for nearly all six and twelve string guitars with flat or slightly curved fingerboards. A long product life is a given for this robust zinc die-cast model with high-quality craftsmanship. The parallel clamping mechanism permits precise contact pressure and adjustment plus a quick release.



# **GUITAR CAPO**

| 14535              |  |
|--------------------|--|
| Weight             | 0.06 kg  |
| Special features   | ergonomic design;<br>no "string bend" -<br>tuning is not affected;<br>unique clamping<br>mechanism, easy to<br>operate |
| Material           | zinc die-cast frame  |
| Instrument support | non-marring plastic<br>material  |
| Finger board       | curved   |
| Clamping           | one-step push and release system   |
| Clamping range     | 20 to 30 mm  |
| Dimensions         | 72 x 14 x 65 mm  |

# Order No.

mat chrome 14535-000-06

# **GUITAR CAPO**

| Weight 0.074 kg  Special features no "string bend" - tuning is not affected; simple and fast to mount  Material plastic Instrument support non-marring plastic material  Finger board flat Clamping locking screw Clamping range 20 to 30 mm Dimensions 78 x 18 x 85 mm | 14540              |  |
|---|--------------------|--|
| tuning is not affected; simple and fast to mount  Material plastic Instrument support non-marring plastic material  Finger board flat  Clamping locking screw  Clamping range 20 to 30 mm   | Weight             | 0.074 kg                                   |
| Instrument support non-marring plastic material  Finger board flat Clamping locking screw Clamping range 20 to 30 mm  | Special features   | tuning is not affected; simple and fast to |
| material Finger board flat Clamping locking screw Clamping range 20 to 30 mm  | Material           | plastic                                    |
| Clamping locking screw Clamping range 20 to 30 mm   | Instrument support | 0 1  |
| Clamping range 20 to 30 mm  | Finger board       | flat                                       |
|   | Clamping           | locking screw                              |
| Dimensions 78 x 18 x 85 mm  | Clamping range     | 20 to 30 mm                                |
|   | Dimensions         | 78 x 18 x 85 mm                            |

# Order No.

| b | ack | 14540-000-55 |
|---|-----|--------------|
|   |     |              |

# **GUITAR CAPO**

| 14545              |  |
|--------------------|--|
| Weight             | 0.074 kg   |
| Special features   | no "string bend" -<br>tuning is not affected;<br>simple and fast to<br>mount |
| Material           | plastic  |
| Instrument support | non-marring plastic material   |
| Finger board       | curved   |
| Clamping           | locking screw  |
| Clamping range     | 20 to 30 mm  |
| Dimensions         | 78 x 18 x 85 mm  |
|                    |  |

# Order No.

| black | 14545-000-55 |
|-------|--------------|
|       |              |







### **GUITAR CAPO**

Order No.

# **GUITAR PLAYING-AID »POHLMANN«**

### **GUITAR TOOL**

| 30900              |                      |
|--------------------|----------------------|
| Weight             | 0.038 kg             |
| Special features   | lightweight aluminum |
|                    | construction;        |
|                    | quickly adjustable   |
|                    | with one hand;       |
|                    | does not obstruct    |
|                    | playing;             |
|                    | for Western-style    |
|                    | and electric guitars |
| Material           | zinc die-cast frame  |
| Instrument support | non-marring          |
|                    | slip-proof pad       |
| Finger board       | curved               |
| Clamping           | spring-tension       |
| Clamping range     | 20 to 30 mm          |
| Dimensions         | 70 x 16 x 92 mm      |

| 14580              |                    |
|--------------------|--------------------|
| Weight             | 0.075 kg           |
| Material           | plastic            |
| Instrument support | non-marring rubber |
| Dimensions         | 65 x 40 x 112 mm   |
|                    |                    |

| 83845            |  |
|------------------|--|
| Weight           | 0.15 kg  |
| Special features | Carbide steel blade<br>cuts all strings,<br>even bass strings  |
| Material         | steel  |
| Consisting of    | hardened steel<br>hex wrenches<br>(1.5 mm, 2.5 mm,<br>3 mm, .050 hex),<br>Phillips head screw-<br>driver, flat head<br>screwdriver, and<br>a bridge pin puller |

# Order No.

black 14580-000-55

# Order No.

83845-000-00









# **UKULELE HOLDER**

# NEW UKULELE WALL MOUNT

# NEW

| 15590            |                    |
|------------------|--------------------|
| Weight           | 0.137 kg           |
| Special features | rubberized support |
|                  | arms               |
| Material         | steel, plastic     |
| Dimensions       | 66 x 116 x 60 mm   |
| Screw-on to      | tube diameter      |
|                  | up to 30 mm        |
|                  |                    |

| 16590              |                  |
|--------------------|------------------|
| Weight             | 0.093 kg         |
| Material           | plastic, steel   |
| Instrument support | non-marring      |
|                    | plastic material |
| Suitable for       | ukulele          |
| Direction          | forward-turned   |
| Yoke               | fixed            |
| Dimensions         | 80 x 66 x 102 mm |
|                    |                  |

# Order No.

black 15590-000-55

# Order No.

16590-000-55 black



### HACKBRETT STAND

#### 28070 Weight 7.22 kg Special features length and width adjustable; folding base for easy transportation; additional levelling screw for uneven surfaces Material steel Instrument support felt-lined support arms gradual Adjustment in 15° settings Height adjustment spring-loaded clamping knob Angle of inclination 0° to 45° Support depth from 455 to 665 mm from 310 to 500 mm Support width from 700 to Height 1,020 mm Leg construction collapsible square tube legs Number of legs 4 pieces

### MUSIC HOLDER FOR HACKBRETT STAND 28070

| 11515      |                        |
|------------|------------------------|
| Weight     | 0.95 kg                |
| Material   | steel                  |
| Music desk | traditionally foldable |
| Music desk |                        |
| dimensions | 485 x 240 x 42 mm      |
| Fits       | 28070                  |

#### Order No.

black 11515-000-55

# Order No.

black 28070-070-55

| Accessories               | Page |
|---------------------------|------|
| Carrying case 21311       | 230  |
| Music holder 11515        | 68   |
| Carrying case »Pro« 21312 | 231  |









# **VIOLIN HOLDER**

| 15580              |  |
|--------------------|--|
| Weight             | 0.11 kg  |
| Special features   | high quality<br>flocking cover;<br>with holder for bow |
| Material           | plastic yoke, steel clamp                              |
| Screw-on to        | tube diameter<br>up to 30 mm                           |
| Instrument support | flocked  |

# Order No.

| black | 15580-000-55 |
|-------|--------------|

# **VIOLIN WALL HOLDER**

| 16580              |                     |
|--------------------|---------------------|
| Weight             | 0.08 kg             |
| Special features   | high quality        |
|                    | flocking cover;     |
|                    | with holder for bow |
| Material           | plastic             |
| Instrument support | flocked             |
|                    |                     |

# Order No.

| black | 16580-000-55 |
|-------|--------------|
|-------|--------------|

# **VIOLIN STAND**

| 15520              |                    |  |
|--------------------|--------------------|--|
| Weight             | 0.64 kg            |  |
| Material           | aluminum           |  |
| Instrument support | non-marring        |  |
|                    | plastic material   |  |
| Adjustment         | foldable by        |  |
|                    | bracket with hinge |  |
| Height             | 365 mm             |  |

# Order No.

| black | 15520-000-55 |
|-------|--------------|
|       |              |



Secure grip



Holder for bow



# **VIOLIN STAND**

| 15530              |                    |
|--------------------|--------------------|
| Weight             | 0.52 kg            |
| Special features   | folds small;       |
|                    | comes with         |
|                    | a nylon bag;       |
|                    | integrated         |
|                    | bow holder;        |
|                    | for various        |
|                    | violin models      |
| Material           | aluminum           |
| Instrument support | non-marring        |
|                    | plastic material   |
| Adjustment         | clamp lever(s)     |
| Size when folded   | 350 x 110 x 70 mm  |
| Height             | from 360 to 570 mm |
| Yoke               | with safety strap  |

# Order No.

black 15530-000-55

# **VIOLIN/UKULELE DISPLAY STAND**

| 15550              |                      |
|--------------------|----------------------|
| Weight             | 0.15 kg              |
| Special features   | for small string     |
|                    | instruments, such as |
|                    | violins or ukuleles; |
|                    | folds small          |
| Material           | plastic              |
| Instrument support | non-marring          |
|                    | plastic material     |
| Height             | 205 mm               |
|                    |                      |

# Order No.

wooden look 15550-000-98

# **CELLO STAND**

| 141/1              |                     |
|--------------------|---------------------|
| Weight             | 2.54 kg             |
| Special features   | bow holder included |
| Material           | steel               |
| Instrument support | non-marring         |
|                    | plastic material    |
| Base diameter      | 800 mm              |
| Support width      | 380 mm              |
| Size when folded   | 175 x 130 x 605 mm  |
| Height             | from 620 to         |
|                    | 1,120 mm            |
| Leg construction   | tube legs with      |
|                    | cross braces        |
| Suitable for       | all cellos          |
| Rod combination    | 2-piece folding     |
|                    | design              |

# Order No.

14110-011-55 black

| Accessories         | Page |
|---------------------|------|
| Carrying case 10811 | 44   |
| Carrying case 14102 | 76   |





such as violins or ukuleles





# **CELLO STAND**

| 14130              |  |
|--------------------|--|
| Weight             | 2.362 kg   |
| Special features   | bow holder included;<br>adjustable end cap to<br>stabilize the stand on<br>uneven surfaces |
| Material           | steel  |
| Instrument support | non-marring<br>plastic material  |
| Adjustment         | push-button system   |
| Width-adjustable   | from 285 to 450 mm   |
| Size when folded   | 335 x 90 x 580 mm  |
| Height             | 535 mm   |
| Suitable for       | all cellos   |

14130-000-95

# Order No.

cork

# DOUBLE BASS STAND

| 141                | _                   |
|--------------------|---------------------|
| Weight             | 2.6 kg              |
| Special features   | bow holder included |
| Material           | steel               |
| Instrument support | non-marring         |
|                    | plastic material    |
| Base diameter      | 800 mm              |
| Support width      | 405 mm              |
| Size when folded   | 175 x 130 x 605 mm  |
| Height             | from 620 to         |
|                    | 1,120 mm            |
| Leg construction   | tube legs with      |
|                    | cross braces        |
| Suitable for       | all string basses   |
| Rod combination    | 2-piece folding     |
|                    | design              |
|                    |                     |

# Order No.

black 14100-011-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 14102 | 76   |

# STAND FOR ELECTRIC DOUBLE BASS

| 14160              |                       |
|--------------------|-----------------------|
| Weight             | 2.78 kg               |
| Special features   | flocked bow           |
|                    | holder included;      |
|                    | support width can be  |
|                    | adjusted individually |
|                    | to the size of the    |
|                    | instrument            |
| Material           | steel                 |
| Instrument support | non-marring plastic   |
|                    | material              |
| Base diameter      | 800 mm                |
| Support width      | from 75 to 155 mm     |
| Size when folded   | 115 x 150 x 890 mm    |
| Height             | from 920 to           |
|                    | 1,620 mm              |
| Leg construction   | tube legs with        |
|                    | cross braces          |
| Suitable for       | electric double bass  |
| Rod combination    | 2-piece folding       |
|                    | design                |
|                    |                       |

# Order No.

black 14160-000-55

|   |                              | ccessories   | Page          |
|---|------------------------------|--|---------------|
| y   | Ū                            | niversal carrying case 15043<br>arrying case 18846 | 75<br>142     |
| 1   |                              | arrying case 10040                                 | 142           |
| 1   |                              |  |               |
| / _   | Rubber covered               | Ruhl   | per covered   |
| Acc.  | support arms                 |  | ument support |
|   |                              |  |               |
|   |                              |  |               |
|   |                              |  |               |
|   |                              |  | 111           |
|   |                              |  | 111           |
|   |                              | W .  |               |
|   | 11.                          |  |               |
|   |                              |  |               |
|   |                              |  | 0             |
|   |                              |  |               |
|   |                              |  | - 111         |
|   |                              | Floci  | k covered     |
|   |                              |  | holder        |
| Compactly folding                                   |                              |  |               |
| cello stand, covered with an attractive rubber/cork | V):                          |  |               |
| material  |                              |  |               |
|   |                              |  |               |
|   |                              |  |               |
|   |                              |  |               |
|   | V-shaped base for the endpin |  |               |

# **SAXOPHONE STAND**

| 14300              | _  |
|--------------------|--|
| Weight             | 1 kg   |
| Special features   | fiberglass reinforced<br>plastic base;<br>flexible upper<br>support arm;<br>lower support arm<br>bracket with several<br>vertical locking<br>positions |
| Material           | steel  |
| Leg construction   | socket with foldable legs  |
| Instrument support | non-marring plastic material   |
| Suitable for       | Eb Alto and Bb<br>Tenor Sax  |
| Height             | 485 mm   |

# Order No.

black 14300-000-55

| Accessories         | Page |
|---------------------|------|
| Peg holder 14301    | 95   |
| Carrying case 14303 | 72   |

# **SOPRANO SAXOPHONE STAND**

| 14315              |  |
|--------------------|--|
| Weight             | 1 kg   |
| Special features   | fiberglass reinforced<br>plastic base;<br>flexible upper<br>support arm;<br>lower support arm<br>bracket with several<br>vertical locking<br>positions |
| Material           | steel  |
| Leg construction   | socket with foldable legs  |
| Instrument support | non-marring<br>plastic material  |
| Suitable for       | curved Soprano<br>Saxophones   |
| Height             | 485 mm   |

# Order No.

black 14315-000-55

| Accessories         | Page |
|---------------------|------|
| Peg holder 14301    | 95   |
| Carrying case 14303 | 72   |

# **CARRYING CASE**

| 14303            |  |
|------------------|--|
| Special features | for 2 saxophones<br>or other instrument<br>combinations like<br>1 x 14300 and<br>1 x music stand 101;<br>with 2 internal<br>compartments |
| Material         | nylon  |
| Dimensions       | 470 x 200 x 150 mm   |
| Handle or        |  |
| carrying type    | handle   |
| Fastener         | zip fastener   |
| Fits             | 14300, 14315,<br>14945, 14952, 25950   |
|                  |  |

Order No. 14303-000-00





#### SAXOPHONE STAND »JAZZ«

| 14330              |                       |
|--------------------|-----------------------|
| Weight             | 0.292 kg              |
| Special features   | folds very small;     |
|                    | easy-to-use;          |
|                    | can be transported    |
|                    | in the supplied       |
|                    | velour bag in the     |
|                    | saxophone bell;       |
|                    | embedded foot         |
|                    | end caps              |
| Material           | aluminum              |
| Instrument support | non-marring           |
|                    | plastic material      |
| Suitable for       | Eb alto saxophones    |
| Adjustment         | central locking screw |
| Height             | 310 mm                |

| Order No. |              |
|-----------|--------------|
| black     | 14330-000-55 |

#### SAXOPHONE STAND »JAZZ«

| 14335              |                       |
|--------------------|-----------------------|
| Weight             | 0.36 kg               |
| Special features   | folds very small;     |
|                    | easy-to-use;          |
|                    | can be transported    |
|                    | in the supplied       |
|                    | velour bag in the     |
|                    | saxophone bell;       |
|                    | embedded foot         |
|                    | end caps              |
| Material           | aluminum              |
| Instrument support | non-marring           |
|                    | plastic material      |
| Suitable for       | Bb tenor saxophones   |
| Adjustment         | central locking screw |
| Height             | 425 mm                |
| Height             | 425 mm                |

| Order No. |              |
|-----------|--------------|
| black     | 14335-000-55 |

#### SAXOPHONE STAND »SAXXY«

| _   |
|---|
| 0.36 kg   |
| folds very small;<br>can be transported<br>in the supplied<br>velour bag in the<br>saxophone bell |
| steel   |
| non-marring<br>plastic material   |
| Eb alto saxophones  |
| 300 mm  |
|   |

Order No.
black 14340-000-55



#### **SAXOPHONE STAND »SAXXY«**

| 14350              |   |
|--------------------|---|
| Weight             | 0.58 kg   |
| Special features   | folds very small;<br>can be transported<br>in the supplied<br>velour bag in the<br>saxophone bell |
| Material           | steel   |
| Instrument support | non-marring<br>plastic material   |
| Suitable for       | Bb tenor saxophones   |
| Height             | 420 mm  |

#### Order No.

black 14350-000-55

#### **BARITONE SAXOPHONE STAND**

| 144/1              |                                      |
|--------------------|--------------------------------------|
| Weight             | 1.42 kg                              |
| Special features   | adjustable lower support arm bracket |
| Material           | steel                                |
| Leg construction   | tube legs with cross braces          |
| Instrument support | non-marring<br>plastic material      |
| Suitable for       | baritone saxophones                  |
| Height             | from 790 to 915 mm                   |
| Rod combination    | 2-piece folding design               |

#### Order No.


black 14410-000-55

#### **SOPRANO SAXOPHONE STAND**

| 15290              | _  |
|--------------------|--|
| Weight             | 0.34 kg  |
| Special features   | The detachable metal leg base screws into the peg so that the entire unit can be stored in the bell of the instrument for easy transport |
| Material           | plastic  |
| Leg construction   | leg base screwable   |
| Instrument support | felt pads  |
| Height             | 250 mm   |
| Number of legs     | 5 pieces   |

#### Order No.

black 15290-000-55







#### **BASSOON STAND**

| 2.9 kg                |
|-----------------------|
| support width can be  |
| adjusted individually |
| to the size of the    |
| instrument            |
| steel                 |
| 800 mm                |
| tube legs with        |
| cross braces          |
| felt-lined            |
| bassoon               |
| 185 x 135 x 645 mm    |
| from 700 to           |
| 1,200 mm              |
| from 57 to 87 mm      |
| 2-piece folding       |
| design                |
|                       |

| Order | No. |
|-------|-----|
|-------|-----|

black 15010-011-55

| Accessories                   | Page |
|-------------------------------|------|
| Carrying case 14102           | 76   |
| Universal carrying case 15043 | 75   |

#### **CONTRABASSOON STAND**

| 15045              | _                  |
|--------------------|--------------------|
| Weight             | 3.1 kg             |
| Material           | steel              |
| Base diameter      | 800 mm             |
| Leg construction   | tube legs with     |
|                    | cross braces       |
| Instrument support | felt-lined         |
| Suitable for       | contra bassoon     |
| Size when folded   | 175 x 115 x 605 mm |
| Height             | from 700 to        |
|                    | 1,200 mm           |
| Support width      | 262 mm             |
| Rod combination    | 2-piece folding    |
|                    | design             |

#### Order No.

black 15045-011-55

| Accessories                   | Page |
|-------------------------------|------|
| Carrying case 18846           | 142  |
| Universal carrying case 15043 | 75   |

#### **UNIVERSAL CARRYING CASE**

| 15043                   |   |
|-------------------------|---|
| Special features        | comes with separate internal compartments |
| Material                | nylon                                     |
| Dimensions              | 1,000 x 180 x<br>180 mm                   |
| Handle or carrying type | handle and shoulder straps                |
| Fastener                | zip fastener                              |
| Fits                    | 14160, 150/1, 15045,<br>21339, 21340      |

#### Order No.

15043-000-00





#### **CARRYING CASE**

| 14102         |                             |
|---------------|-----------------------------|
| Weight        | 0.45 kg                     |
| Material      | nylon                       |
| Dimensions    | 700 x 150 x 130 mm          |
| Handle or     |                             |
| carrying type | handle                      |
| Fastener      | zip fastener                |
| Fits          | 141, 141/1, 150/1,<br>15060 |

#### Order No.

14102-000-00









#### **BASS CLARINET STAND**

| 15060              |   |
|--------------------|---|
| Weight             | 2.9 kg  |
| Special features   | support width can be<br>adjusted individually<br>to the size of the<br>instrument |
| Material           | steel   |
| Base diameter      | 800 mm  |
| Leg construction   | tube legs with cross braces   |
| Instrument support | felt-lined  |
| Suitable for       | bass clarinet   |
| Size when folded   | 120 x 120 x 645 mm  |
| Height             | from 700 to<br>1,200 mm   |
| Support width      | from 57 to 87 mm  |
| Rod combination    | 2-piece folding design  |

#### Order No.

black 15060-011-55

The universal support bracket can be adjusted in tilt and width. The support bracket can be adjusted to the individual instrument by converting the removable rubber pads. The newly designed V-shaped base for the endpin means it is easy to position the instrument in the stand. The stand is easy to fold compactly for transport.

| Accessories         | Page    |
|---------------------|---------|
| Carrying case 10811 | 44      |
| Carrying case 14102 | 76      |
| Con ridge           | в меучи |

#### **CLARINET STAND**

| 152/2            |                         |
|------------------|-------------------------|
| Weight           | 0.12 kg                 |
| Material         | plastic peg, steel legs |
| Leg construction | foldable legs           |
| Suitable for     | A and B clarinets       |
| Height           | 185 mm                  |
| Number of legs   | 3 pieces                |

#### Order No.

nickel 15220-000-01

#### **CLARINET STAND**

| 15222            |                       |
|------------------|-----------------------|
| Weight           | 0.12 kg               |
| Special features | detachable metal      |
|                  | leg base screws into  |
|                  | the peg so that the   |
|                  | entire unit can be    |
|                  | stored in the bell of |
|                  | the instrument;       |
|                  | with felt ring        |
| Material         | plastic peg,          |
|                  | zinc die-cast legs    |
| Leg construction | leg base screwable    |
| Suitable for     | all current models    |
|                  | of clarinets          |
| Height           | 180 mm                |
| Number of legs   | 4 pieces              |
|                  |                       |

#### Order No.

black 15222-000-55

#### **CLARINET HOLDER**

| 15225            | _                   |
|------------------|---------------------|
| Weight           | 0.21 kg             |
| Special features | with felt ring      |
| Material         | plastic             |
| Suitable for     | A and B clarinets   |
| Screw-on to      | tube diameter up to |
|                  | 30 mm               |
| Height           | 210 mm              |
|                  |                     |

#### Order No.

black 15225-000-55

# Felt protective ring





#### **CLARINET STAND**

| 15227            |  |
|------------------|--|
| Weight           | 0.6 kg   |
| Special features | suitable for micro-<br>phoned clarinets;<br>with felt ring |
| Material         | plastic peg, steel   |
| Base diameter    | 350 mm   |
| Leg construction | square tube legs snap into socket                          |
| Suitable for     | A and B clarinets  |
| Height           | 444 mm   |
| Number of legs   | 3 pieces   |

#### Order No.

black 15227-000-55

#### **OBOE STAND**

| 18020            |  |
|------------------|--|
| Weight           | 0.085 kg   |
| Special features | detachable metal leg<br>base screws into the<br>peg so that the entire<br>unit can be stored<br>in the bell of the<br>instrument |
| Material         | plastic peg,<br>zinc die-cast legs   |
| Base diameter    | 255 mm   |
| Leg construction | leg base screwable   |
| Height           | 175 mm   |
| Number of legs   | 4 pieces   |

#### Order No.

black 18020-000-55

#### **FLUTE STAND**

| 152/3            |                     |
|------------------|---------------------|
| Weight           | 0.12 kg             |
| Material         | wooden peg, plastic |
|                  | socket, steel legs  |
| Leg construction | foldable legs       |
| Suitable for     | Bass, Böhm and      |
|                  | Cross flutes        |
| Height           | 165 mm              |
| Number of legs   | 3 pieces            |
| Peg diameter     | 18 mm               |
|                  |                     |

#### Order No.

nickel 15230-000-01



#### **FLUTE STAND**

| 15232            |                                       |
|------------------|---------------------------------------|
| Weight           | 0.08 kg                               |
| Special features | the stand fits in almost every pocket |
|                  | when folded                           |
| Material         | plastic peg,                          |
|                  | zinc die-cast legs                    |
| Leg construction | leg base screwable                    |
| Suitable for     | Bass, Böhm and                        |
|                  | Cross flutes                          |
| Height           | 155 mm                                |
| Number of legs   | 4 pieces                              |
| Peg diameter     | 18 mm                                 |
|                  |                                       |

#### Order No.

black 15232-000-55

Innovative and exceptionally light, this 4 leg flute stand 15232 is ideal for Boehm or transverse flutes. The plastic instrument holder has a diameter of 18 mm.







#### **FLUTE STAND**

| 152/5            |  |
|------------------|--|
| Weight           | 0.12 kg                                |
| Material         | wooden peg, plastic socket, steel legs |
| Leg construction | foldable legs                          |
| Suitable for     | alto and tenor flutes                  |
| Height           | 165 mm                                 |
| Number of legs   | 3 pieces                               |
| Peg diameter     | 9.5 mm                                 |

#### Order No.

nickel 15250-000-01

#### **FLUTE STAND**

| 15252            |   |
|------------------|---|
| Weight           | 0.08 kg   |
| Special features | the stand fits in<br>almost every pocket<br>when folded |
| Material         | plastic peg with<br>steel core,<br>zinc die-cast legs   |
| Leg construction | leg base screwable                                      |
| Suitable for     | alto and tenor flutes                                   |
| Height           | 145 mm  |
| Number of legs   | 4 pieces  |
| Peg diameter     | 9 mm  |

#### Order No.

black 15252-000-55

#### **FLUTE STAND**

| 152/6            |  |
|------------------|--|
| Weight           | 0.1 kg                                 |
| Material         | wooden peg, plastic socket, steel legs |
| Leg construction | foldable legs                          |
| Suitable for     | soprano and piccolo flutes             |
| Height           | 165 mm                                 |
| Number of legs   | 3 pieces                               |
| Peg diameter     | 6.5 mm                                 |

#### Order No.

nickel 15260-000-01



#### **FLUTE STAND**

| 15262            |   |
|------------------|---|
| Weight           | 0.08 kg   |
| Special features | the stand fits in<br>almost every pocket<br>when folded |
| Material         | plastic peg<br>with steel core,<br>zinc die-cast legs   |
| Leg construction | leg base screwable                                      |
| Suitable for     | soprano and piccolo flutes                              |
| Height           | 145 mm  |
| Number of legs   | 4 pieces  |
| Peg diameter     | 6.5 mm  |

#### Order No.

black 15262-000-55

#### **FLUTE HOLDER**

| 15235        |                                |
|--------------|--------------------------------|
| Weight       | 0.18 kg                        |
| Material     | plastic peg                    |
| Suitable for | Bass, Böhm and<br>Cross flutes |
| Peg diameter | 18 mm                          |
| Screw-on to  | tube diameter<br>up to 30 mm   |
| Height       | 170 mm                         |
|              |                                |

#### Order No.

black 15235-000-55

#### **FLUTE HOLDER**

| 15255        |                                |
|--------------|--------------------------------|
| Weight       | 0.16 kg                        |
| Material     | plastic peg<br>with steel core |
| Suitable for | alto and tenor flutes          |
| Peg diameter | 9 mm                           |
| Screw-on to  | tube diameter<br>up to 30 mm   |
| Height       | 165 mm                         |

#### Order No.

black 15255-000-55





#### **FLUTE HOLDER**

| 15265        |                                |
|--------------|--------------------------------|
| Weight       | 0.15 kg                        |
| Material     | plastic peg<br>with steel core |
| Suitable for | soprano and piccolo flutes     |
| Peg diameter | 6.5 mm                         |
| Screw-on to  | tube diameter<br>up to 30 mm   |
| Height       | 165 mm                         |

#### Order No.

black 15265-000-55

#### **PAN PIPE HOLDER**

black

| 15268        |               |
|--------------|---------------|
| Weight       | 0.46 kg       |
| Material     | steel         |
| Suitable for | pan pipes     |
| Screw-on to  | tube diameter |
|              | up to 30 mm   |
| Height       | 140 mm        |
|              |               |
| Order No.    |               |

15268-000-55

#### **BASS TROMBONE STAND**

| 149/1              |                     |
|--------------------|---------------------|
| Weight             | 2.21 kg             |
| Material           | steel               |
| Leg construction   | socket with         |
|                    | foldable legs       |
| Instrument support | wood with felt pads |
| Height             | from 650 to         |
|                    | 1,140 mm            |
| Rod combination    | 2-piece folding     |
|                    | design              |

Order No.

black 14910-013-55



#### TROMBONE STAND

| 149/9              |                     |
|--------------------|---------------------|
| Weight             | 1.45 kg             |
| Material           | steel               |
| Leg construction   | brace construction, |
|                    | folds compactly     |
| Instrument support | non-marring rubber  |
| Height             | from 555 to 865 mm  |
| Rod combination    | 2-piece folding     |
|                    | design              |

#### Order No.

schwarz 14990-000-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 10811 | 44   |

#### TROMBONE STAND

| 14985              |                        |
|--------------------|------------------------|
| Weight             | 1.14 kg                |
| Material           | steel                  |
| Leg construction   | socket with            |
|                    | foldable legs          |
| Instrument support | non-marring rubber     |
| Height             | from 600 to 970 mm     |
| Rod combination    | 2-piece folding design |

#### Order No.

black 14985-000-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 10811 | 44   |

#### TROMBONE STAND

| 15270              | _  |
|--------------------|--|
| Weight             | 1 kg   |
| Special features   | folds small;<br>space-saving<br>transportation in<br>the instrument bell |
| Material           | steel  |
| Leg construction   | foldable legs  |
| Instrument support | plastic peg with felt pads   |
| Height             | from 585 to 885 mm   |
| Rod combination    | 2-piece folding design   |

#### Order No.

black 15270-000-55





#### **TENOR HORN STAND**

| 149/2              |                                     |
|--------------------|-------------------------------------|
| Weight             | 2 kg                                |
| Special features   | with integrated mouth piece holder; |
|                    | one-piece item folds                |
|                    | to a small size                     |
| Material           | steel                               |
| Base diameter      | 720 mm                              |
| Leg construction   | tube legs with                      |
|                    | cross braces                        |
| Instrument support | non-marring                         |
|                    | slip-proof pads                     |
| Suitable for       | baritone, tenor horn                |
|                    | in Bb and alto horn                 |
|                    | in Eb                               |
| Size when folded   | 545 x 180 x 115 mm                  |
| Height             | from 620 to                         |
|                    | 1,050 mm                            |
| Rod combination    | 2-piece folding                     |
|                    | design                              |

#### Order No.

black 14920-012-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 14922 | 85   |

#### **CARRYING CASE**

| 14922         |                    |
|---------------|--------------------|
| Weight        | 0.4 kg             |
| Material      | nylon              |
| Dimensions    | 670 x 150 x 130 mm |
| Handle or     |                    |
| carrying type | handle             |
| Fastener      | zip fastener       |
| Fits          | 149/2              |
|               |                    |
| Order No.     |                    |

14922-000-00

#### **BARITONE STAND**

| 14941              |   |
|--------------------|---|
| Weight             | 2.167 kg                                    |
| Special features   | additional notch for instruments with ridge |
| Material           | steel                                       |
| Instrument support | non-marring<br>plastic material             |
| Suitable for       | all baritone and tenor horn models          |
| Height             | from 310 to 415 mm                          |
| Support width      | from 200 to 305 mm                          |

Order No.

black 14941-000-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 14942 | 86   |



#### **TUBA STAND**

| 14940              |                        |
|--------------------|------------------------|
| Weight             | 2.36 kg                |
| Special features   | additional notch for   |
|                    | instruments with ridge |
| Material           | steel                  |
| Instrument support | non-marring            |
|                    | plastic material       |
| Suitable for       | German and             |
|                    | English tubas          |
| Height             | from 310 to 415 mm     |
| Support width      | from 275 to 455 mm     |

#### Order No.

black 14940-000-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 14942 | 86   |

#### **CARRYING CASE**

| 14942         |                     |
|---------------|---------------------|
| Weight        | 0.18 kg             |
| Material      | nylon               |
| Dimensions    | 350 x 110 x 110 mm  |
| Handle or     |                     |
| carrying type | shoulder strap      |
| Fastener      | zip fastener        |
| Fits          | 14940, 14941, 50500 |
|               |                     |
| Order No      |                     |

14942-000-00

#### STAND FOR KINGSIZE TUBA

| 14945              |                        |
|--------------------|------------------------|
| Weight             | 3.46 kg                |
| Special features   | additional notch for   |
|                    | instruments with ridge |
| Material           | steel                  |
| Instrument support | non-marring            |
|                    | plastic material       |
| Size when folded   | 450 mm                 |
| Height             | from 380 to 440 mm     |
| Support width      | from 310 to 530 mm     |
|                    |                        |

#### Order No.

black 14945-000-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 14303 | 72   |







#### **TUBA PERFORMER STAND**

| 14950              |  |
|--------------------|--|
| Weight             | 2.03 kg  |
| Special features   | suitable for playing<br>in an sitting position;<br>with safety pin |
| Material           | steel  |
| Leg construction   | brace construction, folds compactly                                |
| Instrument support | non-marring rubber   |
| Suitable for       | tuba models  |
| Height             | from 450 to 800 mm   |
| Rod combination    | 2-piece folding design   |
| Max. load capacity | 25 kg  |

#### Order No.

black 14950-000-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 10811 | 44   |

#### **TUBA PERFORMER STAND**

| 14951              |   |
|--------------------|---|
| Weight             | 2.24 kg   |
| Special features   | suitable for playing<br>in a upright position;<br>with safety pin |
| Material           | steel   |
| Leg construction   | brace construction, folds compactly                               |
| Instrument support | non-marring rubber  |
| Suitable for       | tuba models   |
| Height             | from 650 to   |
|                    | 1,140 mm  |
| Rod combination    | 2-piece folding design  |
| Max. load capacity | 25 kg   |
|                    |   |

#### Order No.

black 14951-000-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 10811 | 44   |

## TUBA PERFORMER STAND FOR CHILDREN

| 14952              |                                 |
|--------------------|---------------------------------|
| Weight             | 1.7 kg                          |
| Material           | steel                           |
| Leg construction   | U-profile legs snap into socket |
| Instrument support | non-marring rubber              |
| Suitable for       | tuba models                     |
| Height             | from 250 to 400 mm              |
| Rod combination    | 2-piece folding design          |

#### Order No.

black 14952-000-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 14303 | 72   |



#### **SOUSAPHONE STAND**

| 149/3              |  |
|--------------------|--|
| Weight             | 3.66 kg  |
| Special features   | adjustable end cap<br>to stabilize the stand<br>on uneven surfaces |
| Material           | steel  |
| Instrument support | non-marring rubber   |
| Size when folded   | 390 x 225 x 645 mm   |
| Height             | 550 mm   |
| Support width      | 775 mm   |

#### Order No.

black 14930-011-55

#### TRUMPET STAND

| 152/1              |                        |
|--------------------|------------------------|
| Weight             | 0.24 kg                |
| Special features   | detachable metal leg   |
|                    | base screws into the   |
|                    | peg so that the entire |
|                    | unit can be stored     |
|                    | in the bell of the     |
|                    | instrument;            |
|                    | rubber-covered         |
|                    | peg top                |
| Material           | plastic peg,           |
|                    | zinc die-cast legs     |
| Leg construction   | leg base screwable     |
| Instrument support | felt pads              |
| Height             | 190 mm                 |
| Number of legs     | 3 pieces               |

#### Order No.

black 15210-000-55






Leg base screws into the peg. Unit can be stored in the bell of the instrument.

#### TRUMPET STAND

| 15213              |                        |
|--------------------|------------------------|
| Weight             | 0.32 kg                |
| Special features   | very stable;           |
|                    | detachable metal leg   |
|                    | base screws into the   |
|                    | peg so that the entire |
|                    | unit can be stored in  |
|                    | the bell of the        |
|                    | instrument;            |
|                    | rubber-covered         |
|                    | peg top                |
| Material           | plastic peg,           |
|                    | zinc die-cast legs     |
| Leg construction   | leg base screwable     |
| Instrument support | felt pads              |
| Height             | 205 mm                 |
| Number of legs     | 5 pieces               |

#### Order No.

black 15213-000-55



#### TRUMPET STAND

| 15217              |  |
|--------------------|--|
| Weight             | 0.6 kg   |
| Special features   | suitable for micro-<br>phoned trumpets;<br>rubber-covered<br>peg top |
| Material           | plastic peg, steel   |
| Base diameter      | 350 mm   |
| Leg construction   | square tube legs<br>snap into socket                                 |
| Instrument support | felt pads  |
| Height             | 466 mm   |
| Number of legs     | 3 pieces   |

#### Order No.

black 15217-000-55

#### TRUMPET HOLDER

| 157                |                                 |
|--------------------|---------------------------------|
| Weight             | 0.14 kg                         |
| Material           | steel                           |
| Instrument support | non-marring<br>plastic material |
| Screw-on to        | tube diameter<br>up to 30 mm    |
|                    |                                 |

#### Order No.

black 15700-000-55

#### TRUMPET HOLDER

| 15715              |                |
|--------------------|----------------|
| Weight             | 0.32 kg        |
| Special features   | rubber-covered |
|                    | peg top        |
| Material           | plastic peg    |
| Instrument support | felt pads      |
| Screw-on to        | tube diameter  |
|                    | up to 30 mm    |
| Height             | 230 mm         |
|                    |                |

#### Order No.

black 15715-000-55





#### **MUTE HOLDER**

### **MUTE HOLDER RING**

#### NEW TRUMPET WORK STATION

| 15910            |                  |
|------------------|------------------|
| Weight           | 0.3 kg           |
| Special features | for 3 mutes      |
|                  | (2 x ø 80 mm,    |
|                  | 1 x ø 60 mm);    |
|                  | mute holder      |
|                  | rings rubberized |
| Material         | steel            |
| Screw-on to      | tube diameter    |
|                  | up to 30 mm      |

|   | 159   |
|---|-------|
|   | Weig  |
|   | Spe   |
|   | Mate  |
|   | Fits  |
| d |       |
|   | Orde  |
|   | black |
|   |       |

| 15915            |  |
|------------------|--|
| Weight           | 0.1 kg                                   |
| Special features | Mute holder ring<br>(ø 95 mm) rubberized |
| Material         | steel                                    |
| Fits             | 15910                                    |
| Ordor No         |  |

15915-000-55

| 50500            | _                      |
|------------------|------------------------|
| Weight           | 2.9 kg                 |
| Special features | table clamp included;  |
|                  | for cleaning, main-    |
|                  | taining and repairing; |
|                  | 360° rotatable;        |
|                  | folds small            |
| Material         | steel                  |
| Suitable for     | trumpet                |
| Height           | 360 mm                 |
|                  |                        |

Order No.

black 15910-000-55

Accessories Page Mute holder ring 15915

Order No.

black 50500-000-55

Accessories Page Carrying case 14942



#### **CLARINET PEG-SET**

| 50510              |  |
|--------------------|--|
| Special features   | practical supplement<br>for the trumpet<br>workstation 50500;<br>set includes 2<br>clarinet pegs |
| Material           | plastic  |
| Suitable for       | A and B clarinets  |
| Threaded connector | M5   |

#### Order No.

black 50510-000-55

#### **FLUGELHORN STAND**

| 15240              |  |
|--------------------|--|
| Weight             | 0.42 kg  |
| Special features   | detachable metal leg<br>base screws into the<br>peg so that the entire<br>unit can be stored<br>in the bell of the<br>instrument |
| Material           | plastic peg,<br>zinc die-cast legs   |
| Leg construction   | leg base screwable   |
| Instrument support | felt pads  |
| Height             | 250 mm   |
| Number of legs     | 5 pieces   |

#### Order No.

black 15240-000-55

#### FRENCH HORN STAND

| 151/4              | _                 |
|--------------------|-------------------|
| Weight             | 1.34 kg           |
| Special features   | adjustable side   |
|                    | support;          |
|                    | also for French   |
|                    | shaped Eb horn    |
|                    | and Parforcehorn; |
|                    | height adjustable |
| Material           | wooden peg,       |
|                    | steel legs        |
| Base diameter      | 485 mm            |
| Leg construction   | foldable legs     |
| Instrument support | felt pads         |
| Height             | 282 mm            |
| Number of legs     | 3 pieces          |
|                    |                   |

#### Order No.

black 15140-013-55





#### **FOLDABLE BASE**

| 17700            |                  |
|------------------|------------------|
| Weight           | 0.16 kg          |
| Material         | steel            |
| Accommodation of | 1 instrument pea |

#### Order No.

black 17700-005-55

| Accessories            | Page |
|------------------------|------|
| Clarinet peg 15224     | 94   |
| Peg adapter 15281      | 95   |
| English horn peg 17731 | 94   |
| Oboe peg 17738         | 94   |
| Clarinet peg 17741     | 94   |
| Flute peg 17782        | 95   |
| Flute peg 17786        | 95   |
| Flute peg 17788        | 95   |

#### **FOLDABLE BASE**

| 17710            |                   |
|------------------|-------------------|
| Weight           | 0.54 kg           |
| Material         | steel             |
| Accommodation of | 4 instrument pegs |

#### Order No.

17710-005-55 black

| Accessories            | Page |
|------------------------|------|
| Clarinet peg 15224     | 94   |
| Peg adapter 15281      | 95   |
| English horn peg 17731 | 94   |
| Oboe peg 17738         | 94   |
| Clarinet peg 17741     | 94   |
| Flute peg 17782        | 95   |
| Flute peg 17786        | 95   |
| Flute peg 17788        | 95   |

#### **BRACKET**

| 12210            |                        |
|------------------|------------------------|
| Weight           | 0.115 kg               |
| Special features | for the mounting of    |
|                  | an array of different  |
|                  | instrument pegs, trays |
|                  | and other accessories  |
| Material         | steel                  |
| Screw-on to      | tube diameter 30 mm    |
| Bore holes       | diameter 5.2 mm (2 x)  |
| Wall clearance   | 110 mm                 |

#### Order No.

black 12210-000-55

| Accessories            | Page |
|------------------------|------|
| Clarinet peg 15224     | 94   |
| Peg adapter 15281      | 95   |
| English horn peg 17731 | 94   |
| Oboe peg 17738         | 94   |
| Clarinet peg 17741     | 94   |
| Flute peg 17782        | 95   |
| Flute peg 17786        | 95   |
| Flute peg 17788        | 95   |



#### **TRUMPET PEG**

| 15214              |                |
|--------------------|----------------|
| Weight             | 0.12 kg        |
| Special features   | rubber-covered |
|                    | peg top        |
| Material           | plastic        |
| Instrument support | felt pads      |

#### Order No.

15214-000-55

| Accessories       | Page |
|-------------------|------|
| Peg adapter 15281 | 95   |



#### **CLARINET PEG**

| 15224            |  |
|------------------|--|
| Weight           | 0.115 kg   |
| Special features | peg adapter<br>15281 included;<br>with felt ring |
| Material         | plastic  |
| Suitable for     | A and B clarinets                                |
| Fits             | 12210, 17700, 17710                              |

#### Order No.

black 15224-000-55

Accessories Page
Peg holder 14301 95



#### **FLUGELHORN PEG**

| 15244              |           |  |
|--------------------|-----------|--|
| Weight             | 0.22 kg   |  |
| Material           | plastic   |  |
| Instrument support | felt pads |  |
|                    |           |  |

#### Order No.

black 15244-000-55

| Accessories       | Page |
|-------------------|------|
| Peg adapter 15281 | 95   |



| 15294              |           |  |
|--------------------|-----------|--|
| Weight             | 0.1 kg    |  |
| Material           | plastic   |  |
| Instrument support | felt pads |  |
|                    |           |  |

#### Order No.

black 15294-000-55

| Accessories       | Page |  |
|-------------------|------|--|
| Peg adapter 15281 | 95   |  |



#### **ENGLISH HORN PEG**

| 17731              |                     |
|--------------------|---------------------|
| Weight             | 0.088 kg            |
| Material           | wood                |
| Instrument support | felt-lined          |
| Threaded connector | M5                  |
| Fits               | 12210, 17700, 17710 |

#### Order No.

black 17731-005-55

| Accessories      | Page |
|------------------|------|
| Peg holder 14301 | 95   |

#### **OBOE PEG**

| 17738              | _                   |
|--------------------|---------------------|
| Weight             | 0.075 kg            |
| Material           | plastic             |
| Height             | 170 mm              |
| Threaded connector | M5                  |
| Fits               | 12210, 17700, 17710 |

### Order No.

black 17738-005-55

| Accessories      | Page |
|------------------|------|
| Peg holder 14301 | 95   |

#### **CLARINET PEG**

| 17741              |                     |
|--------------------|---------------------|
| Weight             | 0.08 kg             |
| Material           | wood                |
| Instrument support | felt-lined          |
| Suitable for       | Eb- and C-clarinets |
| Threaded connector | M5                  |
| Fits               | 12210, 17700, 17710 |

### Order No.

black 17741-005-55

| Accessories      | Page |
|------------------|------|
| Peg holder 14301 | 95   |









#### **FLUTE PEG**

| 17782              | _                      |
|--------------------|------------------------|
| Weight             | 0.055 kg               |
| Material           | plastic peg with steel |
|                    | core                   |
| Suitable for       | soprano and piccolo    |
|                    | flutes                 |
| Peg diameter       | 6.5 mm                 |
| Threaded connector | M5                     |
| Fits               | 12210, 17700, 17710    |

#### Order No.

black 17782-005-55

| Accessories      | Page |
|------------------|------|
| Peg holder 14301 | 95   |

#### **FLUTE PEG**

| 17786              |                                |
|--------------------|--------------------------------|
| Weight             | 0.06 kg                        |
| Material           | plastic peg<br>with steel core |
| Suitable for       | alto and tenor flutes          |
| Peg diameter       | 9 mm                           |
| Threaded connector | M5                             |
| Fits               | 12210, 17700, 17710            |

#### Order No.

black 17786-005-55

| Accessories      | Page |
|------------------|------|
| Peg holder 14301 | 95   |

#### **FLUTE PEG**

| 17788              |                     |
|--------------------|---------------------|
| Weight             | 0.06 kg             |
| Material           | plastic             |
| Suitable for       | Bass, Böhm and      |
|                    | Cross flutes        |
| Peg diameter       | 18 mm               |
| Threaded connector | M5                  |
| Fits               | 12210, 17700, 17710 |

#### Order No.

black 17788-005-55

| Accessories      | Page |
|------------------|------|
| Peg holder 14301 | 95   |







#### **PEG HOLDER**

| 14301              | _  |
|--------------------|--|
| Weight             | 0.05 kg  |
| Special features   | includes 3 adaptors<br>(for tubes ø 19 mm,<br>ø 20 mm and oval<br>form). |
| Material           | plastic  |
| Threaded connector | M5   |
| Fits               | 14300, 14315,<br>15224, 17731,<br>17738, 17741,<br>17782, 17786, 17788   |

#### Order No.

black 14301-000-55

### PEG ADAPTER

| 15281              |               |
|--------------------|---------------|
| Weight             | 0.084 kg      |
| Material           | plastic       |
| Threaded connector | M5            |
| Fits               | 12210, 15214, |
|                    | 15244, 15294, |
|                    | 17700, 17710  |

#### Order No.

black 15281-005-55





#### **ACCORDION STAND**

| 174                |  |
|--------------------|--|
| Weight             | 7.05 kg  |
| Special features   | upper section swivels with both horizontal and vertical adjust- ment; replaceable rubber instrument protectors; additional levelling screw for uneven surfaces |
| Material           | steel  |
| Height adjustment  | spring-loaded<br>clamping knob   |
| Instrument support | non-marring<br>slip-proof pads   |
| Height             | from 730 to<br>1,135 mm  |
| Support width      | from 135 to 250 mm   |
| Support height     | from 380 to 585 mm   |
| Base dimensions    | 660 x 660 mm   |

#### HARMONICA HOLDER

| 164/1                |                          |
|----------------------|--------------------------|
| Weight               | 0.23 kg                  |
| Material             | steel                    |
| Neck frame           | with a soft rubber cover |
| Clamping             | spring-tension           |
| Max. instrument size | 185 x 49 mm              |
|                      |                          |

#### Order No.

nickel-colored 16410-000-11

#### HARMONICA HOLDER

| 16415                |                |
|----------------------|----------------|
| Weight               | 0.25 kg        |
| Special features     | user-friendly  |
|                      | locking screws |
| Material             | steel          |
| Neck frame           | with a soft    |
|                      | rubber cover   |
| Clamping             | spring-tension |
| Max. instrument size | 185 x 49 mm    |
|                      |                |

#### Order No.

black 16415-000-55



black 17400-009-55



#### HARMONICA HOLDER

| 16416                |   |
|----------------------|---|
| Weight               | 0.26 kg   |
| Special features     | user-friendly locking<br>screws;<br>molded rubber sec-<br>tions on the support<br>arms;<br>particularly suitable<br>for blues harmonica<br>models with 108 mm<br>max. instrument<br>breadth |
| Material             | steel   |
| Neck frame           | with a soft rubber cover  |
| Clamping             | spring-tension  |
| Max. instrument size | 185 x 43 mm   |

#### Order No.

black 16416-000-55





#### **BASS DRUM STAND**

| 133/3              |                    |
|--------------------|--------------------|
| Weight             | 2.66 kg            |
| Material           | steel              |
| Instrument support | silicone cover     |
| Support width      | from 370 to 610 mm |
| Support depth      | 480 mm             |

#### Order No.

nickel 13330-000-01

#### TRIANGLE HOLDER

| 164/2       |                              |
|-------------|------------------------------|
| Weight      | 0.12 kg                      |
| Material    | steel                        |
| Screw-on to | tube diameter<br>up to 30 mm |

#### Order No.

black 16420-000-55





#### **PIANO TUNING LEVER**

| 166                |              |  |
|--------------------|--------------|--|
| Weight             | 0.2 kg       |  |
| Material           | steel        |  |
| Tuning lever shape | conical star |  |
| Tuning lever size  | 6.2 mm       |  |

### Order No.

nickel 16600-000-01

#### **PIANO TUNING LEVER**

| 166/1              |        |  |
|--------------------|--------|--|
| Weight             | 0.2 kg |  |
| Material           | steel  |  |
| Tuning lever shape | square |  |
| Tuning lever size  | 6.2 mm |  |
|                    |        |  |

#### Order No.

nickel 16610-000-01

#### **PIANO TUNING LEVER SET**

| 167                |                 |
|--------------------|-----------------|
| Weight             | 0.02 kg         |
| Special features   | Set includes    |
|                    | 3 adapters      |
| Material           | steel           |
| Tuning lever shape | conical star    |
|                    | and square      |
| Tuning lever size  | star (5.8 mm);  |
|                    | star (6.2 mm);  |
|                    | square (6.2 mm) |

#### Order No.

nickel 16700-000-01



#### **TUNING FORK**

| 0.02 kg      |   |
|--------------|---|
| round design |   |
| steel        |   |
| 3.6 mm       |   |
| A 440 Hz     |   |
| 105 mm       |   |
|              | round design<br>steel<br>3.6 mm<br>A 440 Hz |

#### Order No.

nickel 16800-000-01

#### **TUNING FORK**

| 168/1            |              |
|------------------|--------------|
| Weight           | 0.04 kg      |
| Special features | round design |
| Material         | steel        |
| Diameter         | 4.5 mm       |
| Tuning           | A 440 Hz     |
| Length           | 120 mm       |

#### Order No.

nickel 16810-000-01

#### TUNING FORK

| 168/2            |                    |
|------------------|--------------------|
| Weight           | 0.04 kg            |
| Special features | rectangular design |
| Material         | steel              |
| Tuning           | A 440 Hz           |
| Dimensions fork  | 4 x 6 mm           |
| Length           | 120 mm             |
|                  |                    |

#### Order No.

nickel 16820-000-01







## DRUMMER'S THRONES, BENCHES & STOOLS

A perfect drummer's throne and the proper posture it promotes is one of the most important requirements for a drummer.

Long testing phases and intensive collaboration with professional drummers like Mike "Gomezz" Gommeringer, Toni Liota and Sven "Ice" Ehrhardt have helped us to design our latest drummer's throne models to withstand the most stringent demands. Ergonomically perfect seats and an ingenious, finely-calibrated adjustability make the musician feel right at home on a König & Meyer drummer's throne.

Thanks to the usual high-quality workmanship and extensibility, König & Meyer keyboard benches and stools have long been classics among our customers.



#### **DRUMMER'S THRONE »PICCOLINO«**

| 14010             | BASELINE             |
|-------------------|----------------------|
|                   | _                    |
| Weight            | 2.6 kg               |
| Special features  | small footprint with |
|                   | a diameter of 430 mm |
|                   | makes the throne     |
|                   | ideal when space     |
|                   | is at a premium;     |
|                   | the easy-to-use wing |
|                   | nut permits a seat   |
|                   | rotation             |
| Material          | steel                |
| Base diameter     | 430 mm               |
| Leg construction  | double-braced        |
|                   | 3-leg base           |
| Height adjustment | push-button and      |
|                   | clamping lever,      |
|                   | in 15 mm steps       |
| Rod combination   | 2-piece folding      |
|                   | design               |
| Seat              | imitation leather,   |
|                   | ø 300 mm             |
| Height            | from 363 to 453 mm   |

| Order No. |              |
|-----------|--------------|
| chromo    | 14010 000 02 |

#### **DRUMMER'S THRONE »PICCO«**

| 14020             | BASELINE   |
|-------------------|--|
| Weight            | 3.5 kg   |
| Special features  | small footprint with a<br>diameter of 540 mm<br>makes the throne<br>ideal when space is<br>at a premium;<br>the easy-to-use wing<br>nut permits a seat<br>rotation |
| Material          | steel  |
| Base diameter     | 540 mm   |
| Leg construction  | double-braced 3-leg<br>base  |
| Height adjustment | push-button and clamping lever, in 15 mm steps   |
| Rod combination   | 2-piece folding design   |
| Seat              | imitation leather,<br>ø 300 mm   |
| Height            | from 481 to 661 mm   |

| Order No. |              |
|-----------|--------------|
| chrome    | 14020-000-02 |

#### **DRUMMER'S THRONE »GRANDE«**

| 14030             | TOPLINE                |
|-------------------|------------------------|
| Weight            | 4.86 kg                |
| Special features  | robust rubber end      |
|                   | caps;                  |
|                   | height adjustment by   |
|                   | a notched system;      |
|                   | the easy-to-use wing   |
|                   | nut permits a seat     |
|                   | rotation from loose to |
|                   | fixed position         |
| Material          | steel                  |
| Base diameter     | 625 mm                 |
| Leg construction  | stable double-braced   |
|                   | 3-leg base             |
| Height adjustment | pull-button and        |
|                   | clamping lever, in     |
|                   | 10 mm steps            |
| Rod combination   | 2-piece folding        |
|                   | design                 |
| Seat              | imitation leather,     |
|                   | ø 330 mm               |
| Height            | from 490 to 690 mm     |

 Order No.

 chrome
 14030-000-02





#### DRUMMER'S THRONE

| 14015/14016       | TOPLINE   |
|-------------------|---|
| Weight            | 5.685 kg  |
| Material          | steel   |
| Leg construction  | double-braced<br>3-leg base                                 |
| Height adjustment | spring-loaded bolt and locking screw                        |
| Rod combination   | 2-piece folding design                                      |
| Seat              | imitation leather or<br>fabric covering,<br>diameter 325 mm |
| Height            | from 500 to 710 mm  |

#### Order No.

| black leather | 14015-000-55 |
|---------------|--------------|
| black fabric  | 14016-000-55 |

| Accessories          | Page |
|----------------------|------|
| Backrest 14042/14043 | 111  |
| Footrest 14051       | 111  |

#### **DRUMMER'S THRONE »NICK«**

| 14055/14056       | TOPLINE  |
|-------------------|--|
| Weight            | 5.3 kg   |
| Material          | steel  |
| Leg construction  | double-braced<br>3-leg base  |
| Height adjustment | spring-loaded bolt and locking screw   |
| Rod combination   | 2-piece folding design   |
| Seat              | ergonomic seat,<br>imitation leather or<br>fabric covering,<br>size 380 x 350 mm |
| Height            | from 480 to 740 mm   |

#### Order No.

| black leather | 14055-000-55 |
|---------------|--------------|
| black fabric  | 14056-000-55 |

| Accessories          | Page |
|----------------------|------|
| Backrest 14042/14043 | 111  |
| Footrest 14051       | 111  |







Easy-to-use height adjustment

Sophisticated upholstery ergonomic seat





#### DRUMMER'S THRONE »GOMEZZ«

| 14000             | STARLINE  |
|-------------------|---|
| Weight            | 6.04 kg   |
| Special features  | fixed large rubber end caps; height adjustment by a notched system; upper clamping lever permits a seat rotation from loose to fixed position; 4 threaded screw sockets to attach |
|                   | a ButtKicker  |
| Material          | steel   |
| Leg construction  | stable double-braced<br>3-leg base  |
| Height adjustment | pull-button and<br>clamping lever,<br>in 10 mm steps  |
| Rod combination   | 2-piece folding design  |
| Seat              | ergonomic seat,<br>high quality grained<br>soft nappa imitation<br>leather, size<br>410 x 400 mm  |
| Height            | from 455 to 655 mm  |
|                   |   |

#### Order No.

chrome 14000-000-02

The ergonomically designed seat with a sturdy artificial leather cover in classic leather grain reduces pressure on thighs creating an unique comfortable seat. Height adjustment by a notched system with 10 mm steps and an easy-to-use clamping lever. The extremely robust base design with extravagant foot end caps provides an unbelievably safe floor grip.

| Accessories                  | Page |
|------------------------------|------|
| Holder with tuning key 14001 | 110  |
| Spike set 14002              | 110  |
| Carrying case 14003          | 111  |









#### **DRUMMER'S THRONE**

| 14007             | STARLINE  |
|-------------------|---|
| Weight            | 6.49 kg   |
| Special features  | fixed large rubber<br>end caps;<br>height adjustment<br>by a notched system;<br>upper clamping<br>lever permits a seat<br>rotation from loose |
| Material          | to fixed position steel   |
| Leg construction  | stable double-braced 3-leg base   |
| Height adjustment | pull-button and<br>clamping lever,<br>in 10 mm steps  |
| Rod combination   | 2-piece folding design  |
| Seat              | high quality grained<br>soft nappa imitation<br>leather, diameter<br>380 mm   |
| Height            | from 510 to 710 mm  |

#### Order No.

chrome 14007-000-02

Professional drummer's throne: stable, foldable
3-leg base with fixed large rubber end caps
for good floor contact and shock absorption.
Extremely comfortable deluxe cushioned seat
diameter 380 mm covered with high quality black
soft nappa imitation leather with classic graining.

Easy-to-use height adjustment

Sophisticated upholstery ergonomic seat





| Accessories                  | Page |
|------------------------------|------|
| Holder with tuning key 14001 | 110  |
| Spike set 14002              | 110  |





#### **STOOL**

| 14044/14045       |   |
|-------------------|---|
| Weight            | 6.17 kg   |
| Special features  | seat can be adjusted<br>in height and angle;<br>includes a height<br>adjustable footrest;<br>adjustable end cap<br>to stabilize the stool<br>on uneven surfaces |
| Material          | steel   |
| Height adjustment | spring-loaded clamping knob   |
| Rod combination   | 2-piece folding design  |
| Seat              | ergonomic seat,<br>imitation leather<br>or fabric covering,<br>size 380 x 350 mm  |
| Height            | from 600 to 900 mm  |

#### Order No.

black fabric 14044-000-55 black leather 14045-000-55

| Accessories          | Page |
|----------------------|------|
| Backrest 14042/14043 | 111  |
| Carrying case 14041  | 112  |









#### PNEUMATIC STOOL

| 14046/14047       |  |
|-------------------|--|
| Weight            | 8.37 kg  |
| Special features  | seat can be adjusted in height and angle; includes a pneumatic spring with 10 kg press capacity; includes a height adjustable footrest; adjustable end cap to stabilize the stool on uneven surfaces |
| Material          | steel  |
| Height adjustment | spring-loaded clam-<br>ping knob/pneumatic<br>spring   |
| Rod combination   | 2-piece folding design   |
| Seat              | ergonomic seat,<br>imitation leather or<br>fabric covering,<br>size 380 x 350 mm   |
| Height            | from 600 to 900 mm   |

| Order No.     |              |
|---------------|--------------|
| black fabric  | 14046-000-55 |
| black leather | 14047-000-55 |

The stool with power! The popular and functional stool 14044/14045 has been upgraded again. The secret lies in the integrated pneumatic spring for effortless and comfortable height adjustment. Simply release the clamping knob and it couldn't be easier to adjust the height.

| Accessories          | Page |
|----------------------|------|
| Backrest 14042/14043 | 111  |
| Carrying case 14041  | 112  |





#### **STOOL**

| 14052/14053       |  |
|-------------------|--|
| Weight            | 5.65 kg  |
| Material          | steel  |
| Leg construction  | U-profile 3-leg base   |
| Height adjustment | spring-loaded bolt and locking screw   |
| Rod combination   | 2-piece folding design   |
| Seat              | ergonomic seat,<br>imitation leather<br>or fabric covering,<br>size 380 x 350 mm |
| Height            | from 560 to 930 mm   |

#### Order No.

| black leather | 14052-000-55 |
|---------------|--------------|
| black fabric  | 14053-000-55 |

| Accessories          | Page |
|----------------------|------|
| Backrest 14042/14043 | 111  |
| Footrest 14051       | 111  |







# STAGE STOOL

| 14091             |                       |
|-------------------|-----------------------|
| Weight            | 10 kg                 |
| Special features  | height adjustable     |
|                   | by built-in pneumatic |
|                   | spring                |
| Material          | steel                 |
| Base diameter     | 500 mm                |
| Leg construction  | round cast-iron base  |
| Height adjustment | pneumatic spring      |
| Rod combination   | 2-piece folding       |
|                   | design                |
| Seat              | ergonomic seat,       |
|                   | high quality grained  |
|                   | soft nappa imitation  |
|                   | leather, size         |
|                   | 410 x 400 mm          |
| Height            | from 590 to 840 mm    |

| Order No. |              |
|-----------|--------------|
| schwarz   | 14091-000-55 |

Perfect Appearance! The comfortable stage stool is not only easy on the eyes, its ergonomic saddle seat convinces through its extraordinary seating comfort. The height adjustable foot rest is in the form of a ring. The large circular base with the rubber ring provides reliable stability. The height of the stage stool is easily adjusted from 590 to 840 mm with the help of the integrated pneumatic spring.



# DRUM STICK HOLDER

# **HOLDER WITH TUNING KEY**

# **SPIKE SET**

| 16450       |                    |
|-------------|--------------------|
| Weight      | 0.22 kg            |
| Material    | steel              |
| Dimensions  | 250 x 211 x 115 mm |
| Screw-on to | tube diameter up   |
|             | to 30 mm           |
|             |                    |

| Order No. |              |
|-----------|--------------|
| black     | 16450-000-55 |

| 14001            |   |
|------------------|---|
| Weight           | 0.06 kg   |
| Special features | Spax screws and standard (square) tuning key included; SONOR special key (for square head bolts with slot) may be fitted additionally |
| Material         | plastic   |
| Dimensions       | 79 x 72 x 11.5 mm   |
| Fits             | 14000, 14007  |

# Order No.

14001-000-00

| 14002            |                       |
|------------------|-----------------------|
| Weight           | 0.1 kg                |
| Special features | spikes are inserted   |
|                  | into the rubber end   |
|                  | caps;                 |
|                  | if required, the      |
|                  | existing Allen screws |
|                  | can be replaced by    |
|                  | the spikes;           |
|                  | set consists of       |
|                  | 3 spikes, 1 Allen key |
|                  | (to remove Allen      |
|                  | screw) and 1 ring     |
|                  | key (to fix spikes)   |
| Material         | steel                 |
| Length           | 21 mm                 |
| Fits             | 14000, 14007          |
|                  |                       |

# Order No.

14002-000-00













# **CARRYING CASE**

| 14003              |                     |
|--------------------|---------------------|
| Weight             | 0.9 kg              |
| Special features   | internal compart-   |
|                    | ments separate      |
|                    | base from the seat  |
| Material           | nylon               |
| Handle or carrying | handle and shoulder |
| type               | straps              |
| Fastener           | zip fastener        |
| Dimensions         | 550 x 540 x 130 mm  |
| Fits               | 14000               |

# Order No.

14003-000-00

# **BACKREST**

| 14042/14043      |   |
|------------------|---|
| Weight           | 2.12 kg   |
| Special features | adjustable in height and depth  |
| Material         | steel   |
| Height           | 465 mm  |
| Back cushion     | imitation leather or<br>fabric covering, oval<br>240 x 390 mm               |
| Fits             | 14015/14016,<br>14044/14045,<br>14046/14047,<br>14052/14053,<br>14055/14056 |
|                  |   |

# Order No.

| black leather | 14042-000-55 |
|---------------|--------------|
| black fabric  | 14043-000-55 |

# **FOOTREST**

| 14051            |                      |
|------------------|----------------------|
| Weight           | 1.07 kg              |
| Special features | collapsible footrest |
| Material         | steel                |
| Dimensions       | 214 x 370 x 30 mm    |
| Fits             | 14015/14016,         |
|                  | 14052/14053,         |
|                  | 14055/14056          |
|                  |                      |

# Order No.

black 14051-000-55





# **CARRYING CASE**

| 14041              |                        |
|--------------------|------------------------|
| Weight             | 1.78 kg                |
| Special features   | reinforced outer shell |
|                    | to protect the stands  |
| Material           | nylon                  |
| Handle or carrying | handle and             |
| type               | shoulder straps        |
| Fastener           | zip fastener           |
| Dimensions         | 930 x 400 x 150 mm     |
| Fits               | 14044/14045,           |
|                    | 14046/14047            |

# Order No.

14041-000-00







# **KEYBOARD BENCH**

| 14065/14066       |  |
|-------------------|--|
| Weight            | 5.18 kg  |
| Special features  | adjustable end cap<br>to stabilize the bench<br>on uneven surfaces;<br>collapsible for easy<br>transport |
| Material          | steel  |
| Height adjustment | inserted screw   |
| Seat              | imitation leather<br>or fabric covering,<br>size 540 x 300 mm  |
| Height            | from 395 to 585 mm   |

# Order No.

| black leather | 14065-000-55 |
|---------------|--------------|
| black fabric  | 14066-000-55 |

| Accessories         | Page |
|---------------------|------|
| Carrying case 14068 | 113  |

# **KEYBOARD BENCH**

| 14075/14076       |   |
|-------------------|---|
| Weight            | 6.37 kg   |
| Special features  | adjustable end cap<br>to stabilize the bench<br>on uneven surfaces;<br>large seat;<br>collapsible for easy<br>transport |
| Material          | steel   |
| Height adjustment | inserted screw  |
| Seat              | imitation leather or<br>fabric covering,<br>size 650 x 300 mm   |
| Height            | from 405 to 605 mm  |

# Order No.

| black leather | 14075-000-55 |
|---------------|--------------|
| black fabric  | 14076-000-55 |

| Accessories         | Page |
|---------------------|------|
| Carrying case 14068 | 113  |

# **CARRYING CASE**

| 14068              |                    |
|--------------------|--------------------|
| Weight             | 0.96 kg            |
| Material           | nylon              |
| Handle or carrying | handle and         |
| type               | shoulder straps    |
| Fastener           | zip fastener       |
| Dimensions         | 790 x 340 x 130 mm |
| Fits               | 14065/14066,       |
|                    | 14075/14076        |

# Order No.

14068-000-00



# **PIANO BENCH**

| 14085/14086       |                      |
|-------------------|----------------------|
| Weight            | 9.36 kg              |
| Special features  | with engraved        |
|                   | height scale         |
| Material          | steel                |
| Height adjustment | spring-loaded        |
|                   | clamping knob        |
| Seat              | imitation leather or |
|                   | fabric covering,     |
|                   | size 660 x 330 mm    |
| Height            | from 430 to 670 mm   |

# Order No.

black leather 14085-000-55 black fabric 14086-000-55

#### PIANO BENCH »UPLIFT«

| 14080/14081       |  |
|-------------------|--|
| Weight            | 11.58 kg   |
| Special features  | height adjustable<br>by built-in pneumatic<br>springs;<br>easy-to-use<br>adjustment handle |
| Material          | steel  |
| Height adjustment | pneumatic spring   |
| Seat              | imitation leather or<br>fabric covering,<br>size 660 x 330 mm                              |
| Size when folded  | 660 x 380 x 455 mm   |
| Height            | from 450 to 610 mm   |
| Base dimensions   | 660 x 370 mm   |

# Order No.

| black leather | 14080-000-55 |
|---------------|--------------|
| black fabric  | 14081-000-55 |

# **PIANO BENCH**

| 13900-13911       | _                   |
|-------------------|---------------------|
| Weight            | 8.74 kg             |
| Material          | wood                |
| Height adjustment | dual crossbar       |
| Seat              | velvet or imitation |
|                   | leather covering,   |
|                   | size 550 x 330 mm   |
| Height            | from 460 to 550 mm  |

#### Order No.

| Oraci ito.   |              |
|--|--------------|
| bench black matt finish,                                   |              |
| seat black velvet  | 13900-100-20 |
| bench black glossy finish,<br>seat black velvet            | 13901-100-21 |
| bench black matt finish,<br>seat black imitation leather   | 13910-200-20 |
| bench black glossy finish,<br>seat black imitation leather | 13911-200-21 |

Height adjustable by built-in pneumatic springs







p14e.k-m.de Product video





Solid European beech wood, varnished with four coats of black glossy or matt polyester finish.











white matt



rosewood matt



cherry matt



black glossy



white glossy



walnut matt



mahogany glossy





#### PIANO BENCH - WOODEN-FRAME

| 13700-13751       |                    |
|-------------------|--------------------|
| Weight            | 7.2 kg             |
| Material          | wood               |
| Height adjustment | dual crossbar      |
| Height            | from 460 to 550 mm |

#### Order No.

| black matt finish      | 13700-000-20 |
|------------------------|--------------|
| black glossy finish    | 13701-000-21 |
| white matt finish      | 13710-000-22 |
| white glossy finish    | 13711-000-23 |
| rosewood matt finish   | 13720-000-24 |
| walnut matt finish     | 13730-000-26 |
| cherry matt finish     | 13740-000-28 |
| mahogany glossy finish | 13751-000-31 |
|                        |              |

Piano bench wooden-frame in different colors. Solid European beech wood, varnished with four coats of polyester. Stable legs with non-slip rubber end-caps. Dual crossbar mechanism for easy and precise height adjustment. The piano bench ships flat and is easy to assemble.

Dual crossbar mechanism



Sample of piano bench wooden frame in combination with seat cushion.



Accessories Page
Seat cushion - velvet 13800-13803 116

Seat cushion -

imitation leather 13820-13824 117

Seat cushion - leather 13840/13841







Sample of seat cushion in combination with piano bench.

#### **SEAT CUSHION - VELVET**

| 13800-13803 |                       |
|-------------|-----------------------|
| Weight      | 1.46 kg               |
| Material    | velvet                |
| Seat        | velvet covering, size |
|             | 550 x 330 mm          |
| Fits        | 13700-13751           |

#### Order No.

| black    | 13800-100-00 |
|----------|--------------|
| brown    | 13801-101-00 |
| red      | 13802-102-00 |
| hazelnut | 13803-103-00 |

Seat cushions for piano benches 13700 through 13751. Heavy duty seat cushions made out of MDF material. Wide range of different colored velvet covers. The seat cushion is simply placed in the wooden frame of the piano bench. Any time you wish - or according to wear and tear - a replacement cushion can be ordered. Replacing the old cushion is very simple.



# **SEAT CUSHION - IMITATION LEATHER**

| 13820-13824 |                      |
|-------------|----------------------|
| Weight      | 1.57 kg              |
| Material    | imitation leather    |
| Seat        | imitation leather    |
|             | covering, size 550 x |
|             | 330 mm               |
| Fits        | 13700-13751          |

#### Order No.

| black | 13820-200-00 |
|-------|--------------|
| brown | 13821-201-00 |
| white | 13824-204-00 |

# **SEAT CUSHION - LEATHER**

| 13840/13841 |                                     |
|-------------|-------------------------------------|
| Weight      | 1.48 kg                             |
| Material    | leather                             |
| Seat        | leather covering, size 550 x 330 mm |
| Fits        | 13700-13751                         |
|             |                                     |

# Order No.

| black | 13840-400-00 |
|-------|--------------|
| brown | 13841-401-00 |

#### PIANO BENCH WITH SHEET MUSIC STORAGE

| 13950/13951       |                        |
|-------------------|------------------------|
| Weight            | 10.6 kg                |
| Material          | wood                   |
| Height adjustment | dual crossbar          |
| Seat              | velvet or imitation    |
|                   | leather covering, size |
|                   | 550 x 320 mm           |
| Height            | from 460 to 550 mm     |

# Order No.

| bench black glossy finish,   |              |
|------------------------------|--------------|
| seat black velvet            | 13950-100-21 |
| bench black glossy finish,   |              |
| seat black imitation leather | 13951-200-21 |



Sample of seat cushion in combination with piano bench.

Solid European beech wood, varnished with four coats of black glossy polyester finish.



With integrated sheet music storage.



# PIANO BENCH WITH QUILTED SEAT CUSHION

| 13980/13981       |                      |
|-------------------|----------------------|
| Weight            | 9.27 kg              |
| Material          | wood                 |
| Height adjustment | dual crossbar        |
| Seat              | leather or imitation |
|                   | leather covering,    |
|                   | size 550 x 330 mm    |
| Height            | from 480 to 550 mm   |

# Order No.

bench black glossy finish, seat black imitation leather 13980-200-21 bench black glossy finish, seat black leather

13981-400-21





# **PIANO STOOL**

| 14092             | _                  |
|-------------------|--------------------|
| Weight            | 6.31 kg            |
| Material          | steel              |
| Base diameter     | 400 mm             |
| Leg construction  | round base         |
| Height adjustment | pneumatic spring   |
| Rod combination   | 2-piece folding    |
|                   | design             |
| Seat              | imitation leather, |
|                   | ø 350 mm           |
| Height            | from 470 to 600 mm |

| Order No. |              |
|-----------|--------------|
| black     | 14092-000-55 |


# **PIANO STOOL**

| 14093             |                    |
|-------------------|--------------------|
| Weight            | 8.14 kg            |
| Material          | steel              |
| Base diameter     | 400 mm             |
| Leg construction  | round base         |
| Height adjustment | pneumatic spring   |
| Rod combination   | 2-piece folding    |
|                   | design             |
| Seat              | imitation leather, |
|                   | 430 x 330 mm       |
| Height            | from 470 to 600 mm |

| Order No. |              |
|-----------|--------------|
| black     | 14093-000-55 |







# **KEYBOARD STANDS**

From experience, we know that among musicians, keyboardists often subject their stands to the most rigorous treatment.

When developing new stands for keyboard instruments, König & Meyer engineers and designers therefore pay extra special attention to the sometimes enormous weight of the instruments, the overview of the instrument needed while playing and the equally important ergonomic comfort of the keyboardist's "workplace". With painstaking attention to detail, König & Meyer imbue their keyboard stands with individualised adjustability, compactness for optimal transportability, and above all, reliability – gig after gig.





# **KEYBOARD STAND**

| 18962              | BASELINE               |
|--------------------|------------------------|
| Weight             | 3.272 kg               |
| Special features   | additional locking     |
|                    | positions on main      |
|                    | X-tubes for extremely  |
|                    | low level usage;       |
|                    | adjustable end cap     |
|                    | to stabilize the stand |
|                    | on uneven surfaces     |
| Material           | steel                  |
| Shape              | X-stand                |
| Max. load capacity | 50 kg                  |
| Adjustment         | two cross braces       |
|                    | with inserted screw    |
| Support width      | from 440 to 770 mm     |
| Support depth      | 350 mm                 |
| Height             | from 400 to 905 mm     |

# Order No.

black 18962-071-55

# **KEYBOARD STAND**

| 18963              | BASELINE   |
|--------------------|--|
| Weight             | 5.08 kg  |
| Special features   | for large keyboards;<br>additional locking<br>positions on main<br>X-tubes for extremely<br>low level usage;<br>adjustable end cap<br>to stabilize the stand<br>on uneven surfaces |
| Material           | steel  |
| Shape              | double-braced<br>x-stand   |
| Max. load capacity | 50 kg  |
| Adjustment         | two cross braces with inserted screw   |
| Support width      | from 470 to 760 mm   |
| Support depth      | 350 mm   |
| Height             | from 400 to 905 mm   |
| Order No           |  |

# Order No.

black

18963-071-55

# **KEYBOARD STAND FOR KIDS**

| 18969              | BASELINE               |
|--------------------|------------------------|
| Weight             | 2.97 kg                |
| Special features   | additional locking     |
|                    | positions on main      |
|                    | X-tubes for extremely  |
|                    | low level usage;       |
|                    | slidable non-marring   |
|                    | pads on the support    |
|                    | arms provide a firm    |
|                    | fit also for smaller   |
|                    | keyboards;             |
|                    | adjustable end cap     |
|                    | to stabilize the stand |
|                    | on uneven surfaces     |
| Material           | steel                  |
| Shape              | X-stand                |
| Max. load capacity | 50 kg                  |
| Adjustment         | two cross braces       |
|                    | with inserted screw    |
| Support width      | from 390 to 655 mm     |
| Support depth      | 350 mm                 |
| Height             | from 340 to 750 mm     |

# Order No.

black 18969-071-55





#### **KEYBOARD STAND**

| 18930              | TOPLINE                |
|--------------------|------------------------|
| Weight             | 2.97 kg                |
| Special features   | Adjustable end cap     |
|                    | to stabilize the stand |
|                    | on uneven surfaces     |
| Material           | steel                  |
| Shape              | X-stand                |
| Max. load capacity | 50 kg                  |
| Adjustment         | clamping lever         |
|                    | for quick release      |
| Support width      | from 327 to 789 mm     |
| Support depth      | 350 mm                 |
| Size when folded   | 1,020 x 102 x          |
|                    | 520 mm                 |
| Height             | from 594 to 964 mm     |
| Instrument support | non-marring            |
|                    | slip-proof pads        |
|                    |                        |

| Order No. |              |
|-----------|--------------|
| hlack     | 18930-070-55 |

The ergonomic clamping mechanism makes setup or break down easy and fast. The robust metal joint can be adjusted in 5° intervals; the short intervals provide the user with a multitude of positions. With the assistance of a scale the user is able to easily find his preferred setting. Both of the back rubber end caps can be adjusted on their axis and as such can be adjusted perfectly to the width of the keyboard. The maximum support depth is 350 mm.

Clamping lever for quick release



Adjustable rubber pads



Accessories Page
Stacker 18941 124





# **KEYBOARD STAND**

| 18933              | TOPLINE                |
|--------------------|------------------------|
| Weight             | 3.77 kg                |
| Special features   | adjustable end cap     |
|                    | to stabilize the stand |
|                    | on uneven surfaces;    |
|                    | suitable for stage     |
|                    | pianos                 |
| Material           | steel                  |
| Shape              | X-stand                |
| Max. load capacity | 50 kg                  |
| Adjustment         | clamping lever         |
|                    | for quick release      |
| Support width      | from 327 to 789 mm     |
| Support depth      | 250 mm                 |
| Size when folded   | 1,020 x 102 x          |
|                    | 520 mm                 |
| Height             | from 594 to 946 mm     |
| Instrument support | non-marring            |
|                    | slip-proof pads        |
|                    |                        |

# **STACKER**

| 18941              | TOPLINE                                 |
|--------------------|---|
| Weight             | 2.046 kg                                |
| Special features   | adjustable in height,<br>depth and tilt |
| Material           | steel                                   |
| Max. load capacity | 20 kg                                   |
| Adjustment         | tooth system                            |
|                    | with wing nut                           |
| Support depth      | 340 mm                                  |
| Height             | 290 mm                                  |
| Instrument support | big non-marring                         |
|                    | slip-proof pads                         |
|                    | and stop pins                           |
| Fits               | 18930, 18990                            |

# Order No.

black 18941-000-55

# Order No.

black 18933-070-55





#### **KEYBOARD STAND »RICK«**

NEW

| 18990              | TOPLINE                |
|--------------------|------------------------|
| Weight             | 5.8 kg                 |
| Special features   | Adjustable end cap     |
|                    | to stabilize the stand |
|                    | on uneven surfaces     |
| Material           | steel                  |
| Shape              | double-braced          |
|                    | x-stand                |
| Max. load capacity | 50 kg                  |
| Adjustment         | clamping lever         |
|                    | for quick release      |
| Support width      | from 327 to 789 mm     |
| Support depth      | 350 mm                 |
| Height             | from 594 to 946 mm     |
| Instrument support | non-marring            |
|                    | slip-proof pad         |

#### Order No.

black 18990-015-55

Our best X stand - comfortable and extremely sturdy. The new design of the double brace stand tubes provides for perceptible stability and safety. The ergonomic clamping lever makes it easy to setup and collapse the keyboard stand. The robust metal joint is intermeshed in 5° steps and provides for a multitude of different positions. The scale provides the user with the option to always select their preferred setting. Both of the back rubber end caps can be adjusted perfectly to the width of the keyboard.

Clamping lever for quick release



Adjustable rubber pads



Accessories Page
Stacker 18941 124





# **KEYBOARD STAND »RICK 20«**

NEW

| 18993              | TOPLINE                |
|--------------------|------------------------|
| Weight             | 5.4 kg                 |
| Special features   | adjustable end cap     |
|                    | to stabilize the stand |
|                    | on uneven surfaces;    |
|                    | with a minimum         |
|                    | support arm depth      |
|                    | for a perfect rest of  |
|                    | stage pianos           |
| Material           | steel                  |
| Shape              | double-braced          |
|                    | x-stand                |
| Max. load capacity | 50 kg                  |
| Adjustment         | clamping lever         |
|                    | for quick release      |
| Support width      | from 327 to 789 mm     |
| Support depth      | 250 mm                 |
| Height             | from 594 to 946 mm     |
| Instrument support | non-marring            |
|                    | slip-proof pad         |

# Order No.

black 18993-015-55








# DISCOVER THE WORLD OF THE KEYBOARD STAND

# 18810 »OMEGA«





# TABLE-STYLE KEYBOARD STAND »OMEGA«

| 18810              | TOPLINE            |
|--------------------|--------------------|
| Weight             | 9.5 kg             |
| Special features   | with engraved      |
|                    | height scale;      |
|                    | includes 4 Velcro  |
|                    | tapes to guide     |
|                    | the cable          |
| Material           | steel              |
| Shape              | keyboard table     |
| Height adjustment  | spring-loaded      |
|                    | clamping knob      |
| Max. load capacity | 50 kg              |
| Support width      | from 270 to 870 mm |
| Support depth      | 345 mm             |
| Base dimensions    | 1,050 x 575 mm     |
| Height             | from 600 to        |
|                    | 1,020 mm           |

# Order No.

black 18810-015-55

Its compact steel tubing construction and large round floor protectors make this attractive keyboard table significantly more stable. Two sided spring-loaded locking screws make precision height adjustment easy. The support arms can be adjusted to suit the size of the keyboard. When folded, the table is impressively flat. The design of the table complements keyboard bench 14085 or 14086.

Folds flat





| Accessories            | Page |
|------------------------|------|
| Stacker 18813          | 129  |
| Adapter 18814          | 129  |
| Laptop holder 18815    | 129  |
| Universal holder 18817 | 134  |
| Boom arm 18956         | 134  |
| Music holder 18958     | 134  |



# **STACKER**

| 18813                | TOPLINE   |
|----------------------|---|
| Weight               | 3.94 kg   |
| Special features     | attachable to table-<br>style keyboard stand<br>»Omega« 18810 to<br>hold an additional<br>keyboard, laptop<br>or midi controller;<br>convenient height<br>adjustment by spring-<br>loaded locking knob;<br>can be tilted in 5 dif-<br>ferent positions from<br>0° (horizontal) to 20° |
| Material             | steel   |
| Height adjustment    | spring-loaded clamping knob   |
| Max. load capacity   | 25 kg   |
| Support depth        | 330 mm  |
| Angle of inclination | 0° to 20°   |
| Height               | from 200 to 300 mm  |
| Instrument support   | non-marring<br>slip-proof pads  |
| Fits                 | 18810   |
|                      |   |

# Order No.

| 813-011-5 |
|-----------|
|           |

# **ADAPTER**

| 18814            | TOPLINE  |
|------------------|--|
| Weight           | 0.35 kg  |
| Special features | additional adapter<br>to attach boom arm<br>18956, music holder<br>18958, iPad holder<br>18816 or universal<br>holder 18817 to<br>table-style keyboard<br>stand »Omega«<br>18810 |
| Material         | steel  |
| Dimensions       | 240 x 30 x 20 mm   |
| Fits             | 18810  |

# Order No.

black 18814-000-55

| Accessories            | Page |
|------------------------|------|
| Universal holder 18817 | 134  |
| Boom arm 18956         | 134  |
| Music holder 18958     | 134  |

# **LAPTOP HOLDER**

| 18815                | TOPLINE   |
|----------------------|---|
| Weight               | 1.88 kg   |
| Special features     | infinitely variable<br>in height, direction,<br>distance and tilt |
| Material             | steel holder,<br>aluminum shelf                                   |
| Adjustment           | tilt gradual in<br>8 settings                                     |
| Size when folded     | 440 x 340 x 55 mm   |
| Angle of inclination | 0° to 30°   |
| Height               | 310 mm  |
| Fits                 | 18810, 18950, 18953   |

# Order No.

black 18815-000-55



# **EQUIPMENT STAND**

| 18825              | TOPLINE                |
|--------------------|------------------------|
| Weight             | 6.012 kg               |
| Special features   | suitable for mixer,    |
|                    | monitor, keyboard      |
|                    | or amplifier;          |
|                    | adjustable end cap     |
|                    | to stabilize the stand |
|                    | on uneven surfaces     |
| Material           | steel                  |
| Shape              | keyboard table         |
| Max. load capacity | 50 kg                  |
| Adjustment         | interlocking braces    |
| Support width      | from 250 to 840 mm     |
| Support depth      | 250 mm                 |
| Height             | from 660 to 915 mm     |

# Order No.

black 18825-000-55

# TABLE-STYLE KEYBOARD STAND

| 18880              | TOPLINE             |
|--------------------|---------------------|
| Weight             | 2.64 kg             |
| Material           | aluminum            |
| Shape              | keyboard table      |
| Max. load capacity | 50 kg               |
| Adjustment         | interlocking braces |
| Support width      | 700 mm              |
| Support depth      | 400 mm              |
| Height             | from 630 to 960 mm  |

# Order No.

black 18880-000-55

| Accessories     | Page |
|-----------------|------|
| Stacker A 18881 | 130  |
| Stacker B 18882 | 131  |

# STACKER A

| 18881              | TOPLINE               |
|--------------------|-----------------------|
| Weight             | 0.9 kg                |
| Special features   | attachable to key-    |
|                    | board stand 18880     |
|                    | to hold an additional |
|                    | keyboard;             |
|                    | adjustable in         |
|                    | tilt and height       |
| Material           | aluminum              |
| Max. load capacity | 25 kg                 |
| Support depth      | 340 mm                |
| Height             | from 200 to 370 mm    |
| Instrument support | big non-marring       |
|                    | slip-proof pads and   |
|                    | stop pins             |
| Fits               | 18880, 18882          |

# Order No.

black 18881-000-55



# STACKER B

| 18882              | TOPLINE              |
|--------------------|----------------------|
| Weight             | 0.97 kg              |
| Special features   | in combination       |
|                    | with stacker A       |
|                    | for 3 keyboards;     |
|                    | adjustable in depth, |
|                    | tilt and height      |
| Material           | aluminum             |
| Max. load capacity | 25 kg                |
| Support depth      | from 340 to 450 mm   |
| Height             | from 200 to 370 mm   |
| Instrument support | big non-marring      |
|                    | slip-proof pads      |
|                    | and stop pins        |
| Fits               | 18880                |

# Order No.

black 18882-000-55

| Accessories     | Page |
|-----------------|------|
| Stacker A 18881 | 130  |







#### **TABLE-STYLE KEYBOARD STAND**

| 18950              | TOPLINE              |
|--------------------|----------------------|
| Weight             | 9.3 kg               |
| Special features   | heavy-duty stand;    |
|                    | individual height-   |
|                    | adjustment for       |
|                    | each leg;            |
|                    | additional levelling |
|                    | screws for uneven    |
|                    | surfaces             |
| Material           | steel                |
| Shape              | keyboard table       |
| Max. load capacity | 80 kg                |
| Support width      | from 650 to          |
|                    | 1,030 mm             |
| Support depth      | 395 mm               |
| Height             | from 670 to 910 mm   |
| Instrument support | non-marring rubber   |
|                    |                      |

Order No.

black 18950-000-55

This highly versatile table-style keyboard stand leaves nothing more to be desired. Multiple points of adjustment and accessory options make the stand very adaptable. High-quality materials and quality craftsmanship are the mainstay of this indestructible keyboard table. A sophisticated folding mechanism means the table can be collapsed to an extraordinarily compact and portable unit.



# TABLE-STYLE STAGE PIANO STAND

| 18953              | TOPLINE   |
|--------------------|---|
| Weight             | 7.88 kg   |
| Special features   | heavy-duty stand;<br>individual height-<br>adjustment for<br>each leg;<br>additional levelling<br>screws for uneven<br>surfaces |
| Material           | steel   |
| Shape              | keyboard table  |
| Max. load capacity | 80 kg   |
| Support width      | 900 mm  |
| Support depth      | 260 mm  |
| Height             | from 610 to 860 mm  |

# Order No.

black 18953-000-55

| Accessories            | Page |
|------------------------|------|
| Laptop holder 18815    | 129  |
| Universal holder 18817 | 134  |
| Stacker 18952          | 133  |
| Adapter 18954          | 133  |
| Boom arm 18956         | 134  |
| Music holder 18958     | 134  |
| Carrying case 18955    | 143  |
|                        |      |

# **STACKER**

| 18952              | TOPLINE   |
|--------------------|---|
| Weight             | 2.3 kg  |
| Special features   | for second keyboard<br>in combination with<br>18950 and 18953;<br>adjustable in height,<br>tilt and depth |
| Material           | steel   |
| Max. load capacity | 30 kg   |
| Support depth      | 340 mm  |
| Height             | from 265 to 390 mm  |
| Instrument support | big non-marring<br>slip-proof pads<br>and stop pins   |
| Fits               | 18950, 18953  |

# Order No.

black 18952-000-55

# **ADAPTER**

| 18954            | TOPLINE             |
|------------------|---------------------|
| Weight           | 0.38 kg             |
| Special features | additional adapter  |
|                  | to attach boom arm  |
|                  | 18956, music holder |
|                  | 18958, iPad holder  |
|                  | 18816 or universal  |
|                  | holder 18817 to     |
|                  | keyboard/stage      |
|                  | piano stand         |
|                  | 18950 or 18953;     |
|                  | only necessary,     |
|                  | when stacker        |
|                  | 18952 is installed  |
| Material         | steel               |
| Dimensions       | 200 x 30 x 20 mm    |
| Fits             | 18950, 18953        |
|                  |                     |

# Order No.

black 18954-000-55



# **UNIVERSAL HOLDER**

| 18817  | TOPLINE  |
|--|--|
| Weight   | 0.65 kg  |
| Special features                                 | attaches to keyboard/                                    |
|  | stage piano stand  |
|  | 18950 or 18953   |
|  | and also with adapter                                    |
|  | 18814 to table-style                                     |
|  | keyboard stand   |
|  | »Omega« 18810;   |
|  | connects other   |
|  | accessories, such  |
|  | as boom arm,   |
|  | gooseneck, iPad  |
|  | holder, Tablet PC  |
|  | holder etc.;   |
|  | incl. thread adapter                                     |
|  | 3/8" - 5/8"  |
|  | 0.00.  |
| Height   |  |
|  |  |
| Fits   |  |
|  | 18950, 18953   |
| Material<br>Height<br>Threaded connector<br>Fits | steel<br>460 mm<br>3/8"<br>18810, 18814,<br>18950, 18953 |

# Order No.

black 18817-000-55

# **BOOM ARM**

| 18956             | TOPLINE  |
|-------------------|--|
| Weight            | 1.29 kg  |
| Special features  | attaches to keyboard/<br>stage piano stand<br>18950 or 18953<br>and also with adapter<br>18814 to table-<br>style keyboard stand<br>»Omega« 18810;<br>adjustable in height<br>and tilt |
| Material          | steel  |
| Height adjustment | gradually in 8 settings  |
| Height            | from 225 to 520 mm   |
| Boom arm          | 2-piece telescopic design  |
| Boom arm clamping | wing nut   |
| Boom arm length   | from 425 to 725 mm   |
| Fits              | 18810, 18814,<br>18950, 18953  |
|                   |  |

# Order No. black 18956-300-55

# **MUSIC HOLDER**

| 18958                    | TOPLINE  |
|--------------------------|--|
| Weight                   | 1.42 kg  |
| Special features         | attaches to keyboard/<br>stage piano stand<br>18950 or 18953<br>and also with adapter<br>18814 to table-<br>style keyboard stand<br>»Omega« 18810;<br>adjustable in height<br>and tilt |
| Material                 | steel  |
| Height adjustment        | gradually in 8 settings  |
| Height                   | from 195 to 480 mm   |
| Music desk<br>dimensions | 485 x 240 mm   |
| Fits                     | 18810, 18814,<br>18950, 18953  |
| Order No.                |  |

#### Order No. black 18958-000-55

| black 18817-0  | 000-55                                   |  |
|--|--|--|
| Accessories iPad stand holder 19712 iPad mini stand holder 19713 iPad Air stand holder 19714 | Page 263 263 263                         |  |
| iPad Air 2 stand holder 19717 Tablet PC stand holder 19742                                   | For the keyboard                         |  |
|  | tables 18810 »Omega«,<br>18950 and 18953 |  |

# **KEYBOARD STAND »SPIDER«**

| 10000                       |  |
|-----------------------------|--|
| 18850                       | TOPLINE  |
| Weight                      | 9.55 kg  |
| Special features            | leg construction<br>offers freedom of<br>movement of the legs<br>and gives room for<br>pedals;<br>can be used as dis-<br>play stands in stores;<br>folds small |
| Material                    | aluminum   |
| Shape                       | column stand   |
| Height adjustment           | infinitely variable by<br>means of ergonomic-<br>ally shaped clamping<br>elements  |
| Max. load capacity per tier | 35 kg  |
| Max. load capacity          | 105 kg   |
| Support arms                | two pairs,<br>non-telescopic   |
| Support depth               | 280 mm   |
| Height                      | 1,410 mm   |
|                             |  |

# ADAPTER FOR »SPIDER«

| 18852            | TOPLINE  |
|------------------|--|
| Weight           | 0.15 kg  |
| Special features | for attaching micro-<br>phone booms to the<br>»Spider« keyboard<br>stand |
| Material         | plastic  |
| Male thread      | 3/8" and 5/8"  |
| Fits             | 18850  |

# Order No.

black 18852-000-55

# SUPPORT ARM SET

| 18855              | TOPLINE              |  |
|--------------------|----------------------|--|
| Weight             | 0.63 kg              |  |
| Special features   | additional support   |  |
|                    | arms with clamping   |  |
|                    | element for keyboard |  |
|                    | stand »Spider«       |  |
| Material           | aluminum             |  |
| Max. load capacity | 35 kg                |  |
| Support depth      | 280 mm               |  |
| Fits               | 18850                |  |

# Order No.

| anodized aluminum | 18855-000-30 |
|-------------------|--------------|
| black anodized    | 18855-000-35 |


# Order No.

anodized aluminum 18850-000-30 black anodized 18850-000-35

| Accessories                | Page |
|----------------------------|------|
| Carrying case 18851        | 142  |
| Adapter for »Spider« 18852 | 136  |
| Support arm set 18855      | 136  |









# **KEYBOARD STAND »SPIDER PRO«**

| 18860              | STARLINE                                 |
|--------------------|--|
| Weight             | 10.5 kg                                  |
| Special features   | with a 3/8" or 5/8"                      |
|                    | threaded connector                       |
|                    | for microphone                           |
|                    | boom;                                    |
|                    | cable management;<br>comfortable tilt of |
|                    | column;                                  |
|                    | freedom of movement                      |
|                    | of the legs and room                     |
|                    | for pedals;                              |
|                    | folds small;                             |
|                    | gradual adjustment                       |
|                    | of the depth                             |
| Material           | aluminum                                 |
| Shape              | column stand                             |
| Height adjustment  | infinitely variable by                   |
|                    | means of ergonomic-                      |
|                    | ally shaped clamping elements            |
| Max. load          | elements                                 |
| capacity per tier  | 35 kg                                    |
| Max. load capacity | 105 kg                                   |
| Support arms       | two telescopic pairs,                    |
| Capport armo       | one pair with addition-                  |
|                    | al 15° tilt angle                        |
| Support width      | from 670 to 940 mm                       |
| Support depth      | from 300 to 470 mm                       |
| Height             | 1,310 mm                                 |
|                    |  |

# Order No.

| anodized aluminum | 18860-000-30 |
|-------------------|--------------|
| black anodized    | 18860-000-35 |

The innovatively designed, stylish and highly functional keyboard stand with a high-quality finish and well-thought-out construction is easy to collapse in a few movements and easy to transport... and consequently a favourite with professional musicians.

| Accessories                    | Page |
|--------------------------------|------|
| Carrying case 18851            | 142  |
| Support arm set A 18865        | 139  |
| Support arm set B 18866        | 139  |
| Universal holder 18873         | 140  |
| Sheet music holder 18874       | 141  |
| Laptop rest 18868              | 140  |
| Adapter 18853                  | 141  |
| Threaded bolt set 18864        | 141  |
| Extension rod 18872            | 142  |
| Controller keyboard tray 18876 | 139  |
| Lectern desk 18877             | 140  |







# Cable management



Folds small



#### **KEYBOARD STAND »BABY-SPIDER PRO«**

| 18840                       | STARLINE  |
|-----------------------------|---|
| Weight                      | 8.06 kg   |
| Special features            | with a 3/8" or 5/8" threaded connector for microphone boom; cable management; freedom of movement of the legs and gives |
|                             | room for pedals;<br>folds small   |
| Material                    | aluminum  |
| Shape                       | column stand  |
| Height adjustment           | infinitely variable by<br>means of ergonomic-<br>ally shaped clamping<br>elements                                       |
| Max. load capacity per tier | 35 kg   |
| Max. load capacity          | 70 kg   |
| Support arms                | one pair, telescopic  |
| Support width               | from 670 to 980 mm  |
| Support depth               | from 290 to 470 mm  |
| Height                      | 990 mm  |

#### Order No.

| anodized aluminum | 18840-000-30 |
|-------------------|--------------|
| black anodized    | 18840-000-35 |

Equipped with a pair of extendable support arms, a 3/8" or 5/8" threaded connector for the attachment of microphone booms and a cable clamp for cable management. The stand provides infinitely variable height adjustment and a gradually adjustment of the depth. The stand collapses easily in one piece. Maximum load per tier: 35 kg.

| Accessories                  | Page |
|------------------------------|------|
| Carrying case 18846          | 142  |
| Support arm set A 18865      | 139  |
| Support arm set B 18866      | 139  |
| Universal holder 18873       | 140  |
| Sheet music holder for 18874 | 141  |
| Laptop rest 18868            | 140  |
| Adapter for 18853            | 141  |
| Threaded bolt set for 18864  | 141  |
| Extension rod 18872          | 142  |

# SUPPORT ARM SET A

| 18865              |                    |
|--------------------|--------------------|
| Weight             | 0.95 kg            |
| Special features   | telescopic         |
| Material           | aluminum           |
| Max. load capacity | 35 kg              |
| Support width      | from 650 to 940 mm |
| Support depth      | from 300 to 490 mm |
| Fits               | 18840, 18860       |

# Order No.

| anodized aluminum | 18865-000-30 |
|-------------------|--------------|
| hlack anodized    | 18865-000-35 |

# SUPPORT ARM SET B

| 18866            |                    |
|------------------|--------------------|
| Weight           | 0.94 kg            |
| Special features | telescopic and     |
|                  | 15° tilt angle     |
| Material         | aluminum           |
| Support width    | from 670 to 980 mm |
| Support depth    | from 290 to 470 mm |
| Fits             | 18840, 18860       |
|                  |                    |

# Order No.

| anodized aluminum | 18866-000-30 |
|-------------------|--------------|
| black anodized    | 18866-000-35 |

| Accessories                    | Page |
|--------------------------------|------|
| Controller keyboard tray 18876 | 139  |
| Lectern desk 18877             | 140  |

# CONTROLLER KEYBOARD TRAY

NEW

| 18876            |   |
|------------------|---|
| Weight           | 1 kg  |
| Special features | to storage smaller synthesizers, controllers, drum machines etc; with integrated handle; 4 rubber pads included |
| Material         | aluminum  |
| Dimensions       | 640 x 326 x 25 mm   |
| Fits             | 18860, 18866  |

# Order No.

| lack | 18876-000-55 |
|------|--------------|





#### **LECTERN DESK** FOR THE »SPIDER PRO«

# NEW LAPTOP REST

# UNIVERSAL HOLDER FOR »SPIDER PRO«

| 18877            |   |
|------------------|---|
| Weight           | 1 kg  |
| Special features | space for two DIN A4 sheets; integrated edge protectors |
| Material         | aluminum  |
| Dimensions       | 638 x 325 x 14 mm                                       |
| Fits             | 18860, 18866  |

| Ord | ۵r | No. |
|-----|----|-----|

| black | 10077 000 EE |
|-------|--------------|
| DIACK | 18877-000-55 |

| 18868                |   |
|----------------------|---|
| Weight               | 1.3 kg                                  |
| Special features     | soft caps;<br>4 rubber pads<br>included |
| Material             | steel                                   |
| Max. load capacity   | 8 kg                                    |
| Adjustment           | tilt gradual in 4<br>settings           |
| Angle of inclination | 0° to 25°                               |
| Dimensions           | 310 x 265 x 150 mm                      |
| Fits                 | 18840, 18860                            |
|                      |   |

| Order No. |  |
|-----------|--|
|-----------|--|

| black  | 18868-000-55 |
|--------|--------------|
| silver | 18868-000-81 |

| 18873              |   |
|--------------------|---|
| Weight             | 0.59 kg   |
| Special features   | continuously height adjustment; the threaded bolt connection expands the range of »Spider Pro« and »Baby Spider Pro« uses |
| Material           | steel   |
| Threaded connector | 3/8"  |
| Fits               | 18840, 18860  |

# Order No.

18873-300-55 schwarz







# SHEET MUSIC HOLDER FOR »SPIDER PRO« ADAPTER FOR »SPIDER PRO«

| 18874             |                   |
|-------------------|-------------------|
| Weight            | 1.3 kg            |
| Special features  | continuously      |
|                   | height adjustment |
| Material          | steel             |
| Height adjustment | continuous        |
| Music desk        |                   |
| dimensions        | 480 x 240 x 42 mm |
| Fits              | 18840, 18860      |

# Order No.

18874-000-55 black

| 18853            |  |
|------------------|--|
| Weight           | 0.14 kg  |
| Special features | reinforcement to<br>attach heavy booms<br>and sheet music<br>holders |
| Material         | steel  |
| Dimensions       | 136 x 85 x 29 mm   |
| Fits             | 18840, 18860   |

# Order No.

18853-000-55 schwarz

# THREADED BOLT SET FOR »SPIDER PRO«

| 18864            |                      |
|------------------|----------------------|
| Weight           | 0.04 kg              |
| Special features | only necessary when  |
|                  | the »Spider Pro« is  |
|                  | modified to take the |
|                  | laptop rest 18868;   |
|                  | features: to mount   |
|                  | microphone booms     |
|                  | and music sheet      |
|                  | desks to the »Spider |
|                  | Pro« products;       |
|                  | long threaded bolt   |
|                  | necessary when       |
|                  | laptop rest 18868 is |
|                  | installed            |
| Material         | steel                |
| Male thread      | 3/8" or rather M8    |
| Fits             | 18840, 18860         |

# Order No.

18864-000-25 black zinc-plated





# **EXTENSION ROD**

| 0.387 kg                |
|-------------------------|
| in combination with     |
| threaded bolt set       |
| 18864 to mount          |
| microphone booms        |
| to the »Spider Pro«     |
| products when laptop    |
| rest 18868 is installed |
| steel                   |
| clutch                  |
| from 330 to 550 mm      |
| 3/8"                    |
| 2-piece folding         |
| design                  |
| 18840, 18860            |
|                         |

# Order No.

black 18872-300-55

# **CARRYING CASE**

Order No.

| 18846         | _                   |
|---------------|---------------------|
| Weight        | 0.7 kg              |
| Material      | nylon               |
| Dimensions    | 880 x 180 x 185 mm  |
| Handle or     |                     |
| carrying type | handle              |
| Fastener      | zip fastener        |
| Fits          | 14160, 14760,       |
|               | 14761, 15045,       |
|               | 17620, 18840, 21455 |
|               |                     |

18846-000-00

# CARRYING CASE

| 18851         |                     |
|---------------|---------------------|
| Weight        | 0.88 kg             |
| Material      | nylon               |
| Dimensions    | 1,280 x 180 x       |
|               | 185 mm              |
| Handle or     |                     |
| carrying type | handle              |
| Fastener      | zip fastener        |
| Fits          | 18850, 18860,       |
|               | 21338, 21339, 21340 |
|               |                     |

Order No.

18851-000-00





# **CARRYING CASE**

| 18955         |                     |
|---------------|---------------------|
| Weight        | 1.18 kg             |
| Material      | nylon               |
| Dimensions    | 900 x 350 x 90 mm   |
| Handle or     | handle and shoulder |
| carrying type | straps              |
| Fastener      | zip fastener        |
| Fits          | 18953               |

# Order No.

18955-000-00

# **CARRYING CASE**

| 18959         |                     |
|---------------|---------------------|
| Weight        | 1.68 kg             |
| Material      | nylon               |
| Dimensions    | 1,150 x 550 x       |
|               | 100 mm              |
| Handle or     | handle and shoulder |
| carrying type | straps              |
| Fastener      | zip fastener        |
| Fits          | 18950               |

# Order No.

18959-000-00







## STANDS FOR MIXER, MONITORS, AND 19" RACK-MOUNTED PRODUCTS

Whether in the rehearsal room, on stage or in a professional sound studio, König & Meyer stands and racks also pull their weight in a discreet yet dependable way day after day.

The high-quality, attractively designed 19" equipment is equally appropriate for use on stage as well as for everyday use in the studio.

A large selection of accessories guarantees
flexibility for every purpose. The systems are
extendable upon demand, practical and
comfortable, and can also be adjusted to suit.





#### **HEADPHONE HOLDER**

| 16080            | _   |
|------------------|---|
| Weight           | 0.185 kg  |
| Special features | for up to 2 standard<br>headphones and<br>2 In-Ear headphones |
| Material         | steel   |
| Support width    | 100 mm  |
| Support depth    | 60 mm   |
| Size when folded | 60 x 70 x 180 mm  |
| Screw-on to      | tube diameter<br>up to 30 mm                                  |
| Support          | rubber covered  |

## Order No.

black 16080-000-55

#### HEADPHONE HOLDER WITH TABLE CLAMP HEADPHONE HOLDER

| 16085            |  |
|------------------|--|
| Weight           | 0.26 kg  |
| Special features | for up to 2 standard<br>headphones and<br>2 In-Ear headphones;<br>the holder can be<br>rotated from any<br>position by 90° |
| Material         | steel  |
| Support width    | 100 mm   |
| Support depth    | 60 mm  |
| Clamping range   | up to 53 mm  |
| Support          | rubber covered   |

## Order No.

black 16085-000-55

| 16090            |   |
|------------------|---|
| Weight           | 0.205 kg  |
| Special features | for up to 2 standard<br>headphones and<br>2 In-Ear headphones |
| Material         | steel   |
| Support width    | 100 mm  |
| Support depth    | 60 mm   |
| Clamping range   | up to 45 mm   |
| Support          | rubber covered  |
|                  |   |

#### Order No.

black 16090-000-55





#### **HEADPHONE WALL HOLDER**

| 16310            |   |
|------------------|---|
| Weight           | 0.22 kg   |
| Special features | for up to 2 standard<br>headphones and<br>2 In-Ear headphones |
| Material         | steel   |
| Support width    | 100 mm  |
| Support depth    | 60 mm   |
| Support          | rubber covered  |

#### Order No.

black 16310-000-55

#### **UNIVERSAL HOLDER**

| 0.134 kg         |
|------------------|
| swiveling        |
| steel            |
| 160 x 24 x 90 mm |
| 90 mm            |
| rubber covered   |
|                  |

#### Order No.

black 16320-000-55



Can easily take two sets of headphones







#### MIXER STAND

| 28075                | _                     |
|----------------------|-----------------------|
| Weight               | 5.92 kg               |
| Special features     | additional levelling  |
|                      | screw for uneven      |
|                      | surfaces              |
| Material             | steel                 |
| Support              | felt pads             |
| Max. load capacity   | 35 kg                 |
| Adjustment           | support arms gradual  |
|                      | in 15° settings       |
| Angle of inclination | 0° to 45°             |
| Suitable for         | amplifiers and mixers |
| Height adjustment    | spring-loaded         |
|                      | clamping knob         |
| Support width        | from 455 to 665 mm    |
| Support depth        | 310 mm                |
| Height               | from 710 to           |
|                      | 1,005 mm              |
| Leg construction     | collapsible square    |
|                      | tube legs             |
| Number of legs       | 4 pieces              |

## Order No.

black 28075-000-55

#### MONITOR STAND

| 3.66 kg            |  |
|--------------------|--|
| steel              |  |
| 35 kg              |  |
| 42°                |  |
| amplifiers or      |  |
| monitor speakers   |  |
| 280 mm             |  |
| 350 mm             |  |
| from 425 to 515 mm |  |
| collapsible base   |  |
|                    |  |

## Order No.

black 28101-000-55







#### **AMP STAND**

| 28130                |                        |
|----------------------|------------------------|
| Weight               | 1.58 kg                |
| Special features     | with a 3/8" or 5/8"    |
|                      | threaded connection    |
|                      | for attaching a micro- |
|                      | phone boom;            |
|                      | folds very small;      |
|                      | support arms with      |
|                      | non-marring rubber     |
| Material             | steel                  |
| Support              | non-marring material   |
| Max. load capacity   | 35 kg                  |
| Angle of inclination | 15° to 28°             |
| Suitable for         | amplifiers, monitors   |
|                      | and speakers           |
| Support width        | from 350 to 530 mm     |
| Support depth        | from 280 to 385 mm     |
| Size when folded     | 122 x 86 x 602 mm      |
| Height               | from 570 to 990 mm     |
| Leg construction     | tube legs with cross   |
|                      | braces                 |
| Number of legs       | 3 pieces               |

#### Order No.

black 28130-011-55

The amp stand can hold monitors, amps or other equipment to a max. weight of 35 kg without a problem. The angled front legs have significantly improved the stand's stability and strength. The low centre of gravity ensures even larger amps are securely displayed. The fine adjustment on the supporting leg allows a tilt between 15° and 28°. A microphone can be attached to the telescopic tube using a boom arm with a thread of either 3/8" or 5/8". Folds compactly.

| Accessories         | Page |
|---------------------|------|
| Carrying case 10811 | 44   |



## MIXER STAND

| 42040              |                     |
|--------------------|---------------------|
| Weight             | 2.6 kg              |
| Material           | aluminum            |
| Support            | non-marring rubber  |
| Max. load capacity | 40 kg               |
| Adjustment         | interlocking braces |
| Support width      | 525 mm              |
| Support depth      | 480 mm              |
| Height             | 725 mm              |

## Order No.

black 42040-000-55







#### **RACK WAGON**

| 28200            |   |
|------------------|---|
| Weight           | 13.6 kg   |
| Special features | four casters, two of them locking; Cage nuts M5 and locking screws M5 x 16 (30 pieces) are included |
| Material         | steel   |
| Height (units)   | 16 + 7 spaces   |
| Height           | 1,060 mm  |

## Order No.

black 28200-000-55

| Accessories      | Page |
|------------------|------|
| Side cover 28201 | 151  |

#### SIDE COVER

| 28201            |   |
|------------------|---|
| Weight           | 4.36 kg   |
| Special features | contains 2 steel side<br>covers with drillings<br>and 14 screws M5 x<br>16 mm |
| Material         | steel   |
| Height           | 880 mm  |
| Fits             | 28200   |

## Order No.

| DIACK | 28201-000-55 |
|-------|--------------|
|       |              |

#### **RACK DESK STAND**

| 40900            |                     |
|------------------|---------------------|
| Weight           | 4.34 kg             |
| Special features | Cage nuts M5        |
|                  | (16 pieces) and     |
|                  | locking screws M5 x |
|                  | 16 are included     |
| Material         | steel               |
| Height (units)   | 8 spaces            |
| Base dimensions  | 440 x 550 mm        |

#### Order No.

| DIACK | 40900-000-55 |
|-------|--------------|
|       |              |







#### **RACK WAGON**

| 42020              |                     |
|--------------------|---------------------|
| Weight             | 12.88 kg            |
| Special features   | four casters, two   |
|                    | of them locking;    |
|                    | Cage nuts M5        |
|                    | and locking screws  |
|                    | M5 x 16 (32 pieces) |
|                    | are included;       |
|                    | angle adjustable    |
|                    | to 45°;             |
|                    | heavy-duty          |
|                    | construction        |
| Material           | steel               |
| Height (units)     | 12 spaces in top    |
|                    | section, 9 spaces   |
|                    | in lower section    |
| Max. load capacity | 50 kg               |
| Adjustment         | T-bar locking screw |
| Height             | 875 mm              |

#### Order No.

black 42020-000-55

| Accessories                 | Page |  |
|-----------------------------|------|--|
| Extender brackets 19" 42021 | 152  |  |

#### **EXTENDER BRACKETS 19"**

| 42021            |   |
|------------------|---|
| Weight           | 2.14 kg   |
| Special features | Cage nuts M5 and<br>locking screws M5 x<br>16 (16 pieces) are<br>included |
| Material         | steel   |
| Height (units)   | 9 spaces  |
| Height           | 500 mm  |
| Fits             | 42020   |

#### Order No.

black 42021-000-55

#### **RACK**

| s on front<br>k side |
|----------------------|
|                      |
| 29 mm                |
|                      |

## Order No.

black, 8 spaces, 9,92 kg 48240-008-55 black, 12 spaces, 10,0 kg 48240-012-55





#### **RACK**

| 48260            |  |
|------------------|--|
| Special features | rack rails on front<br>and back side;<br>sloped front;<br>with casters |
| Material         | steel  |

#### Order No.

| black, 16 spaces, |              |
|-------------------|--------------|
| 16,32 kg          | 48260-016-55 |
| black, 21 spaces, |              |
| 18,56 kg          | 48260-021-55 |

#### **RACKSHELLY**

| 0.21 kg          |
|------------------|
| two optional     |
| rackshellies     |
| steel            |
| rack shelves no. |
| 28482 and 28483  |
| 28481-28483      |
|                  |

#### Order No.



## **UNIVERSAL RACK SHELF**

| 49035            |                       |
|------------------|-----------------------|
| Weight           | 1.502 kg              |
| Special features | to mount half rack    |
|                  | components, wireless  |
|                  | units, and other gear |
|                  | horizontally          |
| Material         | steel                 |
| Height (units)   | 1 space               |
| Depth            | 240 mm                |

#### Order No.

| black | 49035-000-55 |
|-------|--------------|

#### 19" RACK SHELF

| 28481-28483      | _  |
|------------------|--|
| Special features | in 1, 2 and 3 spaces<br>300 mm or 380 mm<br>deep |
| Material         | steel  |

#### Order No.

| Oraci ito.                          |              |
|-------------------------------------|--------------|
| black, 1 space,<br>300 mm, 1,84 kg  | 28481-000-55 |
| black, 1 space,<br>380 mm, 2,37 kg  | 28481-070-55 |
| black, 2 spaces,<br>300 mm, 2,14 kg | 28482-000-55 |
| black, 2 spaces,<br>380 mm, 2,79 kg | 28482-070-55 |
| black, 3 spaces,<br>300 mm, 2,5 kg  | 28483-000-55 |
| black, 3 spaces,<br>380 mm, 3,13 kg | 28483-070-55 |

| Accessories      | Page |
|------------------|------|
| Rackshelly 28480 | 153  |



#### SLIDING SHELF

| 49070            |                  |
|------------------|------------------|
| Weight           | 5.2 kg           |
| Special features | security lock    |
|                  | for uncontrolled |
|                  | reverse motion   |
| Material         | steel            |
| Height (units)   | 1 space          |
| Depth            | 360 mm           |

#### Order No.

| black | 49070-000-55 |
|-------|--------------|
| DIACK | 49070-000-00 |







#### **RACKMOUNT LOCKBOX**

| 49103            |                               |
|------------------|-------------------------------|
| Special features | storage unit<br>with key lock |
| Material         | steel                         |
| Height (units)   | 3 spaces                      |
| Depth            | 225 mm                        |

#### Order No.

black 49103-000-55

#### **PANEL**

| 28210-28240      |            |
|------------------|------------|
| Special features | flat style |
| Material         | aluminum   |
| Thickness        | 2 mm       |
|                  |            |

#### Order No.

| black, 1 space, 0,12 kg  | 28210-070-55 |
|--------------------------|--------------|
| black, 2 spaces, 0,24 kg | 28220-070-55 |
| black, 3 spaces, 0,36 kg | 28230-070-55 |
| black, 4 spaces, 0,48 kg | 28240-070-55 |

#### **PANEL**

| 28306-28312    |                |
|----------------|----------------|
| Material       | steel          |
| Height (units) | 1 space        |
| Suitable for   | XLR connectors |
|                |                |

#### Order No.

| 6 XLR, 0,28 kg  | 28306-000-55 |
|-----------------|--------------|
| 8 XLR, 0,28 kg  | 28308-000-55 |
| 12 XLR, 0,24 kg | 28312-000-55 |



#### **VENTILATION PANEL**

#### 28451/28452

|                  | _                      |
|------------------|------------------------|
| Special features | with ventilation slots |
| Material         | steel                  |

#### Order No.

black, 1 space, 0,26 kg 28451-000-55 black, 2 spaces, 0,46 kg 28452-000-55

#### **PANEL**

| 494/1            |               |  |
|------------------|---------------|--|
| Special features | flanged style |  |
| Material         | steel         |  |
| Thickness        | 1.5 mm        |  |
|                  |               |  |

#### Order No.

| black, 1 space, 0,28 kg  | 49411-000-55 |
|--------------------------|--------------|
| black, 2 spaces, 0,48 kg | 49412-000-55 |
| black, 3 spaces, 0,7 kg  | 49413-000-55 |
| black, 4 spaces, 0,94 kg | 49414-000-55 |
|                          |              |

## PANEL

| 494/2            |               |  |
|------------------|---------------|--|
| Special features | flanged style |  |
| Material         | aluminum      |  |
| Thickness        | 1.5 mm        |  |

## Order No.

| black, 1 space, 0,1 kg   | 49421-000-55 |
|--------------------------|--------------|
| black, 2 spaces, 0,2 kg  | 49422-000-55 |
| black, 3 spaces, 0,32 kg | 49423-000-55 |
| black, 4 spaces, 0,4 kg  | 49424-000-55 |





#### **RACKMOUNT STORAGE**

| 491/2            |                                   |
|------------------|-----------------------------------|
| Special features | with keylock<br>heavy-duty slides |
| Material         | steel                             |
| Depth            | 390 mm                            |

#### Order No.

black, 2 spaces, 7,17 kg 49122-072-55 black, 3 spaces, 7,78 kg 49123-073-55 black, 4 spaces, 8,94 kg 49124-074-55

#### 19" POWER BOX

| 28664                 |                        |
|-----------------------|------------------------|
| Weight                | 1.07 kg                |
| Special features      | per color unit maxi-   |
|                       | mum 3600 W total       |
|                       | power input under      |
|                       | regular technical con- |
|                       | nection conditions;    |
|                       | CE-mark                |
| Material              | aluminum               |
| Height (units)        | 1 space                |
| Connection            | electric cable 2 m     |
| Electrical connection | 400 V AC 3, N, PE      |
| data                  | CEE 16A, 5-pin 6h      |
| Sockets               | 6 piece on             |
|                       | the front side         |
| Plug                  | 5-pin CEE              |
|                       |                        |

#### Order No.

black 28664-000-55

#### 19"-POWER BOX

| 28665            | _   |
|------------------|---|
| Weight           | 0.76 kg   |
| Special features | maximum 3600 W to-<br>tal power input under<br>regular technical con-<br>nection conditions;<br>CE-mark |
| Material         | aluminum  |
| Height (units)   | 1 space   |
| Connection       | electric cable 2 m  |
| Electrical       |   |
| connection data  | 230 V AC 50Hz   |
| On/off switch    | Yes   |
| Sockets          | 7 piece on the back side  |
| Plug             | shockproofed  |

#### Order No.

black 28665-000-55







#### 19" POWER BOX

| 28668            |                     |
|------------------|---------------------|
| Weight           | 0.52 kg             |
| Special features | maximum 3600 W      |
|                  | total power input   |
|                  | under regular tech- |
|                  | nical connection    |
|                  | conditions;         |
|                  | CE-mark             |
| Material         | aluminum            |
| Height (units)   | 1 space             |
| Connection       | without cable       |
| Electrical       |                     |
| connection data  | 230 V AC 50Hz       |
| On/off switch    | Yes                 |
| Sockets          | 6 piece on          |
|                  | the back side       |
| Plug             | power-con           |
|                  |                     |

#### Order No.

black 28668-000-55

#### 19" POWER BOX

| 28670            |   |
|------------------|---|
| Weight           | 0.76 kg   |
| Special features | maximum 3600 W to-<br>tal power input under<br>regular technical con-<br>nection conditions;<br>CE-mark |
| Material         | aluminum  |
| Height (units)   | 1 space   |
| Connection       | electric cable 2 m  |
| Electrical       |   |
| connection data  | 230 V AC 50Hz   |
| On/off switch    | No  |
| Sockets          | 8 piece on the front side   |
| Plug             | shockproofed  |
|                  |   |

#### Order No.

black 28670-000-55

## 19" POWER BOX

| 28675            |   |
|------------------|---|
| Weight           | 0.74 kg   |
| Special features | maximum 3600 W to-<br>tal power input under<br>regular technical con-<br>nection conditions;<br>CE-mark |
| Material         | aluminum  |
| Height (units)   | 1 space   |
| Connection       | electric cable 2 m  |
| Electrical       |   |
| connection data  | 230 V AC 50Hz   |
| On/off switch    | Yes   |
| Sockets          | 7 piece on the front side   |
| Plug             | shockproofed  |
|                  |   |

#### Order No.

black 28675-000-55









#### 19" POWER BOX

| 1.3 kg  |
|---|
| maximum 3600 W to-<br>tal power input under<br>regular technical con-<br>nection conditions;<br>CE-mark |
| aluminum  |
| 1 space   |
| electric cable 2 m  |
|   |
| 230 V AC 50Hz   |
| Yes   |
| 6 piece on the front and back side  |
| shockproofed  |
|   |

## Order No.

28676-000-55

#### SINGLE RACK RAIL

| 28410            |                   |
|------------------|-------------------|
| Weight           | 0.24 kg           |
| Special features | other space units |
|                  | upon request      |
| Material         | steel             |
| Height (units)   | 10 spaces         |
|                  |                   |

#### Order No.

black 28410-000-55

#### SUPPORT BRACKET

| 286/8            |                    |
|------------------|--------------------|
| Special features | other measurements |
|                  | on request         |
| Material         | steel              |
| Suitable for     | 19"-equipment      |
|                  |                    |

#### Order No.

| 4 holes,             |              |
|----------------------|--------------|
| 370 mm long, 0,54 kg | 28680-000-55 |
| 8 holes,             |              |
| 370 mm long, 0,57 kg | 28681-000-55 |
| 10 holes,            |              |
| 493 mm long, 0,73 kg | 28687-000-55 |









#### **DOUBLE RACK RAIL**

| 28635            |                              |
|------------------|------------------------------|
| Weight           | 2.28 kg                      |
| Special features | other space units on request |
| Material         | steel                        |
| Height (units)   | 35 spaces                    |

#### Order No.

black 28635-000-55

#### **CABLE HANGER**

| 49010            |                       |
|------------------|-----------------------|
| Weight           | 0.54 kg               |
| Special features | for 14 cables         |
|                  | side trays hold loose |
|                  | items                 |
| Material         | steel                 |
|                  |                       |

#### Order No.

49010-000-55 black

## **HEADPHONE HOLDER**

| 0.114 kg  |                    |
|-----------|--------------------|
| swiveling |                    |
| steel     |                    |
| 2 spaces  |                    |
|           | swiveling<br>steel |

#### Order No.

49302-012-55 black



## PLEXIGLASS SECURITY COVER

## 493/3

Special features with hinge and key lock

Material frame steel, window-pane plexiglass

## Order No.

black, 2 spaces, 0,86 kg 49332-000-00 black, 4 spaces, 1,16 kg 49334-000-00









We're especially proud of these: König & Meyer microphone stands have boasted an outstanding reputation worldwide for decades. There is hardly a music studio, concert or event that isn't outfitted with König & Meyer microphone stands.

What convinces the musicians?

The solid, tough clamp elements and mechanics, or the choice of materials and the quality of the finish? We think it's the sum of all the parts of a stand that is made with precision and a love for detail.

All microphone stands are also available in 5/8" thread





| 199                | BASELINE         |
|--------------------|------------------|
| Weight             | 1.52 kg          |
| Special features   | plastic base;    |
|                    | folds very small |
| Material           | steel            |
| Leg construction   | socket with      |
|                    | foldable legs    |
| Threaded connector | 3/8"             |
| Height adjustment  | non-scratching   |
|                    | locking screws   |
| Rod combination    | 3-piece folding  |
|                    | design           |
| Size when folded   | 560 mm           |
| Height             | from 625 to      |
|                    | 1,480 mm         |

| Order No. |              |
|-----------|--------------|
| black     | 19900-300-55 |

#### MICROPHONE STAND

| 260                | BASELINE          |
|--------------------|-------------------|
| Weight             | 5.74 kg           |
| Special features   | anti-vibration    |
|                    | rubber insert for |
|                    | noise filtration  |
| Material           | steel             |
| Base diameter      | 250 mm            |
| Leg construction   | heavy round       |
|                    | cast-iron base    |
| Threaded connector | 3/8"              |
| Height adjustment  | clutch            |
| Rod combination    | 2-piece folding   |
|                    | design            |
| Height             | from 870 to       |
|                    | 1,565 mm          |
|                    |                   |

| 26000-300-01 |
|--------------|
| 26000-300-55 |
|              |

| Accessories          | Page |
|----------------------|------|
| Knurled washer 26004 | 203  |
| Carrying case 26019  | 199  |

#### MICROPHONE STAND

| 260/1              | BASELINE          |
|--------------------|-------------------|
| Weight             | 3.6 kg            |
| Special features   | anti-vibration    |
|                    | rubber insert for |
|                    | noise filtration  |
| Material           | steel             |
| Base diameter      | 250 mm            |
| Leg construction   | flat round        |
|                    | cast-iron base    |
| Threaded connector | 3/8"              |
| Height adjustment  | clutch            |
| Rod combination    | 2-piece folding   |
|                    | design            |
| Height             | from 870 to       |
|                    | 1,575 mm          |

| Order No. |              |
|-----------|--------------|
| nickel    | 26010-300-01 |
| hlack     | 26010-300-55 |

| Accessories          | Page |
|----------------------|------|
| Knurled washer 26004 | 203  |
| Carrying case 26019  | 199  |







#### NFW

#### MICROPHONE STAND

## MICROPHONE STAND

| BASELINE               |
|------------------------|
| 3 kg                   |
| significantly light-   |
| weight, but nonethe-   |
| less stable due to the |
| ingenious round base   |
| with an integrated     |
| steel plate with an    |
| attractive plastic     |
| cover;                 |
| circumferential        |
| rubber profile reduces |
| undesirable vibration  |
| and footfall noise     |
| steel                  |
| 275 mm                 |
| round base             |
| 3/8"                   |
| clutch                 |
| 2-piece folding        |
| design                 |
| from 870 to            |
| 1,575 mm               |
|                        |

| 201/2              | TOPLINE                                    |
|--------------------|--|
| Weight             | 2 kg                                       |
| Special features   | zinc die-cast base;<br>short-legged design |
| Material           | steel                                      |
| Leg construction   | socket with foldable legs                  |
| Threaded connector | 3/8"                                       |
| Height adjustment  | clutch                                     |
| Rod combination    | 2-piece folding design                     |
| Height             | from 890 to<br>1,590 mm                    |
|                    |  |

| 201A/2             | TOPLINE              |
|--------------------|----------------------|
| Weight             | 2.4 kg               |
| Special features   | zinc die-cast base   |
| Material           | steel                |
| Leg construction   | socket with foldable |
|                    | legs                 |
| Threaded connector | 3/8"                 |
| Height adjustment  | clutch               |
| Rod combination    | 2-piece folding      |
|                    | design               |
| Height             | from 900 to          |
|                    | 1,605 mm             |
|                    |                      |

# Order No. black 20120-300-55

## Order No.

| nickel | 20130-300-01 |
|--------|--------------|
| black  | 20130-300-55 |

## Order No.





#### ONE HAND MICROPHONE STAND

| 25680              | TOPLINE   |
|--------------------|---|
| Weight             | 2.14 kg   |
| Special features   | zinc die-cast base  |
| Material           | leg construction<br>made from steel, rod<br>combination made<br>from aluminum |
| Leg construction   | socket with foldable legs   |
| Threaded connector | 3/8"  |
| Height adjustment  | »Soft-Touch«<br>one-hand clutch   |
| Rod combination    | 2-piece folding design  |
| Height             | from 1,100 to<br>1,820 mm   |

#### Order No.

black 25680-300-55

#### STACKABLE MICROPHONE STAND

| 26045              | TOPLINE  |
|--------------------|--|
| Weight             | 3.4 kg   |
| Special features   | round cast-iron<br>base with a cut-out<br>design that allows for<br>stacking of up to 5<br>microphone stands |
| Material           | steel  |
| Base diameter      | 278 mm   |
| Leg construction   | flat round<br>cast-iron base   |
| Threaded connector | 3/8"   |
| Height adjustment  | clutch   |
| Rod combination    | 2-piece folding design   |
| Height             | from 870 to<br>1,575 mm  |

## Order No.

black 26045-300-55

| Accessories          | Page |
|----------------------|------|
| Knurled washer 26004 | 203  |
| Carrying case 26019  | 199  |

# STACKABLE ONE-HAND MICROPHONE STAND

| 26075              | TOPLINE                |
|--------------------|------------------------|
| Weight             | 3 kg                   |
| Special features   | round cast-iron        |
|                    | base with a cut-out    |
|                    | design that allows for |
|                    | stacking of up to 5    |
|                    | microphone stands      |
| Material           | die-cast base, rod     |
|                    | combination made       |
|                    | from aluminum          |
| Base diameter      | 278 mm                 |
| Leg construction   | flat round             |
|                    | cast-iron base         |
| Threaded connector | 3/8"                   |
| Height adjustment  | »Soft-Touch«           |
|                    | one-hand clutch        |
| Rod combination    | 2-piece folding        |
|                    | design                 |
| Height             | from 1,060 to          |
|                    | 1,790 mm               |

#### Order No.

black 26075-300-55

AccessoriesPageKnurled washer 26004203Carrying case 26019199





»Soft-Touch« one-hand clutch mechanism which easily raises and lowers the mic

#### ONE HAND MICROPHONE STAND

| 26085              | TOPLINE            |
|--------------------|--------------------|
| Weight             | 3.2 kg             |
| Special features   | anti-vibration     |
|                    | rubber insert for  |
|                    | noise filtration   |
| Material           | die-cast base, rod |
|                    | combination made   |
|                    | from aluminum      |
| Base diameter      | 250 mm             |
| Leg construction   | flat round         |
|                    | cast-iron base     |
| Threaded connector | 3/8"               |
| Height adjustment  | »Soft-Touch«       |
|                    | one-hand clutch    |
| Rod combination    | 2-piece folding    |
|                    | design             |
| Height             | from 1,060 to      |
|                    | 1,790 mm           |
|                    |                    |

#### Order No.

black 26085-300-55

| Accessories          | Page |
|----------------------|------|
| Knurled washer 26004 | 203  |
| Carrying case 26019  | 199  |

#### MICROPHONE STAND

| 200                | STARLINE  |
|--------------------|---|
| Weight             | 2.7 kg  |
| Special features   | zinc die-cast base;<br>with built-in anti-<br>vibration filters in legs;<br>suitable for studios;<br>heavy metal legs |
| Material           | steel   |
| Leg construction   | socket with foldable legs   |
| Threaded connector | 3/8"  |
| Height adjustment  | clutch  |
| Rod combination    | 2-piece folding design  |
| Height             | from 910 to<br>1,615 mm   |

#### Order No.

black 20000-300-55

#### MICROPHONE STAND »SOFT-TOUCH«

| 26010              | STARLINE             |  |
|--------------------|----------------------|--|
| Weight             | 3.8 kg               |  |
| Special features   | anti-vibration       |  |
|                    | rubber insert for    |  |
|                    | noise filtration;    |  |
|                    | gray powder coating; |  |
|                    | low light reflection |  |
| Material           | steel                |  |
| Base diameter      | 250 mm               |  |
| Leg construction   | flat round           |  |
|                    | cast-iron base       |  |
| Threaded connector | 3/8"                 |  |
| Height adjustment  | clutch               |  |
| Rod combination    | 2-piece folding      |  |
|                    | design               |  |
| Height             | from 870 to          |  |
|                    | 1,575 mm             |  |

#### Order No.

gray 26010-300-87

| Accessories         | Page |
|---------------------|------|
| Carrying case 26019 | 199  |



| 26125              | STARLINE  |
|--------------------|---|
| Weight             | 3.36 kg   |
| Special features   | stable, lightweight<br>metal round base<br>with plastic cover;<br>full circle anti-vibration<br>rubber damping ring<br>for noise filtration;<br>large support<br>area provides<br>great stability |
| Material           | steel   |
| Base diameter      | 275 mm  |
| Leg construction   | round base  |
| Threaded connector | 3/8"  |
| Height adjustment  | clutch  |
| Rod combination    | 2-piece folding design  |
| Height             | from 1,000 to<br>1,700 mm   |

#### Order No.

black 26125-300-55

#### MICROPHONE STAND

| 26150              | STARLINE              |
|--------------------|-----------------------|
| Weight             | 2.5 kg                |
| Special features   | »Chrome-line«;        |
|                    | chrome-plated clutch; |
|                    | anti-vibration        |
|                    | rubber bumps for      |
|                    | noise filtration      |
| Material           | glass base,           |
|                    | rod combination       |
|                    | made from steel       |
| Base diameter      | 250 mm                |
| Leg construction   | round glass base      |
| Threaded connector | 3/8"                  |
| Height adjustment  | clutch                |
| Rod combination    | 2-piece folding       |
|                    | design                |
| Height             | from 870 to           |
|                    | 1,570 mm              |
|                    |                       |


## Order No.

chrome 26150-300-02

| Accessories         | Page |
|---------------------|------|
| Carrying case 26019 | 199  |







# ONE-HAND MICROPHONE STAND »ELEGANCE«

| 26200              | STARLINE   |
|--------------------|--|
| Weight             | 3 kg   |
| Special features   | triangular-shaped rods; knurled screw is impossible to lose; can be adjusted soundlessly, simply and easily; significantly light-weight, but nonetheless stable due to the ingenious round base with an integrated steel plate with an attractive plastic cover; circumferential rubber profile reduces undesirable vibration and footfall noise |
| Material           | rod combination<br>made from<br>aluminum, handle<br>bar zinc die-cast  |
| Base diameter      | 275 mm   |
| Leg construction   | round base   |
| Threaded connector | 3/8"   |
| Height adjustment  | one-hand clutch  |
| Rod combination    | 2-piece folding design   |
| Height             | from 1,055 to<br>1,735 mm  |

#### Order No.

black 26200-300-55

The elegant combination of triangular-shaped sections and the new design of the slender one-hand adjustment mechanism go harmoniously with standard microphone clips and microphones. The height of the stand can be adjusted soundlessly, simply and easily using the unique one-hand clutch. The stand is significantly lightweight, but nonetheless stable due to the ingenious round base with an integrated steel plate with an attractive plastic cover. The base's circumferential rubber profile reduces undesirable vibration and footfall noise even when the stand is tilted far over to the side.



ONE-HAND
MICROPHONE STAND »PERFORMANCE«

| 26250              | STARLINE   |
|--------------------|--|
| Weight             | 2.99 kg  |
| Special features   | round-shaped rods; soundless and easy height adjustment; significantly light-weight, but nonetheless stable due to the ingenious round base with an integrated steel plate with an attractive plastic cover; circumferential rubber profile reduces undesirable vibration and footfall noise |
| Material           | rod combination<br>made from aluminum,<br>handle bar plastic   |
| Base diameter      | 275 mm   |
| Leg construction   | round base   |
| Threaded connector | 3/8"   |
| Height adjustment  | one-hand clutch  |
| Rod combination    | 2-piece folding design   |
| Height             | from 1,055 to<br>1,750 mm  |

## Order No.

black 26250-300-55

The stable combination of high quality round-shaped rods and the elegant one-hand adjust-ment present a harmonious overall appearance. With the practical one-hand system the height of the stand can adjusted smoothly and silently (no scratching noises). The ingenious steel base with its elegant plastic cover provides more stability even though the base is much lighter. A circular rubber insert ring on the base also reduces unwanted vibrations and foot traffic noise, even when the stand is placed in extreme positions. In addition, the floor (e.g. wood floor) is protected from possible damage.

| BASELINE         |
|------------------|
| 1.84 kg          |
| boom arm         |
| non-detachable   |
| steel            |
| 660 mm           |
| U-profile legs   |
| snap into socket |
| 3/8"             |
| clutch           |
| 2-piece folding  |
| design           |
| one-piece design |
| locking knob     |
| 680 mm           |
| 870 x 80 x 95 mm |
| from 890 to      |
| 1,600 mm         |
|                  |

| Order No. |              |
|-----------|--------------|
| black     | 25400-300-55 |

#### MICROPHONE STAND

| 21070              | BASELINE           |  |
|--------------------|--------------------|--|
| Weight             | 2.19 kg            |  |
| Special features   | zinc die-cast base |  |
| Material           | steel              |  |
| Leg construction   | socket with        |  |
|                    | foldable legs      |  |
| Threaded connector | 3/8"               |  |
| Height adjustment  | clutch             |  |
| Rod combination    | 2-piece folding    |  |
|                    | design             |  |
| Boom arm           | one-piece design   |  |
| Boom arm clamping  | wing nut           |  |
| Boom arm length    | 805 mm             |  |
| Height             | from 900 to        |  |
|                    | 1,600 mm           |  |
|                    |                    |  |

| Accessories         | Page |
|---------------------|------|
| Carrying case 21421 | 198  |

21070-300-55

Order No.

black

#### MICROPHONE STAND

| 27105              | BASELINE                  |
|--------------------|---------------------------|
| Weight             | 2.3 kg                    |
| Special features   | plastic base              |
| Material           | steel                     |
| Leg construction   | socket with foldable legs |
| Threaded connector | 3/8"                      |
| Height adjustment  | clutch                    |
| Rod combination    | 2-piece folding design    |
| Boom arm           | one-piece design          |
| Boom arm clamping  | wing nut                  |
| Boom arm length    | 805 mm                    |
| Height             | from 900 to<br>1,600 mm   |

 Order No.

 black
 27105-300-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 21421 | 198  |



| 27195              | BASELINE           |
|--------------------|--------------------|
| Weight             | 2.3 kg             |
| Special features   | plastic base       |
| Material           | steel              |
| Leg construction   | socket with        |
|                    | foldable legs      |
| Threaded connector | 3/8"               |
| Height adjustment  | clutch             |
| Rod combination    | 2-piece folding    |
|                    | design             |
| Boom arm           | 2-piece telescopic |
|                    | design             |
| Boom arm clamping  | wing nut           |
| Boom arm length    | from 425 to 725 mm |
| Height             | from 900 to        |
|                    | 1,600 mm           |

## Order No.

black 27195-300-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 21421 | 198  |







| 210/2              | TOPLINE  |
|--------------------|--|
| Weight             | 3.2 kg   |
| Special features   | the industry standard;<br>stable and sturdy;<br>zinc die-cast base;<br>designed for heavy<br>use |
| Material           | steel  |
| Leg construction   | socket with foldable legs  |
| Threaded connector | 3/8"   |
| Height adjustment  | clutch   |
| Rod combination    | 2-piece folding design   |
| Boom arm           | one-piece design   |
| Boom arm clamping  | T-bar locking screw  |
| Boom arm length    | 840 mm   |
| Height             | from 900 to<br>1,605 mm  |

| Order No. |              |
|-----------|--------------|
| nickel    | 21020-300-01 |
| black     | 21020-300-55 |

Often copied – but never duplicated – a König & Meyer classic. High-quality materials and quality craftsmanship have made this stand a global standard for microphone stands for over 50 years.

Accessories Page
Carrying case 21421 198

| 210/9              | TOPLINE             |
|--------------------|---------------------|
| Weight             | 3.2 kg              |
| Special features   | stable and sturdy;  |
|                    | zinc die-cast base  |
| Material           | steel               |
| Leg construction   | socket with         |
|                    | foldable legs       |
| Threaded connector | 3/8"                |
| Height adjustment  | clutch              |
| Rod combination    | 2-piece folding     |
|                    | design              |
| Boom arm           | 2-piece telescopic  |
|                    | design              |
| Boom arm clamping  | T-bar locking screw |
| Boom arm length    | from 460 to 770 mm  |
| Height             | from 900 to         |
|                    | 1,605 mm            |

| Order No. |              |
|-----------|--------------|
| nickel    | 21090-300-01 |
| blook     | 21000 200 55 |

| Accessories         | Page |
|---------------------|------|
| Carrying case 21421 | 198  |

#### MICROPHONE STAND

| 210/6              | TOPLINE            |
|--------------------|--------------------|
| Weight             | 3 kg               |
| Special features   | zinc die-cast base |
| Material           | steel              |
| Leg construction   | socket with        |
|                    | foldable legs      |
| Threaded connector | 3/8"               |
| Height adjustment  | clutch             |
| Rod combination    | 2-piece folding    |
|                    | design             |
| Boom arm           | one-piece design   |
| Boom arm clamping  | wing nut           |
| Boom arm length    | 805 mm             |
| Height             | from 925 to        |
|                    | 1,630 mm           |
|                    |                    |

| Order No. |              |
|-----------|--------------|
| nickel    | 21060-300-01 |
| black     | 21060-300-55 |

| Accessories         | Page |
|---------------------|------|
| Carrying case 21421 | 198  |

#### MICROPHONE STAND

| 210/8              | TOPLINE            |
|--------------------|--------------------|
| Weight             | 3 kg               |
| Special features   | zinc die-cast base |
| Material           | steel              |
| Leg construction   | socket with        |
|                    | foldable legs      |
| Threaded connector | 3/8"               |
| Height adjustment  | clutch             |
| Rod combination    | 2-piece folding    |
|                    | design             |
| Boom arm           | 2-piece telescopic |
|                    | design             |
| Boom arm clamping  | wing nut           |
| Boom arm length    | from 425 to 725 mm |
| Height             | from 925 to        |
|                    | 1,630 mm           |

| Order No. |              |
|-----------|--------------|
| nickel    | 21080-300-01 |
| black     | 21080-300-55 |

| Accessories         | Page |
|---------------------|------|
| Carrying case 21421 | 198  |



| 252                | TOPLINE             |
|--------------------|---------------------|
| Weight             | 2.9 kg              |
| Special features   | zinc die-cast base  |
|                    | folds very small    |
| Material           | steel               |
| Leg construction   | socket with         |
|                    | foldable legs       |
| Threaded connector | 3/8"                |
| Height adjustment  | non-scratching      |
|                    | locking screws      |
| Rod combination    | 3-piece folding     |
|                    | design              |
| Boom arm           | 2-piece telescopic  |
|                    | design              |
| Boom arm clamping  | T-bar locking screw |
| Boom arm length    | from 490 to 795 mm  |
| Height             | from 620 to         |
|                    | 1,470 mm            |

## Order No.

black 25200-300-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 10811 | 11   |

#### MICROPHONE STAND



#### **MICROPHONE STAND »SOFT-TOUCH«**

| STARLINE             |
|----------------------|
| 3 kg                 |
| zinc die-cast base;  |
| gray powder coating; |
| low light reflection |
| steel                |
| socket with          |
| foldable legs        |
| 3/8"                 |
| clutch               |
| 2-piece folding      |
| design               |
| one-piece design     |
| wing nut             |
| 805 mm               |
| from 925 to          |
| 1,630 mm             |
|                      |

## Order No.

21060-300-87 gray

| Accessories         | Page |
|---------------------|------|
| Carrying case 21421 | 198  |







#### **MICROPHONE STAND »SOFT-TOUCH«**

| 21080              | STARLINE  |
|--------------------|---|
| Weight             | 3 kg  |
| Special features   | zink die-cast base;<br>gray powder coating;<br>low light reflection |
| Material           | steel   |
| Leg construction   | socket with foldable legs   |
| Threaded connector | 3/8"  |
| Height adjustment  | clutch  |
| Rod combination    | 2-piece folding design  |
| Boom arm           | 2-piece telescopic design   |
| Boom arm clamping  | wing nut  |
| Boom arm length    | from 425 to 725 mm  |
| Height             | from 925 to<br>1,630 mm   |

Order No.

gray 21080-300-87

The attractive basalt gray powder coating gives the microphone stand an extravagant accent and reduces light reflection to a minimum.

This stand is perfect for professional use on the public stage. Further features include the easy-to-grip »Soft-Touch« clutch with an elastic plastic cover and a boom arm with user-friendly wing nut adjustment.





| 25600              | STARLINE             |
|--------------------|----------------------|
| Weight             | 3.4 kg               |
| Special features   | zinc die-cast base;  |
|                    | no parts to lose;    |
|                    | clamping lever can   |
|                    | be used for cable    |
|                    | management           |
| Material           | steel                |
| Leg construction   | socket with          |
|                    | foldable legs        |
| Threaded connector | 3/8"                 |
| Height adjustment  | clutch               |
| Rod combination    | 2-piece folding      |
|                    | design               |
| Boom arm           | 2-piece telescopic   |
|                    | design               |
| Boom arm clamping  | heavy-duty all metal |
|                    | clamping lever       |
| Boom arm length    | from 600 to 955 mm   |
| Height             | from 970 to          |
|                    | 1,640 mm             |

Order No.

black 25600-300-55

The unique design retains all adjustment elements. The distinctive ergonomically designed and patented clamping lever easily and comfortably adjusts the boom arm in any position and can also hold microphone cables. This high-quality stand is impressively robust.

| Accessories         | Page              |
|---------------------|-------------------|
| Carrying case 21421 | 198               |
|                     | NO. S. WILLIAM TO |

#### **OVERHEAD MICROPHONE STAND**

| 21021              |                     |
|--------------------|---------------------|
| Weight             | 5.9 kg              |
| Special features   | zinc die-cast base; |
|                    | extra high;         |
|                    | longer legs         |
| Material           | steel               |
| Leg construction   | socket with         |
|                    | foldable legs       |
| Threaded connector | 3/8"                |
| Height adjustment  | clutch              |
| Rod combination    | 2-piece folding     |
|                    | design              |
| Boom arm           | one-piece design    |
| Boom arm clamping  | T-bar locking screw |
| Boom arm length    | 1,065 mm            |
| Height             | from 1,120 to       |
|                    | 2,010 mm            |

## Order No.

black 21021-300-55

#### **OVERHEAD MICROPHONE STAND**

| 20800              |   |
|--------------------|---|
| Weight             | 3.8 kg  |
| Special features   | for special stage and<br>studio applications;<br>adjustable<br>up to 3.10 m |
| Material           | steel   |
| Base diameter      | 1,000 mm  |
| Leg construction   | tube legs with cross braces   |
| Threaded connector | 3/8"  |
| Height adjustment  | clamping element with locking screw   |
| Rod combination    | 3-piece folding design  |
| Height             | from 1,350 to<br>3,100 mm   |

## Order No.

black 20800-309-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 21422 | 231  |

#### **OVERHEAD MICROPHONE STAND**

| 20811              | _                   |
|--------------------|---------------------|
| Weight             | 10.5 kg             |
| Special features   | adjustable          |
|                    | up to 4.40 m;       |
|                    | additional safety   |
|                    | rings included      |
| Material           | steel               |
| Base diameter      | 1,485 mm            |
| Leg construction   | tube legs with      |
|                    | double cross braces |
| Threaded connector | 1/2"                |
| Height adjustment  | non-scratching      |
|                    | locking screws      |
| Rod combination    | 3-piece folding     |
|                    | design              |
| Height             | from 1,850 to       |
|                    | 4,400 mm            |

## Order No.

black 20811-409-55

| Accessories    | Page |
|----------------|------|
| Boom arm 21231 | 181  |







#### **OVERHEAD MICROPHONE STAND**

| 21411              |  |
|--------------------|--|
| Weight             | 4.94 kg  |
| Special features   | for special stage and<br>studio applications;<br>rod combination with<br>additional locking<br>mechanism |
| Material           | steel  |
| Leg construction   | tube legs with double cross braces   |
| Threaded connector | 1/2"   |
| Height adjustment  | clamping element with locking screw  |
| Max. load capacity | 12 kg  |
| Rod combination    | 2-piece folding design   |
| Height             | from 1,480 to<br>2,290 mm  |


## Order No.

black 21411-400-55

| Accessories               | Page |
|---------------------------|------|
| Boom arm 21231            | 181  |
| Carrying case 21311       | 230  |
| Carrying case »Pro« 21312 | 231  |

#### **OVERHEAD MICROPHONE STAND**

| 21430              |   |
|--------------------|---|
| Weight             | 17.42 kg  |
| Special features   | heavy die-cast<br>base with low<br>centre of gravity<br>for high level safety;<br>3 lockable castor<br>wheels;<br>extendable<br>boom arm with a<br>3 kg counterweight;<br>additional mini boom<br>arm with 5/8"- and<br>3/8" thread and<br>length of 245 mm |
| Material           | steel   |
| Base diameter      | 660 mm  |
| Leg construction   | cast-iron base  |
| Threaded connector | 5/8"  |
| Height adjustment  | clamping element with locking screw   |
| Rod combination    | 2-piece folding design  |
| Boom arm clamping  | T-bar locking screw   |
| Boom arm length    | from 1,100 to<br>2,000 mm   |
| Height             | from 1,340 to<br>2,200 mm   |





| 255                |   |
|--------------------|---|
| Weight             | 4.1 kg                                  |
| Special features   | zinc die-cast base;<br>extra low design |
| Material           | steel                                   |
| Leg construction   | socket with                             |
|                    | foldable legs                           |
| Threaded connector | 3/8"                                    |
| Boom arm           | 2-piece telescopic                      |
|                    | design                                  |
| Boom arm clamping  | T-bar locking screw                     |
| Boom arm length    | from 870 to                             |
|                    | 1,550 mm                                |
| Height             | 290 mm                                  |
|                    |   |

## Order No.

black 25500-300-55

#### MICROPHONE STAND

| 259                |   |
|--------------------|---|
| Weight             | 2.2 kg                                  |
| Special features   | low-level                               |
|                    | microphone stand;<br>zinc die-cast base |
| Material           | steel                                   |
| Leg construction   | socket with                             |
|                    | foldable legs                           |
| Threaded connector | 3/8"                                    |
| Height adjustment  | clutch                                  |
| Rod combination    | 2-piece folding                         |
|                    | design                                  |
| Boom arm           | 2-piece telescopic design               |
| Boom arm clamping  | T-bar locking screw                     |
| Boom arm length    | from 470 to 775 mm                      |
| Height             | from 425 to 645 mm                      |
|                    |   |

## Order No.

black 25900-300-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 10811 | 44   |

#### MICROPHONE STAND

| 259/1              | _                                       |
|--------------------|---|
| Weight             | 1.9 kg                                  |
| Special features   | extra low design;<br>zinc die-cast base |
| Material           | steel                                   |
| Leg construction   | socket with                             |
|                    | foldable legs                           |
| Threaded connector | 3/8"                                    |
| Boom arm           | one-piece design                        |
| Boom arm clamping  | T-bar locking screw                     |
| Boom arm length    | 525 mm                                  |
| Height             | 280 mm                                  |
|                    |   |

## Order No.

black 25910-300-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 10811 | 44   |





#### **MICROPHONE STAND »RIEN«**

|                    | _                      |
|--------------------|------------------------|
| 25950              |                        |
| Weight             | 2.98 kg                |
| Special features   | extra low design;      |
|                    | zinc die-cast base;    |
|                    | very short, heavy legs |
| Material           | steel                  |
| Leg construction   | socket with            |
|                    | foldable legs          |
| Threaded connector | 3/8"                   |
| Boom arm           | 2-piece telescopic     |
|                    | design                 |
| Boom arm clamping  | wing nut               |
| Boom arm length    | from 425 to 725 mm     |
| Height             | 280 mm                 |
|                    |                        |

## Order No.

black 25950-300-55

The low-level stand is particularly suitable for bass drums or bass amplifiers. Very short and heavy legs mean this stand needs very little standing space. A telescopic boom arm completes the features of this compact unit.





| 0.000              |                    |
|--------------------|--------------------|
| 25960              |                    |
| Weight             | 5.25 kg            |
| Special features   | anti-vibration     |
|                    | rubber insert for  |
|                    | noise filtration   |
| Material           | steel              |
| Base diameter      | 250 mm             |
| Leg construction   | heavy round        |
|                    | cast-iron base     |
| Threaded connector | 3/8"               |
| Boom arm           | 2-piece telescopic |
|                    | design             |
| Boom arm clamping  | wing nut           |
| Boom arm length    | from 425 to 725 mm |
| Height             | 430 mm             |
|                    |                    |

## Order No.

black 25960-300-55

#### **MICROPHONE STAND**

| 2.4 kg  |
|---|
| anti-vibration<br>rubber insert for<br>noise filtration |
| 110100 11111 011011                                     |
| steel   |
| 250 mm  |
| flat round<br>cast-iron base                            |
| 3/8"  |
| clutch  |
| 2-piece folding design                                  |
| from 217 to 347 mm                                      |
|   |

## Order No.

black 23320-300-55

#### MICROPHONE STAND

| 23323              | _   |
|--------------------|---|
| Weight             | 2.55 kg   |
| Special features   | anti-vibration<br>rubber insert for<br>noise filtration |
| Material           | steel   |
| Base diameter      | 250 mm  |
| Leg construction   | flat round cast-iron base                               |
| Threaded connector | 3/8"  |
| Height adjustment  | clutch  |
| Rod combination    | 2-piece folding design                                  |
| Height             | from 350 to 570 mm                                      |

#### Order No.

black 23323-300-55



#### MICROPHONE STAND »SOFT-TOUCH«

| 25900              |                      |
|--------------------|----------------------|
| Weight             | 2.1 kg               |
| Special features   | low-level            |
|                    | microphone stand;    |
|                    | zinc die-cast base;  |
|                    | gray powder coating; |
|                    | low light reflection |
| Material           | steel                |
| Leg construction   | socket with          |
|                    | foldable legs        |
| Threaded connector | 3/8"                 |
| Height adjustment  | clutch               |
| Rod combination    | 2-piece folding      |
|                    | design               |
| Boom arm           | 2-piece telescopic   |
|                    | design               |
| Boom arm clamping  | T-bar locking screw  |
| Boom arm length    | from 470 to 775 mm   |
| Height             | from 425 to 645 mm   |
|                    |                      |

## Order No.

gray 25900-370-87

#### MICROPHONE STAND »SOFT-TOUCH«

| 25910              |   |
|--------------------|---|
| Weight             | 1.9 kg  |
| Special features   | extra low design;<br>die-cast base;<br>gray powder coating; |
| Material           | low light reflection<br>steel                               |
| Leg construction   | socket with foldable legs                                   |
| Threaded connector | 3/8"  |
| Boom arm           | one-piece design  |
| Boom arm clamping  | T-bar locking screw   |
| Boom arm length    | 525 mm  |
| Height             | 280 mm  |

## Order No.

gray 25910-300-87

| Accessories         | Page |
|---------------------|------|
| Carrying case 10811 | 44   |





#### **BOOM ARM**

| 211                |                     |
|--------------------|---------------------|
| Weight             | 0.7 kg              |
| Material           | steel               |
| Threaded connector | 3/8"                |
| Boom arm           | one-piece design    |
| Boom arm length    | 800 mm              |
| Clamping           | T-bar locking screw |

#### Order No.

| nickel | 21100-300-01 |
|--------|--------------|
| black  | 21100-300-55 |

#### **BOOM ARM**

| 211/1              |                           |
|--------------------|---------------------------|
| Weight             | 0.64 kg                   |
| Material           | steel                     |
| Threaded connector | 3/8"                      |
| Boom arm           | 2-piece telescopic design |
| Boom arm length    | from 470 to 770 mm        |
| Clamping           | T-bar locking screw       |

## Order No.

| nickel | 21110-300-01 |
|--------|--------------|
| black  | 21110-300-55 |

#### **BOOM ARM**

| 21140              |                           |
|--------------------|---------------------------|
| Weight             | 0.58 kg                   |
| Material           | steel                     |
| Threaded connector | 3/8"                      |
| Boom arm           | 2-piece telescopic design |
| Boom arm length    | from 425 to 725 mm        |
| Clamping           | wing nut                  |

## Order No.

black 21140-300-55



#### **BOOM ARM**

| 21160              |                  |
|--------------------|------------------|
| Weight             | 0.5 kg           |
| Special features   | short boom arm   |
| Material           | steel            |
| Threaded connector | 3/8"             |
| Boom arm           | one-piece design |
| Boom arm length    | 395 mm           |
| Clamping           | wing nut         |

#### Order No.

black 21160-300-55

#### **BOOM ARM**

| 21231              |   |
|--------------------|---|
| Weight             | 5.3 kg  |
| Special features   | connecting<br>thread 1/2";<br>adjustable heavy<br>counterweight<br>included |
| Material           | steel   |
| Threaded connector | 3/8"  |
| Boom arm           | 2-piece telescopic design   |
| Boom arm length    | from 1,100 to<br>2,000 mm   |
| Clamping           | T-bar locking screw   |
| Fits               | 20811, 21411  |
|                    |   |

#### Order No.

black 21231-400-55

| Accessories          | Page |
|----------------------|------|
| Carrying case 21422  | 231  |
| Thread adapter 21900 | 200  |

#### **MINI BOOM ARM**

| 21431              |                  |
|--------------------|------------------|
| Weight             | 0.31 kg          |
| Special features   | suitable for     |
|                    | overhead uses    |
| Material           | steel            |
| Threaded connector | 3/8" and 5/8"    |
| Boom arm           | one-piece design |
| Boom arm length    | 290 mm           |
| Clamping           | wing nut         |

#### Order No.

black 21431-300-55



#### TABLE MICROPHONE STAND

| 23105              |                   |
|--------------------|-------------------|
| Weight             | 0.07 kg           |
| Special features   | can be used as    |
|                    | microphone handle |
| Material           | plastic           |
| Leg construction   | foldable legs     |
| Threaded connector | 1/4" or 3/8"      |
| Height             | 70 mm             |

#### Order No.

black 23105-300-55

#### **TABLE MICROPHONE STAND**

| 231/1              |               |
|--------------------|---------------|
| Weight             | 0.08 kg       |
| Material           | plastic base, |
|                    | steel legs    |
| Leg construction   | foldable legs |
| Threaded connector | 3/8"          |
| Height             | 60 mm         |
|                    |               |

#### Order No.

nickel 23110-300-01

#### **TABLE MICROPHONE STAND**

| 232                |   |
|--------------------|---|
| Weight             | 1.35 kg   |
| Special features   | anti-vibration<br>rubber insert for<br>noise filtration;<br>screw in threaded<br>bolt |
| Material           | steel   |
| Base diameter      | 130 mm  |
| Leg construction   | heavy round cast-iron base  |
| Threaded connector | 3/8"  |
| Height             | 175 mm  |

#### Order No.

black 23200-300-55



#### TABLE MICROPHONE STAND

| 23220              | _                     |
|--------------------|-----------------------|
| Weight             | 1.05 kg               |
| Special features   | anti-vibration rubber |
|                    | insert for noise      |
|                    | filtration            |
| Material           | steel                 |
| Base diameter      | 130 mm                |
| Leg construction   | heavy round           |
|                    | cast-iron base        |
| Threaded connector | 3/8"                  |
| Height             | 45 mm                 |
|                    |                       |

#### Order No.

black 23220-300-55

#### **TABLE MICROPHONE STAND**

| 0.75 kg                 |
|-------------------------|
| attractive              |
| trilobular base;        |
| anti-vibration circular |
| rubber insert ring      |
| steel                   |
| 137 mm                  |
| steel triobular base    |
| 3/8"                    |
| 152 mm                  |
|                         |

## Order No.

black 23230-300-55

#### **DESIGN MICROPHONE TABLE STAND**

| 23250              |   |
|--------------------|---|
| Weight             | 0.7 kg  |
| Special features   | stable and sturdy;<br>special design;<br>surface area for<br>company logo etc.;<br>space saving flat<br>foot construction |
| Material           | steel   |
| Threaded connector | 3/8"  |
| Base dimensions    | 125 x 130 mm  |
| Height             | 142 mm  |

#### Order No.

black 23250-300-55



Perfect for labelling or your logo



#### TABLE MICROPHONE STAND

Order No.

gray

| 23266              |                       |
|--------------------|-----------------------|
| Weight             | 0.33 kg               |
| Special features   | compact base;         |
|                    | anti-vibration        |
|                    | felt insert for       |
|                    | noise filtration      |
| Material           | steel                 |
| Base diameter      | 64 mm                 |
| Leg construction   | very small round base |
| Threaded connector | 3/8"                  |
| Height             | 60 mm                 |

23266-300-74

#### **TABLETOP MICROPHONE STAND**

| 23150              |                        |
|--------------------|------------------------|
| Weight             | 0.41 kg                |
| Special features   | easy-to-use            |
|                    | clamping levers        |
| Material           | steel                  |
| Base diameter      | 250 mm                 |
| Leg construction   | square tube legs       |
|                    | snap into socket       |
| Threaded connector | 1/4" or 3/8"           |
| Height adjustment  | infinitely variable by |
|                    | means of ergonomic-    |
|                    | ally shaped clamping   |
|                    | elements               |
| Rod combination    | 2-piece folding        |
|                    | design                 |
| Size when folded   | 230 mm                 |
| Height             | from 230 to 430 mm     |

| 23325              |   |
|--------------------|---|
| Weight             | 2.51 kg   |
| Special features   | anti-vibration<br>rubber insert for<br>noise filtration |
| Material           | steel   |
| Base diameter      | 180 mm  |
| Leg construction   | heavy round cast-iron base                              |
| Threaded connector | 3/8"  |
| Height adjustment  | clutch  |
| Rod combination    | 2-piece folding design                                  |
| Height             | from 217 to 347 mm                                      |

23325-300-55

Order No.

black

TABLE- /FLOOR MICROPHONE STAND

| Order No.  |              |
|------------|--------------|
| black 1/4" | 23150-100-55 |
| black 3/8" | 23150-300-55 |





#### TABLE- /FLOOR MICROPHONE STAND

| 233                |                    |
|--------------------|--------------------|
| Weight             | 2.6 kg             |
| Special features   | anti-vibration     |
|                    | rubber insert for  |
|                    | noise filtration   |
| Material           | steel              |
| Base diameter      | 180 mm             |
| Leg construction   | heavy round        |
|                    | cast-iron base     |
| Threaded connector | 3/8"               |
| Height adjustment  | clutch             |
| Rod combination    | 2-piece folding    |
|                    | design             |
| Height             | from 355 to 580 mm |
|                    |                    |

#### Order No.

black 23300-300-55

| Accessories          | Page |
|----------------------|------|
| Knurled washer 26004 | 203  |

#### TABLE- /FLOOR MICROPHONE STAND

| 234                |                       |
|--------------------|-----------------------|
| Weight             | 2.1 kg                |
| Special features   | anti-vibration        |
|                    | felt insert for noise |
|                    | filtration;           |
|                    | tilt angle adjustment |
| Material           | steel                 |
| Leg construction   | rectangular           |
|                    | cast-iron base        |
| Threaded connector | 3/8"                  |
| Height adjustment  | non-scratching        |
|                    | locking screw         |
| Rod combination    | 2-piece folding       |
|                    | design                |
| Base dimensions    | 170 x 135 mm          |
| Height             | from 400 to 640 mm    |
|                    |                       |

| Order No. |              |
|-----------|--------------|
| black     | 23400-300-55 |

#### MICROPHONE TABLE BASE

| 29375            |                                     |
|------------------|-------------------------------------|
| Weight           | 0.48 kg                             |
| Special features | crackle-free<br>switching;<br>wired |
| Material         | zinc die-cast                       |
| Base diameter    | 130 mm                              |
| Control element  | switch                              |
| Female connector |                                     |
| for microphone   | 3-pin XLR-jack                      |
| Pilot light      | voltage and<br>mic on/off           |
| Plug connection  |                                     |
| mixer            | 3-pin XLR-plug                      |
| Height           | 35 mm                               |

| Order No. |              |
|-----------|--------------|
| black     | 29375-000-55 |



#### MICROPHONE TABLE BASE

| 0.47 kg        |
|----------------|
| wired          |
| zinc die-cast  |
| 130 mm         |
|                |
| 3-pin XLR-jack |
|                |
| 3-pin XLR-plug |
| 35 mm          |
|                |

#### Order No.

black 29376-000-55

#### MICROPHONE TABLE BASE

| 29377                | _              |
|----------------------|----------------|
| Weight               | 0.48 kg        |
| Special features     | crackle-free   |
|                      | switching;     |
|                      | wired          |
| Material             | zinc die-cast  |
| Base diameter        | 130 mm         |
| Control element      | push-button    |
|                      | (push-to-talk) |
| Female connector for |                |
| microphone           | 3-pin XLR-jack |
| Pilot light          | voltage and    |
|                      | mic on/off     |
| Plug connection      |                |
| mixer                | 3-pin XLR-plug |
| Height               | 35 mm          |
|                      |                |

#### Order No.

black 29377-000-55

#### MICROPHONE TABLE BASE

| 29390            | _                 |
|------------------|-------------------|
| Weight           | 2.44 kg           |
| Special features | wired             |
| Material         | zinc die-cast     |
| Female connector | 3-pin XLR-jack    |
| for microphone   |                   |
| Plug connection  | 3-pin XLR-plug    |
| mixer            |                   |
| Dimensions       | 160 x 150 x 51 mm |
| Length           | 160 mm            |
|                  |                   |

#### Order No.

black 29390-000-55



#### GOOSENECK

#### GOOSENECK

#### GOOSENECK

| 223           |         |
|---------------|---------|
| Weight        | 0.32 kg |
| Material      | steel   |
| Diameter      | 15 mm   |
| Male thread   | 3/8"    |
| Female thread | 3/8"    |
| Length        | 400 mm  |

| 224           |         |  |
|---------------|---------|--|
| Weight        | 0.24 kg |  |
| Material      | steel   |  |
| Diameter      | 15 mm   |  |
| Male thread   | 3/8"    |  |
| Female thread | 3/8"    |  |
| Length        | 300 mm  |  |

| 225           |         |  |
|---------------|---------|--|
| Weight        | 0.18 kg |  |
| Material      | steel   |  |
| Diameter      | 15 mm   |  |
| Male thread   | 3/8"    |  |
| Female thread | 3/8"    |  |
| Length        | 200 mm  |  |
|               |         |  |

| Order No. |              |
|-----------|--------------|
| nickel    | 22300-300-01 |
| black     | 22300-300-55 |

| Order No. |              |
|-----------|--------------|
| nickel    | 22400-300-01 |
| black     | 22400-300-55 |

#### Order No. black 22500-300-55

#### GOOSENECK

| 0.09 kg |                                |
|---------|--------------------------------|
| steel   |                                |
| 11 mm   |                                |
| 3/8"    |                                |
| 3/8"    |                                |
| 200 mm  |                                |
|         | steel<br>11 mm<br>3/8"<br>3/8" |

| hlack         | 22600-300-55 |
|---------------|--------------|
| Order No.     |              |
| Length        | 200 mm       |
| Female thread | 3/8"         |

#### GOOSENECK

| 227           | _       |
|---------------|---------|
| Weight        | 0.6 kg  |
| Material      | steel   |
| Diameter      | 18.5 mm |
| Male thread   | 3/8"    |
| Female thread | 3/8"    |
| Length        | 500 mm  |
|               |         |

| Order No. |              |
|-----------|--------------|
| black     | 22700-300-55 |

#### GOOSENECK

| 0.64 kg |                                  |
|---------|----------------------------------|
| steel   |                                  |
| 18.5 mm |                                  |
| 3/8"    |                                  |
| 3/8"    |                                  |
| 600 mm  |                                  |
|         | steel<br>18.5 mm<br>3/8"<br>3/8" |

| Order No. |              |
|-----------|--------------|
| black     | 22800-300-55 |



#### GOOSENECK

| 230/1            |                     |
|------------------|---------------------|
| Weight           | 0.26 kg             |
| Special features | lateral cable entry |
|                  | terminating         |
| Material         | steel               |
| Diameter         | 15 mm               |
| Female thread    | 3/8"                |
| Plug connection  | 3-pin XLR jack      |
|                  | NC3FX, XLR-TYPE     |
| Length           | 300 mm              |

| Order No. |  |
|-----------|--|
|-----------|--|

black 23010-300-55

#### GOOSENECK

| 230/2            |  |
|------------------|--|
| Weight           | 0.28 kg  |
| Special features | not wired  |
| Material         | steel  |
| Diameter         | 15 mm  |
| Plug connection  | 3-pin XLR jack<br>NC3FX, XLR-TYPE<br>and 3-pin plug<br>NC3MX, XLR-TYPE |
| Length           | 300 mm   |

#### Order No.

black 23020-000-55

#### GOOSENECK

| 230/3            | _                                 |
|------------------|-----------------------------------|
| Weight           | 0.35 kg                           |
| Special features | lateral cable entry               |
|                  | terminating                       |
| Material         | steel                             |
| Diameter         | 15 mm                             |
| Female thread    | 3/8"                              |
| Plug connection  | 3-pin XLR jack<br>NC3FX, XLR-TYPE |
| Length           | 400 mm                            |

#### Order No.

black 23030-300-55





| 230/4            |  |
|------------------|--|
| Weight           | 0.36 kg  |
| Special features | not wired  |
| Material         | steel  |
| Diameter         | 15 mm  |
| Plug connection  | 3-pin XLR jack<br>NC3FX, XLR-TYPE<br>and 3-pin plug<br>NC3MX, XLR-TYPE |
| Length           | 400 mm   |

#### Order No.

black 23040-000-55

#### MICROPHONE »FISHING POLE«

Order No.

black

| 23750              | _  |
|--------------------|--|
| Weight             | 0.46 kg  |
| Special features   | rubberized anti-slip<br>grip section;<br>carrying case<br>included |
| Material           | aluminum   |
| Threaded connector | 3/8"   |
| Rod combination    | 3-piece folding design   |
| Length             | from 635 to<br>1,600 mm  |
| Adjustment         | large locking rings  |

23750-000-55

black

#### **MICROPHONE »FISHING POLE«**

| 23760              | _                                  |
|--------------------|------------------------------------|
| Weight             | 0.8 kg                             |
| Special features   | rubberized anti-slip grip section; |
|                    | carrying case included             |
| Material           | aluminum                           |
| Threaded connector | 3/8"                               |
| Rod combination    | 4-piece folding design             |
| Length             | from 950 to<br>3,220 mm            |
| Adjustment         | large locking rings                |
|                    |                                    |
| Order No.          |                                    |

23760-000-55

#### **MICROPHONE »FISHING POLE«**

| 23770              |                      |
|--------------------|----------------------|
| Weight             | 0.8 kg               |
| Special features   | rubberized anti-slip |
|                    | grip section;        |
|                    | microphone cable     |
|                    | can be routed        |
|                    | through the tubing;  |
|                    | carrying case        |
|                    | included             |
| Material           | glass fibre          |
| Threaded connector | 3/8" and 5/8"        |
| Max. load capacity | 0.5 kg               |
| Rod combination    | 5-piece folding      |
|                    | design               |
| Length             | from 1,200 to        |
|                    | 4,600 mm             |
| Adjustment         | large locking rings  |

 Order No.

 black
 23770-000-55



| MICROPHONE »FISHING POLE« NEW |   |  |
|-------------------------------|---|--|
| 23780                         |   |  |
| Weight<br>Special features    | 0.58 kg cables can be placed inside; carrying case included |  |
| Material                      | carbon  |  |
| Threaded connector            | 3/8"  |  |
| Rod combination               | 5-piece folding design                                      |  |
| Length                        | from 600 to   |  |

1,825 mm

clamp lever(s)

| 23785              |   |
|--------------------|---|
| Weight             | 0.74 kg   |
| Special features   | cables can be placed inside; carrying case included |
| Material           | carbon  |
| Threaded connector | 3/8"  |
| Rod combination    | 5-piece folding design                              |
| Length             | from 800 to<br>2,825 mm                             |
| Adjustment         | clamp lever(s)                                      |

NEW

MICROPHONE »FISHING POLE«

Order No.

Adjustment

black 23780-000-55

 Order No.

 black
 23785-000-55





Highly functional locking force



#### **MICROPHONE »FISHING POLE«**

| 23790              |   |
|--------------------|---|
| Weight             | 0.9 kg  |
| Special features   | cables can be placed inside; carrying case included |
| Material           | carbon  |
| Threaded connector | 3/8"  |
| Rod combination    | 5-piece folding design                              |
| Length             | from 1,000 to<br>3,825 mm                           |
| Adjustment         | clamp lever(s)                                      |

Order No.

23790-000-55 black

Professional carbon microphone fishing pole. The exceptional characteristics of this microphone fishing pole include sturdiness and high stiffness considering its light weight. The four clamps with the innovative locking system are easy to use and provide highly functional locking force. The fishing pole can be adjusted variably between 1,000 and 3,825 mm. Cables can be placed inside the pole. An upholstered carrying case is included.




#### **POPKILLER**

| 23956               |  |
|---------------------|--|
| Weight              | 0.22 kg                                |
| Special features    | double nylon screen with plastic frame |
| Material            | steel                                  |
| Screw-on to         | tube diameter<br>up to 30 mm           |
| Shield diameter     | 130 mm                                 |
| Goose neck diameter | 8 mm                                   |
| Goose neck length   | 330 mm                                 |

#### Order No.

black 23956-000-55







#### **POPKILLER**

| 23966               |   |
|---------------------|---|
| Weight              | 0.32 kg   |
| Special features    | double nylon screen<br>with plastic frame;<br>large shield diameter |
| Material            | steel   |
| Screw-on to         | tube diameter up to 30 mm   |
| Shield diameter     | 200 mm  |
| Goose neck diameter | 8 mm  |
| Goose neck length   | 330 mm  |

#### Order No.

black 23966-000-55

This high-quality popkiller is an essential piece of equipment for every professional recording studio. The large nylon screen is a perfect filter for troublesome buzzing and popping sounds. In addition it is better protection than a metal screen against moisture. The stable gooseneck can be mounted on all standard microphone stands and is suitable for many types of performance.

#### MICROPHONE DESK ARM

| 23850              |                     |
|--------------------|---------------------|
| Weight             | 1.72 kg             |
| Material           | steel               |
| Threaded connector | 3/8" and 5/8"       |
| Max. load capacity | 0.8 kg              |
| Length             | from 460 to 960 mm  |
| Connection         | 3-pin XLR-cable 5 m |
| Clamping range     | up to 53 mm         |

#### Order No.

black 23850-311-55

| Accessories        | Page |  |
|--------------------|------|--|
| Table flange 23855 | 194  |  |

#### MICROPHONE DESK ARM

| 23860              |                     |
|--------------------|---------------------|
| Weight             | 1.3 kg              |
| Threaded connector | 3/8" and 5/8"       |
| Max. load capacity | 1.5 kg              |
| Length             | from 460 to 960 mm  |
| Connection         | 3-pin XLR-cable 6 m |
| Clamping range     | up to 53 mm         |
|                    |                     |

#### Order No.

black

| Accessories        | Page |
|--------------------|------|
| Table flange 23855 | 194  |

23860-311-55

#### **TABLE FLANGE**

#### Order No.

black 23855-000-55



#### **TABLE CLAMP**

| 237                |             |
|--------------------|-------------|
| Weight             | 0.18 kg     |
| Material           | steel       |
| Threaded connector | 3/8"        |
| Clamping range     | up to 45 mm |

#### Order No.

black 23700-300-55

#### MICROPHONE HOLDER FOR DRUMS

| 24030              | _                |
|--------------------|------------------|
| Weight             | 0.14 kg          |
| Special features   | noise and shock  |
|                    | absorbing rubber |
|                    | inserts;         |
|                    | no parts to lose |
| Material           | steel            |
| Threaded connector | 3/8"             |
| Height             | 60 mm            |
|                    |                  |

#### Order No.

black 24030-300-55

#### MICROPHONE HOLDER FOR DRUMS

| 24035              |   |
|--------------------|---|
| Weight             | 0.12 kg   |
| Special features   | noise and shock<br>absorbing rubber<br>inserts;<br>no parts to lose;<br>"RIMS" suitable;<br>microphone can be<br>slided up to 70 mm<br>on the mounting rail |
| Material           | steel   |
| Threaded connector | 3/8"  |
| Length             | 115 mm  |

#### Order No.

black 24035-300-55







#### MICROPHONE HOLDER

| 240/5              |                 |
|--------------------|-----------------|
| Weight             | 0.45 kg         |
| Special features   | movable         |
|                    | retaining clip; |
|                    | adjustable to   |
|                    | any angle       |
| Material           | steel           |
| Threaded connector | 3/8"            |
| Length             | 308 mm          |
| Clamping range     | up to 53 mm     |
|                    |                 |

#### Order No.

black 24050-311-55

#### **TABLE MICROPHONE CLAMP**

| 258                | _               |
|--------------------|-----------------|
| Weight             | 0.8 kg          |
| Material           | steel           |
| Threaded connector | 3/8"            |
| Rod combination    | 2-piece folding |
|                    | design          |
| Height             | from 560 to     |
|                    | 1,020 mm        |
| Clamping           | locking screw   |
| Clamping range     | up to 53 mm     |
| Swivel             | 360°            |

#### Order No.

black 25800-311-55

#### MICROPHONE ARM

| 240/1              |                     |
|--------------------|---------------------|
| Weight             | 0.94 kg             |
| Material           | steel               |
| Threaded connector | 3/8"                |
| Boom arm           | one-piece design    |
| Boom arm clamping  | T-bar locking screw |
| Boom arm length    | 605 mm              |
| Height             | 340 mm              |
| Clamping           | locking screws      |
| Clamping range     | 15 to 30 mm         |
|                    |                     |

#### Order No.

black 24010-314-55







#### **UNIVERSAL CLAMPING HOLDER**

| 19715              |                    |
|--------------------|--------------------|
| Weight             | 0.339 kg           |
| Special features   | to be attached     |
|                    | to tubes up to     |
|                    | 30 mm diameter;    |
|                    | with 3/8" threaded |
|                    | connector          |
| Material           | steel              |
| Max. load capacity | 0.75 kg            |
| Length             | 232 mm             |
| Screw-on to        | tube diameter      |
|                    | up to 30 mm        |

#### Order No.

black 19715-300-55

| Accessories                  | Page |
|------------------------------|------|
| iPad stand holder 19712      | 263  |
| iPad mini stand holder 19713 | 263  |
| iPad Air stand holder 19714  | 263  |
| Tablet PC stand holder 19742 | 264  |

#### THREADED BOLT

| 23721            |   |
|------------------|---|
| Weight           | 0.09 kg   |
| Special features | to ugrade table clamp<br>23720 for additional<br>applications |
| Material         | steel   |
| Male thread      | 1/4", 3/8" or 5/8"  |
| Fits             | 23720   |

#### Order No.

| black passivated<br>1/4" x 31,5 mm | 23721-100-25 |
|------------------------------------|--------------|
| black passivated<br>3/8" x 32,5 mm | 23721-300-25 |
| black passivated<br>5/8" x 34,5 mm | 23721-500-25 |

#### **TABLE CLAMP**

| 23720              |  |
|--------------------|--|
| Weight             | 0.23 kg  |
| Special features   | includes threaded<br>bolt and universal<br>spanner;<br>maximum 4 threaded<br>bolts for 4 different<br>directions can be<br>applied |
| Material           | steel  |
| Threaded connector | 3/8"   |
| Clamping range     | up to 53 mm  |

#### Order No.

black 3/8" 23720-300-55

| Accessories         | Page |
|---------------------|------|
| Threaded bolt 23721 | 196  |







#### **CEILING STAND**

| 22160              |                 |
|--------------------|-----------------|
| Weight             | 1.3 kg          |
| Material           | steel           |
| Threaded connector | 3/8"            |
| Height adjustment  | clutch          |
| Rod combination    | 2-piece folding |
|                    | design          |
| Height             | from 860 to     |
|                    | 1,560 mm        |

# Order No.

olack 22160-300-55





#### MICROPHONE BAR

| 23510                    |  |
|--------------------------|--|
| Weight                   | 0.2 kg   |
| Special features         | moveable bars on<br>both sides to position<br>the microphone;<br>no parts to lose;<br>connects to top of<br>mic stands with 3/8"<br>thread |
| Material                 | steel  |
| Threaded connector       | 3/8"   |
| Length                   | 217 mm   |
| Number of knurled screws | 2 pieces   |

#### Order No.

black 23510-300-55

#### **MICROPHONE BAR**

| 23550              | _   |
|--------------------|---|
| Weight             | 0.09 kg   |
| Special features   | no parts to lose;<br>connects to top<br>of mic stands with<br>3/8" thread |
| Material           | aluminum  |
| Threaded connector | 3/8"  |
| Length             | 200 mm  |
| Number of          |   |
| knurled screws     | 2 pieces  |
| Spacing of holes   | from 60 to 172 mm   |
|                    |   |

#### Order No.

black 23550-300-55

#### **MICROPHONE BAR**

| 236                | _   |
|--------------------|---|
| Weight             | 0.4 kg  |
| Special features   | no parts to lose;<br>connects to top<br>of mic stands with<br>3/8" thread |
| Material           | steel   |
| Threaded connector | 3/8"  |
| Length             | 365 mm  |
| Number of          |   |
| knurled screws     | 4 pieces  |

#### Order No.

black 23600-300-55



#### MICROPHONE HOLDER

| 238                |                              |
|--------------------|------------------------------|
| Weight             | 0.18 kg                      |
| Special features   | no parts to lose             |
| Material           | steel                        |
| Threaded connector | 3/8"                         |
| Length             | 155 mm                       |
| Screw-on to        | tube diameter<br>up to 30 mm |

#### Order No.

black 23800-300-55

#### **CARRYING CASE**

| 21315                   |  |
|-------------------------|--|
| Weight                  | 2.38 kg  |
| Special features        | for 6 microphone<br>stands;<br>separate internal<br>compartments pre-<br>vent scratching and<br>damage of the stands |
| Material                | nylon  |
| Dimensions              | 1,100 x 180 x<br>220 mm  |
| Length                  | 1,100 mm   |
| Handle or carrying type | handle and shoulder straps   |
| Fastener                | zip fastener   |

#### Order No.

21315-000-00





#### **CARRYING CASE**

| 21421            | _                    |
|------------------|----------------------|
| Weight           | 0.34 kg              |
| Special features | to store two         |
|                  | microphone stands;   |
|                  | two inside           |
|                  | compartments         |
| Material         | nylon                |
| Dimensions       | 1,000 x 130 x 130 mm |
| Length           | 1,000 mm             |
| Handle or        |                      |
| carrying type    | handle               |
| Fastener         | zip fastener         |
| Fits             | 210/2, 210/6, 210/8, |
|                  | 210/9, 21060, 21070, |
|                  | 21080, 21333, 21334, |
|                  | 21336, 21337, 21347, |
|                  | 21356, 21357, 21360, |
|                  | 21364, 21367, 254,   |
|                  | 25600, 27105, 27195  |

#### Order No.

21421-000-00



#### **CARRYING CASE**

| 26019              |   |
|--------------------|---|
| Weight             | 0.18 kg   |
| Special features   | 3 internal compart-<br>ments and fixed<br>Velcro strips provide<br>maximum protection |
| Material           | nylon   |
| Dimensions         | 1,050 x 250 x 60 mm   |
| Length             | 1,050 mm  |
| Handle or carrying | handle and  |
| type               | shoulder straps   |
| Fastener           | zip fastener  |
| Fits               | 20170, 260, 260/1,<br>260/1, 26010,<br>26045, 26075,<br>26085, 26150                  |

#### Order No.

26019-000-00



## SHEET MUSIC AND DOCUMENT HOLDER

| 11510            |  |
|------------------|--|
| Weight           | 1 kg   |
| Special features | adjustable in<br>angle and depth;<br>high-quality, flexible<br>clamp |
| Material         | steel  |
| Clamping range   | up to 53 mm  |
| Music desk       |  |
| dimensions       | 300 x 200 x 30 mm  |

#### Order No.

black 11510-000-55

#### SHEET MUSIC AND DOCUMENT HOLDER

| 115/2            |                   |
|------------------|-------------------|
| Weight           | 0.93 kg           |
| Special features | adjustable in     |
|                  | angle and depth   |
| Material         | steel             |
| Screw-on to      | tube diameter     |
|                  | up to 30 mm       |
| Music desk       |                   |
| dimensions       | 300 x 210 x 30 mm |
|                  |                   |

#### Order No.

black 11520-000-55





#### SHEET MUSIC AND DOCUMENT HOLDER

| 11540                 |  |
|-----------------------|--|
| Weight                | 1.7 kg   |
| Special features      | large desk;<br>adjustable in<br>angle and depth                                |
| Material              | clamping element<br>aluminum with<br>protective plastic<br>inserts, steel desk |
| Screw-on to           | tube diameter<br>up to 30 mm   |
| Music desk dimensions | 420 x 300 x 30 mm  |

#### Order No.

black 11540-000-55



#### THREAD ADAPTER

| 215           |               |
|---------------|---------------|
| Weight        | 0.01 kg       |
| Male thread   | 5/8" 27 gauge |
| Female thread | 1/2" and 3/8" |

#### Order No.

zinc-plated 21500-000-29

## THREAD ADAPTER

| 216              |                      |
|------------------|----------------------|
| Weight           | 0.022 kg             |
| Special features | with knurled surface |
| Male thread      | 3/8"                 |
| Female thread    | 5/8" 27 gauge        |

#### Order No.

zinc-plated 21600-000-29





#### THREAD ADAPTER

| 217           |               |
|---------------|---------------|
| Weight        | 0.01 kg       |
| Male thread   | 5/8" 27 gauge |
| Female thread | 3/8"          |
|               |               |

#### Order No.

zinc-plated 21700-000-29

#### THREAD ADAPTER

| 218              | _                    |
|------------------|----------------------|
| Weight           | 0.03 kg              |
| Special features | with knurled surface |
| Male thread      | 3/8"                 |
| Female thread    | 1/2"                 |
|                  |                      |

#### Order No.

zinc-plated 21800-000-29

#### THREAD ADAPTER

| 219              | _                    |
|------------------|----------------------|
| Weight           | 0.036 kg             |
| Special features | with knurled surface |
| Male thread      | 1/2"                 |
| Female thread    | 3/8"                 |
|                  |                      |

#### Order No.

zinc-plated 21900-000-29







#### THREAD ADAPTER

| 21900            |                  |
|------------------|------------------|
| Weight           | 0.03 kg          |
| Special features | goes into the    |
|                  | threaded hole of |
|                  | the K&M 21231    |
| Male thread      | 1/2"             |
| Female thread    | 3/8"             |
| Fits             | 21231            |

#### Order No.

zinc-plated 21900-208-29

#### THREAD ADAPTER

| 21918            |                      |
|------------------|----------------------|
| Weight           | 0.03 kg              |
| Special features | with knurled surface |
| Male thread      | M8 x 12 mm           |
| Female thread    | 3/8"                 |
|                  |                      |

#### Order No. zinc-plated 21918-000-29

#### THREAD ADAPTER

| rface |
|-------|
|       |
|       |
|       |

# Order No. zinc-plated 21920-000-29







#### **THREAD ADAPTER**

| 21980            |                    |
|------------------|--------------------|
| Weight           | 0.04 kg            |
| Special features | with a width       |
|                  | across flats of 17 |
| Male thread      | M10 x 12 mm        |
| Female thread    | 3/8"               |

#### Order No.

zinc-plated 21980-000-29

#### THREAD ADAPTER

| 85040         |               |
|---------------|---------------|
| Weight        | 0.01 kg       |
| Material      | plastic       |
| Male thread   | 5/8" 27 gauge |
| Female thread | 3/8"          |
|               |               |

#### Order No.

black 85040-000-55

#### THREAD ADAPTER

| 85045         | _             |
|---------------|---------------|
| Weight        | 0.01 kg       |
| Material      | plastic       |
| Male thread   | 5/8" 27 gauge |
| Female thread | 3/8"          |
|               |               |

#### Order No.

black 85045-217-55







#### **UNIVERSAL JOINT**

| 0.13 kg             |
|---------------------|
| incl. thread        |
| adapter 1/4" - 3/8" |
| steel               |
| 29 x 60 mm          |
| 1/4" or 3/8"        |
| 3/8" with thread    |
| adapter 1/4"        |
|                     |

#### Order No.

19695-100-55 black 1/4" male thread black 3/8" male thread 19695-300-55

#### MICROPHONE CLIP

| 85035              |                     |
|--------------------|---------------------|
| Weight             | 0.03 kg             |
| Special features   | elastic mic support |
| Material           | plastic             |
| Threaded connector | 3/8" and 5/8"       |
| Microphone clip    |                     |
| diameter           | diameter 17-22 mm   |
|                    |                     |

#### Order No.

3/8" and 5/8" 85035-000-55 5/8" 85035-500-55

#### MICROPHONE CLIP

| 85050              |                     |
|--------------------|---------------------|
| Weight             | 0.03 kg             |
| Special features   | elastic mic support |
| Material           | plastic             |
| Threaded connector | 3/8" and 5/8"       |
| Microphone clip    |                     |
| diameter           | diameter 22-28 mm   |

#### Order No.

3/8" and 5/8" 85050-000-55 5/8" 85050-500-55









#### MICROPHONE CLIP

| 85055              |                     |
|--------------------|---------------------|
| Weight             | 0.04 kg             |
| Special features   | elastic mic support |
| Material           | plastic             |
| Threaded connector | 3/8" and 5/8"       |
| Microphone         |                     |
| clip diameter      | diameter 28-34 mm   |

#### Order No.

3/8" and 5/8" 85055-000-55 5/8" 85055-500-55

#### MICROPHONE CLIP

| 85060              | _                   |
|--------------------|---------------------|
| Weight             | 0.06 kg             |
| Special features   | elastic mic support |
| Material           | plastic             |
| Threaded connector | 3/8" and 5/8"       |
| Microphone         |                     |
| clip diameter      | diameter 34-40 mm   |
|                    |                     |

#### Order No.

3/8" and 5/8" 85060-000-55 5/8" 85060-500-55

#### MICROPHONE CLIP

| 85070              | _                   |
|--------------------|---------------------|
| Weight             | 0.04 kg             |
| Special features   | elastic mic support |
| Material           | plastic             |
| Threaded connector | 3/8" and 5/8"       |
| Microphone         |                     |
| clip diameter      | diameter 34-40 mm   |

#### Order No.

3/8" and 5/8" 85070-000-55 5/8" 85070-500-55







#### **TABLE FLANGE**

| <b>221</b> a       |                       |
|--------------------|-----------------------|
| Weight             | 0.24 kg               |
| Special features   | threaded bolt with    |
|                    | cable entry hole      |
| Material           | steel                 |
| Threaded connector | 3/8"                  |
| Diameter           | 73 mm                 |
| Bore holes         | diameter 5.2 mm (3 x) |
| Height             | 150 mm                |
| Function           | screw-on type         |
|                    |                       |

#### Order No.

black 22110-300-55

## TABLE FLANGE

| 221 c              |  |
|--------------------|--|
| Weight             | 0.16 kg  |
| Special features   | 2 threads, for<br>vertical and horizontal<br>connection;<br>threaded bolt with<br>cable entry hole |
| Material           | steel  |
| Threaded connector | 3/8"   |
| Diameter           | 73 mm  |
| Bore holes         | diameter 5.2 mm (3 x)  |
| Height             | 39 mm  |
| Function           | screw-on type  |

#### Order No.

black 22130-300-55





#### **TABLE FLANGE**

| 221 d              |                       |
|--------------------|-----------------------|
| Weight             | 0.115 kg              |
| Special features   | threaded bolt with    |
|                    | cable entry hole      |
| Material           | steel                 |
| Threaded connector | 3/8"                  |
| Diameter           | 73 mm                 |
| Bore holes         | diameter 5.2 mm (3 x) |
| Height             | 13 mm                 |
| Function           | screw-on type         |
|                    |                       |

#### Order No.

black 22140-300-55



#### **COUNTER WEIGHT**

| 21105            | _  |
|------------------|--|
| Weight           | 0.8 kg   |
| Special features | used for heavy micro-<br>phones  |
| Material         | steel  |
| Diameter         | 46 mm  |
| Height           | 60 mm  |
| Suitable for     | one-piece K&M<br>boom arms with<br>3/8" thread or tube<br>diameter 15 mm |

#### Order No.

black 21105-000-55

#### THREAD ADAPTER

| 21950               |               |
|---------------------|---------------|
| Weight              | 0.09 kg       |
| Material            | steel         |
| Dimensions diameter | 25 x 50 mm    |
| Male thread         | M20           |
| Female thread       | M20 x 1.25 mm |
|                     |               |

#### Order No.

| bla | ick | 21950-000-25 |
|-----|-----|--------------|
|     |     |              |

#### **PICK HOLDER**

| 14510            |                     |
|------------------|---------------------|
| Weight           | 0.06 kg             |
| Special features | includes 4 picks of |
|                  | 0.81 mm thickness   |
| Material         | plastic             |
| Length           | 147.5 mm            |

#### Order No.

black 14510-000-55



#### **KNURLED WASHER**

| 26004            |   |
|------------------|---|
| Weight           | 0.012 kg  |
| Special features | to secure rod                                     |
|                  | combination in                                    |
|                  | the round base                                    |
| Material         | aluminum  |
| Diameter         | 30 mm   |
| Height           | 5 mm  |
| Suitable for     | M20 x 1.25 thread                                 |
| Fits             | 233, 260, 260/1,<br>260/1, 26045,<br>26075, 26085 |

#### Order No.

26004-000-00









Quick Release Adapter makes it easy to quickly switch microphones.

Switching of microphones in just one second - only by pressing the scored plastic handle.



## QUICK-RELEASE ADAPTER FOR MICROPHONES

| 23910               |                     |
|---------------------|---------------------|
| Weight              | 0.04 kg             |
| Special features    | incl. thread        |
|                     | adapter 3/8" - 5/8" |
| Material            | aluminum            |
| Dimensions diameter | 22.5 x 50.7 mm      |
| Male thread         | 3/8" with thread    |
|                     | adapter 5/8"        |
| Female thread       | 5/8" with thread    |
|                     | adapter 3/8"        |

#### Order No.

black 23910-000-55

The new König & Meyer Quick Release Adapter makes quickly switching of microphones or other accessories on stage or in studio easier. The adapter consists of two components. The lower section is screwed into the 3/8" or 5/8" microphone stand thread, and the upper section is screwed on using a 3/8" or 5/8" microphone clamp or holder or to other accessories. The lower section ensures the secure and flexible hold of the upper section through 8 punched bore holes. The upper section is used to remove or click the microphone into place using the quick-release adapter. By pressing the scored plastic handle on the upper section both sections can either be disconnected or clicked in place. The adapter is made of highquality aluminum. A thread adapter is included with the delivery for 5/8" threading. Both adapter components can be left attached to the stand i.e. on the microphone/accessories.







# SPEAKER, LIGHTING AND MONITOR STANDS

König & Meyer speaker, lighting and monitor stands set the standard in their class.

Reliability, stability and solidity are particularly important in this area: Nothing less than the safety of the musicians and the audience is at stake.

Intensive research into appropriate materials from among the highest-quality plastics available and the construction of highly durable connecting parts are just some of the individual steps in a long development process.

Our latest models from the "Ring Lock" series also prove that König & Meyer speaker stands aren't just exceptionally reliable, but also provide a big plus when it comes to practicality and handiness.



#### SPEAKER/MONITOR STAND

| 21420              | BASELINE           |
|--------------------|--------------------|
| Weight             | 1.32 kg            |
| Special features   | lightweight stand  |
| Material           | aluminum           |
| Number of legs     | 3 pieces           |
| Leg construction   | tube legs with     |
|                    | cross braces       |
| Height adjustment  | clamping element   |
|                    | with locking screw |
| Max. load capacity | 12 kg              |
| Tube end(s)        | diameter 25 mm     |
| Rod combination    | 2-piece folding    |
|                    | design             |
| Height             | from 1,265 to      |
|                    | 2,105 mm           |

#### Order No.

black 21420-000-55

| Accessories          | Page |
|----------------------|------|
| Flange adapter 19665 | 227  |
| Carrying case 21422  | 231  |

#### **SPEAKER STAND**

| BASELINE         |
|------------------|
| 2.35 kg          |
| easy-to-use      |
| clamping levers; |
| adapter sleeve   |
| 21326 included   |
| aluminum         |
| 3 pieces         |
| tube legs with   |
| cross braces     |
| clamping lever   |
| and safety pin   |
| 50 kg            |
| diameter 35 mm   |
| 2-piece folding  |
| design           |
| from 1,270 to    |
| 1,930 mm         |
|                  |

| Order No.         |              |
|-------------------|--------------|
| anodized aluminum | 21450-000-30 |
| black             | 21450-000-55 |

| Accessories               | Page |
|---------------------------|------|
| Carrying case 21311       | 230  |
| Carrying case »Pro« 21312 | 231  |

#### **SPEAKER STAND PACKAGE**

| BASELINE        |
|-----------------|
| 6.01 kg         |
| 2 x K&M Speaker |
| Stand 21450 in  |
| a Carrying Case |
|                 |

#### Order No.

black 21459-000-55





#### **SPEAKER STAND PACKAGE**

21449

Weight

Material

Number of legs

Leg construction

Height adjustment

Max. load capacity

Rod combination

Tube end(s)

Special features

**BASELINE** 

6.01 kg

2 x K&M speaker stand in a carrying case; easy-to-use clamping lever; patented gradual height adjustment

system

aluminum

tube legs with cross braces

locking screw with push-button system

diameter 35 mm

2-piece folding design

from 1,270 to 1,930 mm

3 pieces

50 kg

#### SPEAKER STAND

| 19500              | TOPLINE             |
|--------------------|---------------------|
| Weight             | 6.5 kg              |
| Special features   | particularly useful |
|                    | when space          |
|                    | is restricted;      |
|                    | folds flat;         |
|                    | integrated shock    |
|                    | absorber            |
| Material           | steel               |
| Number of legs     | 4 pieces            |
| Base diameter      | 950 mm              |
| Leg construction   | collapsible         |
|                    | square tube legs    |
| Height adjustment  | spring-loaded bolt  |
|                    | and locking screw   |
| Max. load capacity | 50 kg               |
| Tube end(s)        | diameter 35 mm      |
| Rod combination    | 2-piece folding     |
|                    | design              |
| Size when folded   | 1,075 x 125 x       |
|                    | 125 mm              |

| CD | - | KFR | CTA | NID |
|----|---|-----|-----|-----|
|    |   |     |     |     |

| 21435              | TOPLINE               |
|--------------------|-----------------------|
| Weight             | 5.91 kg               |
| Special features   | patented gradual      |
|                    | height adjustment     |
|                    | system;               |
|                    | integrated shock      |
|                    | absorber;             |
|                    | mounting aid included |
| Material           | steel                 |
| Number of legs     | 3 pieces              |
| Leg construction   | tube legs with        |
|                    | cross braces          |
| Height adjustment  | locking screw with    |
|                    | push-button system    |
| Max. load capacity | 50 kg                 |
| Tube end(s)        | diameter 35 mm        |
| Rod combination    | 2-piece folding       |
|                    | design                |
| Height             | from 1,430 to         |
|                    | 2,240 mm              |

#### Order No.

21435-009-55 black

#### Order No.

Height

black 21449-000-55

| Order No. |              |
|-----------|--------------|
| black     | 19500-011-55 |

from 1,240 to

1,940 mm

Height

| Accessories         | Page |
|---------------------|------|
| Carrying case 21311 | 230  |

| Accessories               | Page |  |
|---------------------------|------|--|
| Carrying case 21311       | 230  |  |
| Carrying case »Pro« 21312 | 231  |  |



| 21436              | TOPLINE               |
|--------------------|-----------------------|
| Z1430              | TOPLINE               |
| Weight             | 3.5 kg                |
| Special features   | lightweight stand;    |
|                    | patented gradual      |
|                    | height adjustment     |
|                    | system;               |
|                    | integrated shock      |
|                    | absorber;             |
|                    | steel extension tube; |
|                    | mounting aid included |
| Material           | aluminum              |
| Number of legs     | 3 pieces              |
| Leg construction   | tube legs with        |
|                    | cross braces          |
| Height adjustment  | locking screw with    |
|                    | push-button system    |
| Max. load capacity | 40 kg                 |
| Tube end(s)        | diameter 35 mm        |
| Rod combination    | 2-piece folding       |
|                    | design                |
| Height             | from 1,430 to         |
|                    | 2,240 mm              |
|                    |                       |

#### Order No.

| black | 21436-009-55 |
|-------|--------------|

#### **SPEAKER STAND**

| 21455              | TOPLINE  |
|--------------------|--|
| Weight             | 3.3 kg   |
| Special features   | lightweight stand;<br>steel extension tube;<br>integrated shock<br>absorber;<br>for low to medium<br>height applications |
| Material           | aluminum   |
| Number of legs     | 3 pieces   |
| Leg construction   | tube legs with double cross braces   |
| Height adjustment  | spring-loaded bolt and locking screw   |
| Max. load capacity | 40 kg  |
| Tube end(s)        | diameter 35 mm   |
| Rod combination    | 2-piece folding design   |
| Height             | from 1,005 to<br>1,545 mm  |

#### Order No.

black 21455-009-55

| Accessories         | Page |  |
|---------------------|------|--|
| Carrying case 18846 | 142  |  |







NEW

| 214/6              | TOPLINE   |
|--------------------|---|
| Weight             | 4.3 kg  |
| Special features   | lightweight stand;<br>steel extension tube;<br>integrated shock<br>absorber;<br>gradual height<br>adjustment system;<br>zinc die-cast<br>connecting parts;<br>mounting aid included |
| Material           | aluminum  |
| Number of legs     | 3 pieces  |
| Leg construction   | tube legs with double cross braces  |
| Height adjustment  | spring-loaded bolt and locking screw  |
| Max. load capacity | 50 kg   |
| Tube end(s)        | diameter 35 mm  |
| Rod combination    | 2-piece folding design  |
| Height             | from 1,375 to<br>2,185 mm   |

#### Order No.

| black      | 21460-009-55 |
|------------|--------------|
| pure white | 21460-009-76 |
| silver     | 21460-009-81 |

All clamps are high quality zinc die-cast. The leg construction and large fixed foot end caps enhance safety and stability. This professional stand is TÜV (German Technical Supervisory Agency) approved for a maximum central load capacity of 50 kg. Other features are the pull-out guard for the extension tube, the integral anti-shock component and comfortable height adjustment with spring-loaded bolt and locking screw. Comes with a mounting aid on the extension rod.

| Accessories               | Page |
|---------------------------|------|
| Carrying case 21311       | 230  |
| Carrying case »Pro« 21312 | 231  |

| 26750              | TOPLINE                                   |
|--------------------|---|
| Weight             | 8.34 kg                                   |
| Special features   | speaker will be fixed with flange adapter |
| Material           | steel                                     |
| Base diameter      | 450 mm                                    |
| Leg construction   | round cast-iron base                      |
| Height adjustment  | locking screw and safety pin              |
| Max. load capacity | 35 kg                                     |
| Tube end(s)        | diameter 35 mm                            |
| Rod combination    | 2-piece folding                           |
|                    | design                                    |
| Height             | from 950 to                               |
|                    | 1,430 mm                                  |

| _        |    |    |    |    |
|----------|----|----|----|----|
| <b>n</b> | ~~ | ~= | NI | _  |
| u        | ιu | er | IA | u. |

| black | 26750-000-55 |
|-------|--------------|
|-------|--------------|

| Accessories                      | Page |
|----------------------------------|------|
| Carrying case 21422              | 231  |
| Carrier bag for round base 26751 | 231  |

#### **SPEAKER STAND**

NEW

| 26735              | TOPLINE  |
|--------------------|--|
| Weight             | 10 kg  |
| Special features   | speaker will be fixed<br>with flange adapter;<br>mounting aid included |
| Material           | steel  |
| Base diameter      | 450 mm   |
| Leg construction   | round cast-iron base   |
| Height adjustment  | spring-loaded bolt and locking screw                                   |
| Max. load capacity | 20 kg  |
| Tube end(s)        | diameter 35 mm   |
| Rod combination    | 2-piece folding design   |
| Height             | from 1,100 to<br>1,810 mm  |

## Order No.

| black      | 26735-000-55 |
|------------|--------------|
| pure white | 26735-000-76 |

| Accessories                      | Page |
|----------------------------------|------|
| Carrying case 21422              | 231  |
| Carrier bag for round base 26751 | 231  |







| 213                | STARLINE   |
|--------------------|--|
| Weight             | 8.57 kg  |
| Special features   | push-button system<br>and hand crank avoid<br>uncontrolled reverse<br>motion;<br>locking screw pro-<br>vides additional safety;<br>zinc die-cast connec-<br>ting parts |
| Material           | steel  |
| Number of legs     | 3 pieces   |
| Leg construction   | tube legs with double cross braces   |
| Height adjustment  | hand crank with<br>push-button system<br>and locking screw   |
| Max. load capacity | 50 kg  |
| Tube end(s)        | diameter 35 mm,<br>integrated threaded<br>bush M10 for cross-<br>bars  |
| Rod combination    | 2-piece folding design   |
| Height             | from 1,385 to<br>2,180 mm  |

#### Order No.

black 21300-009-55

A high quality professional speaker stand. Infinitely variable height adjustment is easy and comfortable with its hand crank system.

A push-button prevents uncontrolled reverse motion. An additional locking screw guarantees extra safety. The extremely stable stand is TÜV (German Technical Supervisory Agency) approved for a maximum central weight of 50 kg.

| Accessories               | Page |
|---------------------------|------|
| Carrying case 21311       | 230  |
| Carrying case »Pro« 21312 | 231  |

| 21302              | STARLINE   |
|--------------------|--|
| Weight             | 7.65 kg  |
| Special features   | push-button system<br>and hand crank avoid<br>uncontrolled reverse<br>motion;<br>locking screw provi-<br>des additional safety;<br>plastic connecting<br>parts |
| Material           | steel  |
| Number of legs     | 3 pieces   |
| Leg construction   | tube legs with cross braces  |
| Height adjustment  | hand crank with<br>push-button system<br>and locking screw   |
| Max. load capacity | 40 kg  |
| Tube end(s)        | diameter 35 mm,<br>integrated threaded<br>bush M10 for cross-<br>bars  |
| Rod combination    | 2-piece folding design   |
| Height             | from 1,385 to<br>2,180 mm  |

## Order No.

black 21302-009-55

| Accessories               | Page |
|---------------------------|------|
| Carrying case 21311       | 230  |
| Carrying case »Pro« 21312 | 231  |

#### SPEAKER STAND WITH PNEUMATIC SPRING

| 21463              | STARLINE   |
|--------------------|--|
| Weight             | 6 kg   |
| Special features   | pneumatic spring<br>with 25 kg power,<br>for easy and safely<br>lift up of speakers;<br>lightweight stand;<br>steel extension tube;<br>gradual height<br>adjustment system;<br>zinc die-cast<br>connecting parts;<br>mounting aid included |
| Material           | aluminum   |
| Number of legs     | 3 pieces   |
| Leg construction   | tube legs with double cross braces   |
| Height adjustment  | spring-loaded bolt and locking screw   |
| Max. load capacity | 50 kg  |
| Tube end(s)        | diameter 35 mm   |
| Rod combination    | 2-piece folding design   |
| Height             | from 1,375 to<br>2,185 mm  |

#### Order No.

black 21463-000-55

| Accessories               | Page |
|---------------------------|------|
| Carrying case 21311       | 230  |
| Carrying case »Pro« 21312 | 231  |







#### SPEAKER STAND »RING LOCK«

| 21467              | STARLINE  |
|--------------------|---|
| Weight             | 4.6 kg  |
| Special features   | further development<br>of 214/6;<br>lightweight stand;<br>steel extension tube;<br>patented expanding<br>mandrel system<br>»Ring Lock«;<br>vibration-free<br>connection due to<br>moveable plastic<br>splints |
| Material           | aluminum  |
| Number of legs     | 3 pieces  |
| Leg construction   | tube legs with double cross braces  |
| Height adjustment  | spring-loaded bolt and locking screw  |
| Max. load capacity | 50 kg   |
| Tube end(s)        | »Ring Lock« diameter<br>35 to 37 mm   |
| Rod combination    | 2-piece folding design  |
| Height             | from 1,370 to 2,170 mm  |

#### Order No.

black 21467-000-55

An exceptional aluminum speaker stand with a unique patented expanding mandrel system that provides a stable, tight and firm fit for speakers. The movable plastic splints provide for a vibration-free connection between the rod and the speaker. Connecting the speaker is easy and is done using the handy ring lock - which is simply placed in position and screwed on. The height is adjusted by an easy-to-use spring-loaded bolt and locking screw. Double foot struts, zinc die cast clamping brackets and large end caps provide for highest degree of stand stability. It can't get any better than this!



#### SPEAKER STAND »RING LOCK«

| 26737              | STARLINE  |
|--------------------|---|
| Weight             | 10 kg   |
| Special features   | patented expanding<br>mandrel system<br>»Ring Lock«;<br>vibration-free connec-<br>tion due to moveable<br>plastic splints |
| Material           | steel   |
| Base diameter      | 450 mm  |
| Leg construction   | round cast-iron base  |
| Height adjustment  | spring-loaded bolt and locking screw  |
| Max. load capacity | 20 kg   |
| Tube end(s)        | »Ring Lock« diameter<br>35 to 37 mm   |
| Rod combination    | 2-piece folding design  |
| Height             | from 1,125 to<br>1,810 mm   |

Order No. black 26737-000-55

| Accessories                      | Page |
|----------------------------------|------|
| Carrying case 21422              | 231  |
| Carrier had for round base 26751 | 231  |





PROJECTOR TRAY



#### MONITOR STAND

| 26720              | TOPLINE             |
|--------------------|---------------------|
| Weight             | 5.35 kg             |
| Special features   | internal cable      |
|                    | routing possible;   |
|                    | support plate with  |
|                    | rubber bumps;       |
|                    | for stationary use  |
| Material           | steel               |
| Number of legs     | 3 pieces            |
| Leg construction   | fixed screw-in legs |
| Height adjustment  | locking screw and   |
|                    | safety pin          |
| Max. load capacity | 35 kg               |
| Rod combination    | 2-piece folding     |
|                    | design              |
| Bearing plate      | 245 x 205 mm        |
| Height             | from 680 to         |
|                    | 1,140 mm            |
|                    |                     |

26720-000-55

### Order No.

black

| 26740              | TOPLINE  |
|--------------------|--|
| Weight             | 10.16 kg   |
| Special features   | direct attachment<br>of monitors with<br>3/8" threaded joint<br>(thread length<br>12 mm) possible;<br>support plate with<br>4 thread points and<br>4 rubber knobs;<br>for stationary use |
| Material           | steel  |
| Base diameter      | 450 mm   |
| Leg construction   | round cast-iron base   |
| Height adjustment  | locking screw and safety pin   |
| Max. load capacity | 35 kg  |
| Rod combination    | 2-piece folding design   |
| Bearing plate      | 245 x 205 mm   |
| Height             | from 950 to<br>1,430 mm  |

#### Order No.

black 26740-000-55

| Accessories                      | Page |
|----------------------------------|------|
| Carrier bag for round base 26751 | 231  |

#### MONITOR STAND

| 26747                           | TOPLINE  |
|---------------------------------|--|
| Weight                          | 3.08 kg  |
| Special features                | for projectors,<br>monitors and for<br>other equipment |
| Material                        | steel  |
| Bearing plate                   | 420 x 380 mm   |
| Function                        | to slip on stand                                       |
| Suitable for tubing diameter of | 35 mm  |

#### Order No.

black 26747-000-55



#### **DESIGN MONITOR STAND**

| 26785             | STARLINE               |
|-------------------|------------------------|
| Weight            | 12.84 kg               |
| Special features  | for the Genelec        |
|                   | 8000 monitor series;   |
|                   | quick, uncomplicated   |
|                   | mounting of the        |
|                   | monitor is accom-      |
|                   | plished using the      |
|                   | suspension device;     |
|                   | gradual height         |
|                   | adjustment system      |
| Material          | steel                  |
| Leg construction  | cast-iron base         |
| Height adjustment | spring-loaded          |
|                   | clamping knob          |
| Rod combination   | 2-piece folding design |
| Base dimensions   | 420 x 420 mm           |
| Height            | from 1,100 to          |
|                   | 1,700 mm               |

## Order No.

structured black

26785-000-56

#### **DESIGN MONITOR STAND**

| 26795             | STARLINE                         |
|-------------------|----------------------------------|
| Weight            | 18.6 kg                          |
| Special features  | gradual height adjustment system |
| Material          | steel                            |
| Leg construction  | cast-iron base                   |
| Height adjustment | spring-loaded clamping knob      |
| Rod combination   | 2-piece folding design           |
| Base dimensions   | 480 x 480 mm                     |
| Height            | from 800 to<br>1,350 mm          |

#### Order No.

structured black 26795-000-56

| Accessories         | Page |
|---------------------|------|
| Bearing plate 26792 | 218  |

#### **BEARING PLATE**

| 26792            | STARLINE  |
|------------------|---|
| Weight           | 4 kg  |
| Special features | available in three<br>different sizes;<br>4 spikes and 4 rubber<br>knobs included |
| Material         | steel   |
| Fits             | 26795   |

#### Order No.

structured black, 240 x 5 26792-024-56 x 200 mm, 1,8 kg structured black, 320 x 5 26792-032-56 x 280 mm, 3,4 kg structured black, 420 x 5 26792-042-56 x 380 mm, 6,0 kg





#### **ADAPTER**

Order No.

black

| 21329       |   |
|-------------|---|
| Weight      | 0.6 kg                                  |
| Material    | steel                                   |
| Tube end(s) | threaded bush M20,<br>threaded bolt M20 |
| Height      | 250 mm                                  |

21329-025-55

### **EXTENSION ROD**

Order No.

black

| 213/3       |   |
|-------------|---|
| Weight      | 1.76 kg                                 |
| Material    | steel                                   |
| Tube end(s) | threaded bush M10,<br>threaded bolt M10 |
| Height      | 990 mm                                  |

21330-900-55

**DISTANCE ROD** 

| 21333       |                |
|-------------|----------------|
| Weight      | 0.72 kg        |
| Material    | steel          |
| Tube end(s) | diameter 35 mm |
| Height      | 745 mm         |
|             |                |

|  | er |  |
|--|----|--|
|  |    |  |
|  |    |  |

21333-000-55 black

| Accessories         | Page |
|---------------------|------|
| Carrying case 21421 | 198  |





#### **DISTANCE ROD**

| 21334            |                   |
|------------------|-------------------|
| Weight           | 1.21 kg           |
| Special features | for precise fit   |
| Material         | steel             |
| Tube end(s)      | diameter 35 mm,   |
|                  | threaded bolt M20 |

### Order No.

black, 880 mm 21334-000-55 black, 500 mm 21334-050-55

| Accessories           | Page |
|-----------------------|------|
| Carrying case 21421   | 198  |
| Connector plate 24116 | 226  |
| Base plate 26700      | 226  |
| Base plate 26705      | 226  |

#### **DISTANCE ROD**

| 21336             |                       |
|-------------------|-----------------------|
| Weight            | 2.25 kg               |
| Special features  | mounting aid included |
| Material          | steel                 |
| Height adjustment | spring-loaded bolt    |
|                   | and locking screw     |
| Tube end(s)       | diameter 35 mm        |
| Rod combination   | 2-piece folding       |
|                   | design                |
| Height            | from 945 to           |
|                   | 1,475 mm              |

#### Order No.

black 21336-000-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 21421 | 198  |

#### **DISTANCE ROD**

NEW

| 21337             |   |
|-------------------|---|
| Weight            | 2.5 kg                                    |
| Special features  | for precise fit;<br>mounting aid included |
| Material          | steel                                     |
| Height adjustment | spring-loaded bolt and locking screw      |
| Tube end(s)       | diameter 35 mm,<br>threaded bolt M20      |
| Rod combination   | 2-piece folding design                    |
| Height            | from 905 to<br>1,450 mm                   |

#### Order No.

black 21337-000-55 pure white 21337-000-76

| Accessories           | Page |
|-----------------------|------|
| Carrying case 21421   | 198  |
| Connector plate 24116 | 226  |
| Base plate 26700      | 226  |
| Base plate 26705      | 226  |





#### **DISTANCE ROD**

| 26736             |                       |
|-------------------|-----------------------|
| Weight            | 2.85 kg               |
| Special features  | for precise fit;      |
|                   | mounting aid included |
| Material          | steel                 |
| Height adjustment | spring-loaded bolt    |
|                   | and locking screw     |
| Tube end(s)       | diameter 35 mm,       |
|                   | threaded bolt M20     |
| Rod combination   | 2-piece folding       |
|                   | design                |
| Height            | from 1,085 to         |
|                   | 1,785 mm              |

#### Order No.

black 26736-000-55

| Accessories           | Page |
|-----------------------|------|
| Carrying case 21422   | 231  |
| Connector plate 24116 | 226  |
| Base plate 26700      | 226  |
| Base plate 26705      | 226  |

#### **DISTANCE ROD WITH HAND CRANK**

| 21338             |                         |
|-------------------|-------------------------|
| Weight            | 3.5 kg                  |
| Special features  | push-button system      |
|                   | and hand crank avoid    |
|                   | uncontrolled reverse    |
|                   | motion;                 |
|                   | locking screw pro-      |
|                   | vides additional safety |
| Material          | steel                   |
| Height adjustment | hand crank with         |
|                   | push-button system      |
|                   | and locking screw       |
| Tube end(s)       | diameter 35 mm          |
| Rod combination   | 2-piece folding         |
|                   | design                  |
| Height            | from 1,040 to           |
|                   | 1,605 mm                |

#### Order No.

black

21338-000-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 18851 | 142  |

#### **DISTANCE ROD WITH HAND CRANK**

| 21339             |   |
|-------------------|---|
| Weight            | 3.98 kg   |
| Special features  | push-button system<br>and hand crank avoid<br>uncontrolled reverse<br>motion;<br>locking screw provi-<br>des additional safety;<br>M20 bolt for precise<br>and vertical fit |
| Material          | steel   |
| Height adjustment | hand crank with<br>push-button system<br>and locking screw  |
| Tube end(s)       | diameter 35 mm,<br>threaded bolt M20  |
| Rod combination   | 2-piece folding design  |
| Height            | from 940 to<br>1,505 mm   |

#### Order No.

Accessories

black 21339-000-55

Universal carrying case 15043

Page

75

| Mounting aid | Ì        | Carrying case 18851 Connector plate 24116 Base plate 26700 Base plate 26705 |
|--------------|----------|---|
|              | <b>1</b> |   |
|              |          |   |



## DISTANCE ROD WITH HAND CRANK AND »RING LOCK«

#### 21340 Weight 3.8 kg Special features patented expanding mandrel system »Ring Lock«; vibration-free connection due to moveable plastic splints; push-button system and hand crank avoid uncontrolled reverse motion; locking screw provides additional safety; M20 bolt for precise and vertical fit Material steel Height adjustment hand crank with push-button system and locking screw Tube end(s) »Ring Lock« diameter 35 to 37 mm, threaded bolt M20 Rod combination 2-piece folding design Height from 920 to 1,520 mm

#### Order No.

| black 21340 | -000-55 |
|-------------|---------|
|-------------|---------|

| Accessories                   | Page |
|-------------------------------|------|
| Universal carrying case 15043 | 75   |
| Carrying case 18851           | 142  |
| Connector plate 24116         | 226  |
| Base plate 26700              | 226  |
| Base plate 26705              | 226  |

Easy-to-use ring lock system

Tight and firm fit for the speaker

#### **DISTANCE ROD**

| 21347             |                                       |
|-------------------|---------------------------------------|
| Weight            | 2.19 kg                               |
| Special features  | M20 bolt for precise and vertical fit |
| Material          | steel                                 |
| Height adjustment | locking screw and safety pin          |
| Tube end(s)       | diameter 35 mm,<br>threaded bolt M20  |
| Rod combination   | 2-piece folding design                |
| Height            | from 905 to<br>1,385 mm               |

#### Order No.

| black | 21347-000-55 |
|-------|--------------|

| Accessories           | Page |
|-----------------------|------|
| Carrying case 21421   | 198  |
| Connector plate 24116 | 226  |
| Base plate 26700      | 226  |
| Base plate 26705      | 226  |

#### **DISTANCE ROD**

| 21348             |  |
|-------------------|--|
| Weight            | 2.12 kg  |
| Special features  | with additional<br>levelling adapter for<br>a clearance-free fit |
| Material          | steel  |
| Height adjustment | locking screw and safety pin                                     |
| Tube end(s)       | diameter 35 mm   |
| Rod combination   | 2-piece folding design   |
| Height            | from 970 to<br>1,490 mm  |

| black | 21348-000-55 |
|-------|--------------|

| Accessories         | Page |
|---------------------|------|
| Carrying case 21422 | 231  |





## DISTANCE ROD WITH PNEUMATIC SPRING

#### NEW

| 21356             |   |
|-------------------|---|
| Weight            | 3.01 kg   |
| Special features  | pneumatic spring<br>with 17 kg power,<br>for easy and safely<br>lift up of speakers;<br>gradual height<br>adjustment system;<br>mounting aid included |
| Material          | steel   |
| Height adjustment | spring-loaded bolt and locking screw  |
| Tube end(s)       | diameter 35 mm  |
| Rod combination   | 2-piece folding design  |
| Height            | from 1,025 to<br>1,545 mm   |

#### Order No.

black 21356-000-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 21421 | 198  |

#### DISTANCE ROD WITH PNEUMATIC SPRING

#### NEW

#### DISTANCE ROD »RING LOCK«

| 21357             |                       |
|-------------------|-----------------------|
| Weight            | 3.01 kg               |
| Special features  | for precise fit;      |
|                   | pneumatic spring      |
|                   | with 17 kg power,     |
|                   | for easy and safely   |
|                   | lift up of speakers;  |
|                   | gradual height        |
|                   | adjustment system;    |
|                   | mounting aid included |
| Material          | steel                 |
| Height adjustment | spring-loaded bolt    |
|                   | and locking screw     |
| Tube end(s)       | diameter 35 mm,       |
|                   | threaded bolt M20     |
| Rod combination   | 2-piece folding       |
|                   | design                |
| Height            | from 925 to           |
|                   | 1,445 mm              |

#### Order No.

black 21357-000-55

| Accessories           | Page |
|-----------------------|------|
| Carrying case 21421   | 198  |
| Connector plate 24116 | 226  |
| Base plate 26700      | 226  |
| Base plate 26705      | 226  |

#### 21360 Weight 1.15 kg Special features patented expanding mandrel system »Ring Lock«; vibration-free connection due to moveable plastic splints Material steel Tube end(s) »Ring Lock« diameter 35 to 37 mm Height 750 mm

#### Order No.

black 21360-000-55

| Accessories         | Page |  |
|---------------------|------|--|
| Carrying case 21421 | 198  |  |







Tight and firm fit for the base and satellite speaker

#### **DISTANCE ROD »RING LOCK«**

| 21364            | _  |
|------------------|--|
| Weight           | 1.33 kg  |
| Special features | patented expanding<br>mandrel system<br>»Ring Lock«;<br>vibration-free connec-<br>tion due to moveable<br>plastic splints;<br>M20 bolt for precise<br>and vertical fit |
| Material         | steel  |
| Tube end(s)      | »Ring Lock« diameter<br>35 to 37 mm,<br>threaded bolt M20  |
| Height           | 880 mm   |

#### Order No.

black 21364-000-55

| Accessories           | Page |
|-----------------------|------|
| Carrying case 21421   | 198  |
| Connector plate 24116 | 226  |
| Base plate 26700      | 226  |
| Base plate 26705      | 226  |

#### **DISTANCE ROD »RING LOCK«**

| 21366             |   |
|-------------------|---|
| Weight            | 2.9 kg  |
| Special features  | patented expanding<br>mandrel system<br>»Ring Lock«;<br>vibration-free connec-<br>tion due to moveable<br>plastic splints |
| Material          | steel   |
| Height adjustment | spring-loaded bolt and locking screw  |
| Tube end(s)       | »Ring Lock« diameter<br>35 to 37 mm   |
| Rod combination   | 2-piece folding design  |
| Height            | from 980 to<br>1,470 mm   |

#### Order No.

black 21366-014-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 21422 | 231  |



Tight and firm fit for the speaker





#### **DISTANCE ROD »RING LOCK«**

| 21367             |  |
|-------------------|--|
| Weight            | 2.76 kg  |
| Special features  | patented expanding<br>mandrel system<br>»Ring Lock«;<br>vibration-free connec-<br>tion due to moveable<br>plastic splints;<br>M20 bolt for precise<br>and vertical fit |
| Material          | steel  |
| Height adjustment | spring-loaded bolt and locking screw   |
| Tube end(s)       | »Ring Lock« diameter<br>35 to 37 mm,<br>threaded bolt M20  |
| Rod combination   | 2-piece folding design   |
| Height            | from 890 to<br>1,380 mm  |

| Order No. |              |
|-----------|--------------|
| black     | 21367-014-55 |

Unshakable and Stalwart! This high quality, height adjustable distance rod is a guarantee for a secure, stable and quiet connection to satellite systems. The height is adjusted by an easy-to-use spring-loaded bolt and locking screw. The distance rod is connected to the subwoofer using the M20 threaded bolt. The unique patented expanding mandrel system provides a stable, tight and firm fit for satellite speakers. The movable plastic splints provide for a vibration-free connection between the rod and the speaker. Connecting the speaker is easy and is done using the handy ring lock - which is simply placed in position and screwed on.

| Accessories           | Page |
|-----------------------|------|
| Carrying case 21421   | 198  |
| Connector plate 24116 | 226  |
| Base plate 26700      | 226  |
| Base plate 26705      | 226  |
|                       |      |



21368 Weight

Material

Tube end(s)

Height adjustment

Rod combination

Special features

#### **DISTANCE ROD »RING LOCK«**

from 1,100 to 1,800 mm

#### NEW CONNECTOR PLATE

| . 2001(                |
|------------------------|
|                        |
| 3.2 kg                 |
| patented expanding     |
| mandrel system         |
| »Ring Lock«;           |
| vibration-free connec- |
| tion due to moveable   |
| plastic splints;       |
| M20 bolt for precise   |
| and vertical fit       |
| steel                  |
| spring-loaded bolt     |
| and locking screw      |
| »Ring Lock« diameter   |
| 35 to 37 mm,           |
| threaded bolt M20      |
| 2-piece folding        |
| design                 |
|                        |

| 24116              |                       |
|--------------------|-----------------------|
| Weight             | 0.24 kg               |
| Material           | zinc die-cast         |
| Bore holes         | diameter 6.5 mm (4 x) |
| Function           | to screw on speakers  |
| Diameter           | 105 mm                |
| Height             | 25 mm                 |
| Threaded connector | M20                   |
| Fits               | 21334, 21337,         |
|                    | 21339, 21340,         |
|                    | 21347, 21357,         |
|                    | 21364, 21367,         |
|                    | 21368, 26736          |
|                    |                       |

| 26700              |   |
|--------------------|---|
| Weight             | 6.2 kg  |
| Special features   | Felt strips for floor protection are included |
| Material           | zinc die-cast                                 |
| Diameter           | 450 mm  |
| Height             | 21 mm   |
| Threaded connector | M20   |
| Fits               | 21334, 21337,                                 |
|                    | 21339, 21340,                                 |
|                    | 21347, 21357,                                 |
|                    | 21364, 21367,                                 |
|                    | 21368, 26736                                  |

| Order No |    |   |
|----------|----|---|
|          | N٠ | ^ |

**BASE PLATE** 

24116-000-55 black

#### Order No.

**BASE PLATE** 

26700-000-56 structured black

| Accessories                      | Page |
|----------------------------------|------|
| Carrier bag for round base 26751 | 231  |

#### Order No.

Easy-to-use ring lock system

Height

black 21368-000-55

| Accessories           | Page |
|-----------------------|------|
| Connector plate 24116 | 226  |
| Base plate 26700      | 226  |
| Base plate 26705      | 226  |





## NEW

| 26705              |   |
|--------------------|---|
| Weight             | 13.5 kg   |
| Special features   | heavy, flat steel plate;<br>includes a practical<br>integrated handle and<br>a cable management |
| Material           | steel   |
| Dimensions         | 550 x 550 x 27.3 mm   |
| Threaded connector | M20   |
| Fits               | 21334, 21337,   |
|                    | 21339, 21340,   |
|                    | 21347, 21357,   |
|                    | 21364, 21367,   |
|                    | 21368, 26736  |



#### Tight and firm fit for the satellite speaker

#### Order No.

structured black 26705-000-56





#### **MOUNTING ADAPTER**

| 195/8                           |  |
|---------------------------------|--|
| Weight                          | 0.68 kg                                |
| Material                        | steel                                  |
| Dimensions                      | 175 x 110 x 104 mm                     |
| Bore holes                      | 35 x 9.5 mm (2 x )                     |
| Function                        | to screw on speakers, to slip on stand |
| Spacing of holes                | from 100 to 152 mm                     |
| Suitable for tubing diameter of | 35 mm                                  |

#### Order No.

black 19580-000-55

#### **FLANGE ADAPTER**

| 19654               | _                      |
|---------------------|------------------------|
| Weight              | 0.077 kg               |
| Material            | plastic                |
| Bore holes          | diameter 6.5 mm (4 x)  |
| Function            | to screw into speaker, |
|                     | to slip on stand       |
| Suitable for tubing |                        |
| diameter of         | 35 mm                  |
| Installation depth  | 60.5 mm                |
| Flange              | diameter 105 mm        |
|                     |                        |

#### Order No.

black 19654-000-55

#### **FLANGE ADAPTER**

| 19656               |  |
|---------------------|--|
| Weight              | 0.34 kg                                    |
| Material            | zinc die-cast                              |
| Bore holes          | diameter 6.5 mm (4 x)                      |
| Function            | to screw into speaker,<br>to slip on stand |
| Suitable for tubing |  |
| diameter of         | 35 mm                                      |
| Installation depth  | 75 mm                                      |
| Flange              | diameter 105 mm                            |

#### Order No.

black 19656-000-55







#### **FLANGE ADAPTER**

| 19665               |                        |
|---------------------|------------------------|
| Weight              | 0.38 kg                |
| Material            | steel                  |
| Bore holes          | diameter 6.5 mm (4 x)  |
| Function            | to screw into speaker, |
|                     | to slip on stand       |
| Suitable for tubing |                        |
| diameter of         | 25 mm                  |
| Installation depth  | 78 mm                  |
| Flange              | diameter 105 mm        |
| Fits                | 21420                  |

#### Order No.

black 19665-000-55

#### **SCREW-ON ADAPTER**

| 24281               | _                     |
|---------------------|-----------------------|
| Weight              | 0.56 kg               |
| Special features    | secured by locking    |
|                     | screw                 |
| Material            | steel                 |
| Dimensions          | 146 x 40 x 105 mm     |
| Bore holes          | diameter 11 mm (2 x ) |
| Function            | to screw on speakers, |
|                     | to slip on stand      |
| Spacing of holes    | 115 mm                |
| Suitable for tubing |                       |
| diameter of         | 35 mm                 |

#### Order No.

black 24281-000-55







#### SPEAKER TILT CONNECTOR

| 19670                |                      |
|----------------------|----------------------|
| Weight               | 0.67 kg              |
| Special features     | secured by           |
|                      | locking screws;      |
|                      | with setting scale   |
| Material             | steel                |
| Max. load capacity   | 25 kg                |
| Height               | 230 mm               |
| Angle of inclination | 0° to 15°            |
| Function             | to slip on stand, to |
|                      | insert into speaker  |
| Suitable for tubing  |                      |
| diameter of          | 35 mm                |

### Order No.

19670-000-55 black

#### SPEAKER TILT CONNECTOR »RING LOCK« SPEAKER MOUNT

| 19674                           |   |
|---------------------------------|---|
| Weight                          | 0.85 kg   |
| Special features                | patented expanding mandrel system »Ring Lock«; vibration-free connection due to moveable plastic splints; secured by locking screws; with setting scale |
| Material                        | steel   |
| Max. load capacity              | 25 kg   |
| Tube end(s)                     | »Ring Lock« diameter<br>35 to 37 mm   |
| Height                          | 300 mm  |
| Angle of inclination            | 0° to 15°   |
| Function                        | to slip on stand, to insert into speaker  |
| Suitable for tubing diameter of | 35 mm   |

#### Order No.

19674-000-55 black

| 19688            |                      |
|------------------|----------------------|
| Weight           | 0.36 kg              |
| Special features | to hold a JBL        |
|                  | Control 1 speaker;   |
|                  | incl. thread adapter |
|                  | 5/8" - 3/8"          |
| Material         | steel                |
| Swivel           | 250°                 |
| Suitable for     | 3/8" and 5/8" thread |
|                  |                      |

#### Order No.

19688-300-55 black





Setting scale







#### **INCLINABLE STAND ADAPTER**

| sy as |
|-------|
| nt is |
| the   |
| slot- |
| cket; |
|       |
|       |
|       |
|       |
|       |
|       |
|       |
|       |
|       |

#### Order No.

black 19780-000-55

#### ADAPTER SLEEVE »RING LOCK«

| 21441                           |   |
|---------------------------------|---|
| Weight                          | 0.66 kg   |
| Special features                | patented expanding<br>mandrel system<br>»Ring Lock«;<br>vibration-free connec-<br>tion due to moveable<br>plastic splints;<br>secured by locking<br>screw |
| Material                        | steel   |
| Tube end(s)                     | »Ring Lock« diameter<br>35 to 37 mm   |
| Height                          | 270 mm  |
| Function                        | to slip on stand, to insert into speaker  |
| Suitable for tubing diameter of | 35 mm   |

#### Order No.

black 21441-000-55





Easy-to-use ring lock system





#### ADAPTER SLEEVE

| 21326               |   |
|---------------------|---|
| Weight              | 0.01 kg   |
| Special features    | for speaker flanges<br>with inside tube<br>diameter 38 mm |
| Material            | plastic   |
| Height              | 102 mm  |
| Function            | to slip on stand  |
| Suitable for tubing |   |
| diameter of         | 35 mm   |

### Order No.

black 21326-000-55



#### LEVELLING ADAPTER

| 85890               |                        |
|---------------------|------------------------|
| Weight              | 0.01 kg                |
| Special features    | for distance rods;     |
|                     | for a wobble-free fit; |
|                     | two adapter rings,     |
|                     | one at each side of    |
|                     | the rod, should be     |
|                     | used with a satellite  |
|                     | system                 |
| Material            | plastic                |
| Suitable for tubing |                        |
| diameter of         | 35 mm                  |
| Diameter            | 42 mm                  |
| Height              | 14.5 mm                |

#### Order No.

black (unit: 2 pcs.) 85890-000-55





#### SPEAKER MOUNTING FORK

| 24105                           |   |
|---------------------------------|---|
| Weight                          | 1.48 kg   |
| Special features                | for 2 speakers;<br>secured by<br>locking screw;<br>GS-approved for<br>loads up to 2 x 25 kg |
| Material                        | steel   |
| Mounting bolt                   | diameter 35 mm x<br>120 mm  |
| Function                        | to slip on stand  |
| Suitable for tubing diameter of | 35 mm   |
| Width-adjustable                | from 310 to 490 mm  |

#### **SAFETY RING**

| 213/1               |          |  |
|---------------------|----------|--|
| Weight              | 0.117 kg |  |
| Material            | aluminum |  |
| Suitable for tubing | 36 mm    |  |
| diameter of         |          |  |
| Diameter            | 52 mm    |  |
| Height              | 35 mm    |  |
|                     |          |  |
| O I N .             |          |  |

### Order No.

black 21310-000-55

#### WARNING STRIP

| 21402            |   |
|------------------|---|
| Weight           | 0.08 kg   |
| Special features | reflective collar;<br>yellow/black<br>stripes printed<br>with "CAUTION" |
| Material         | nylon   |
| Dimensions       | 600 x 175 mm  |
| Mounting         | leg of the stand with velcro  |

Order No.


21402-000-00

#### Order No.

black 24105-000-55







#### **CABLE HOLDER**

| 21403            |                   |
|------------------|-------------------|
| Weight           | 0.01 kg           |
| Special features | for better cable  |
|                  | management        |
| Material         | velours, velcro   |
| Dimensions       | 220 x 25 x 1.5 mm |

#### Order No.

black (unit: 3 pcs.) 21403-003-55

### CABLE CLAMP

| 21404               | _   |
|---------------------|---|
| Weight              | 0.031 kg  |
| Special features    | for speaker stands<br>& lighting stands;<br>for up to 12 cables;<br>2 cable clamps<br>are included in the<br>delivery |
| Material            | plastic   |
| Dimensions diameter | 61 x 16 mm  |
| Suitable for tubing |   |
| diameter of         | 35 to 42 mm   |

### Order No.

black 21404-000-55





### CARRYING CASE

| 21311                      |  |
|----------------------------|--|
| Weight<br>Special features | 1 kg<br>to store and transport<br>two speaker/lighting<br>stands;                            |
|                            | two inside compart-<br>ments   |
| Material                   | nylon  |
| Dimensions                 | 1,200 x 250 x<br>250 mm  |
| Handle or                  |  |
| carrying type              | handle   |
| Fastener                   | zip fastener   |
| Fits                       | 19500, 213, 21302,<br>214/6, 21411,<br>21435, 21436,<br>21450, 21456,<br>21463, 21467, 28070 |

#### Order No.

21311-000-00



#### **CARRYING CASE »PRO«**

| 21312            |                        |
|------------------|------------------------|
| Weight           | 1.32 kg                |
| Special features | to store and transport |
|                  | two speaker/lighting   |
|                  | stands;                |
|                  | two inside             |
|                  | compartments           |
| Material         | nylon                  |
| Dimensions       | 1,200 x 250 x          |
|                  | 250 mm                 |
| Handle or        |                        |
| carrying type    | handle                 |
| Fastener         | zip fastener           |
| Fits             | 213, 21302, 214/6,     |
|                  | 21411, 21435,          |
|                  | 21436, 21450,          |
|                  | 21456, 21463,          |
|                  | 21467, 28070           |
|                  |                        |

#### **CARRYING CASE**

| 21422            |                        |
|------------------|------------------------|
| Weight           | 0.36 kg                |
| Special features | to store and transport |
|                  | two speaker/monitor    |
|                  | stands;                |
|                  | two inside             |
|                  | compartments           |
| Material         | nylon                  |
| Dimensions       | 1,290 x 140 x          |
|                  | 140 mm                 |
| Handle or        |                        |
| carrying type    | handle                 |
| Fastener         | cord fastener          |
| Fits             | 20800, 21231,          |
|                  | 21348, 21366,          |
|                  | 21420, 26735,          |
|                  | 26736, 26737, 26750    |
|                  |                        |
| Order No.        |                        |
|                  | 21422-000-00           |

#### **CARRYING CASE**

| 24611            | _  |
|------------------|--|
| Weight           | 1.13 kg  |
| Special features | to store and transport<br>two lighting/speaker<br>stands;<br>two inside<br>compartments;<br>snap fasteners<br>adjust the sizes,<br>2,250 or 1,750 mm |
| Material         | nylon  |
| Dimensions       | 2,250 x 320 x<br>170 mm  |
| Handle or        |  |
| carrying type    | handle   |
| Fastener         | zip fastener   |
| Fits             | 246/1, 24620,<br>24625, 24630, 24640   |

Order No.

24611-000-00





#### **CARRIER BAG FOR ROUND BASE**

| 26751               |                      |
|---------------------|----------------------|
| Weight              | 0.38 kg              |
| Material            | nylon                |
| Dimensions diameter | 460 x 25 mm          |
| Handle or carrying  | handle               |
| type                |                      |
| Fastener            | zip fastener         |
| Suitable for        | round cast-iron base |
|                     | diam. 450 mm         |
| Fits                | 26700, 26735,        |
|                     | 26737, 26740, 26750  |

#### Order No.

26751-000-00



#### **SPEAKER WALL MOUNT**

| 241                    |                   |
|------------------------|-------------------|
| Weight                 | 2.74 kg           |
| Special features       | interchangeable   |
|                        | mounting bolt     |
| Material               | steel             |
| Max. load capacity     | 50 kg             |
| Mounting bolt          | diameter 35 mm x  |
|                        | 85 mm             |
| Wall-to-bolt clearance | 420 mm            |
| Mounting               | attaches to walls |
|                        |                   |

#### Order No.

black 24100-000-55

#### **SPEAKER WALL MOUNT**

| 24110                  |  |
|------------------------|--|
| Weight                 | 2.7 kg   |
| Special features       | patented straddling<br>bearing-anchors;<br>guarantee effective<br>clamping of speaker<br>in any position;<br>resonance-optimised<br>construction |
| Material               | steel  |
| Max. load capacity     | 50 kg  |
| Mounting bolt          | straddling bearing-<br>anchors diameter<br>35 to 37 mm x 85 mm   |
| Wall-to-bolt clearance | 420 mm   |
| Mounting               | attaches to walls  |
| Angle of inclination   | 0° to 22°  |
| Adjustment             | gradual in 11 settings   |

| black | 24110-000-55 |
|-------|--------------|
| white | 24110-000-57 |





# Tighten/loosen clamping element with enclosed key



#### **SPEAKER WALL MOUNT**

| 24120                  |                                      |
|------------------------|--------------------------------------|
| Weight                 | 6.1 kg                               |
| Special features       | very flexible;                       |
|                        | patented straddling                  |
|                        | bearing-anchors;                     |
|                        | guarantee effective                  |
|                        | clamping of speaker                  |
|                        | in any position; resonance-optimised |
|                        | construction                         |
| Material               | steel                                |
| Max. load capacity     | 50 kg                                |
| Mounting bolt          | straddling bearing-                  |
|                        | anchors diameter                     |
|                        | 35 to 37 mm x 85 mm                  |
| Wall-to-bolt clearance | 420 mm                               |
| Mounting               | attaches to walls                    |
| Angle of inclination   | 0° to 22°                            |
| Swivel                 | 180°                                 |
| Adjustment             | gradual in 11 settings               |
| Wall plate             | 580 x 140 mm                         |

#### Order No.

black 24120-000-55

The swivelling and tiltable wall mount holds your speaker at the angle you want. The mount has 11 different tilt settings moving through 22°. The swivel is adjustable to any angle. The patented expanding mandrel for loud speakers with cabinet interiors of diameter from 35 to 37 mm is tightened with a key for a non-wobble and low-resonance speaker fit.

#### **SPEAKER WALL MOUNT**

| 24150              |                |
|--------------------|----------------|
| Weight             | 2.96 kg        |
| Material           | steel          |
| Max. load capacity | 50 kg          |
| Mounting bolt      | diameter       |
|                    | 35 mm x 100 mm |
| Mounting           | clamp          |
| Swivel             | 180°           |
| Wall clearance     | 520 mm         |

#### Order No.

black 24150-000-55

#### **UNIVERSAL SPEAKER WALL MOUNT**

| 24161                |                    |
|----------------------|--------------------|
| Weight               | 0.711 kg           |
| Material             | steel              |
| Max. load capacity   | 15 kg              |
| Bearing plate        | 100 x 90 mm        |
| Mounting             | attaches to walls  |
| Angle of inclination | 0° to 45°          |
| Swivel               | 110°               |
| Adjustment           | stepless           |
| Wall clearance       | 65 mm              |
| Ceiling mounting     |                    |
| plate diameter       | 95 mm              |
| Spacing of holes     | from 70 to 76,2 mm |

| structured black | 24161-000-56 |
|------------------|--------------|
| structured white | 24161-000-66 |

#### **SPEAKER WALL MOUNT**

| 24180                |   |
|----------------------|---|
| Weight               | 0.735 kg  |
| Special features     | small (20 x 98 mm)<br>and wide bracket<br>(24 x 98 mm) included |
| Material             | steel   |
| Max. load capacity   | 10 kg   |
| Bearing plate        | 50 x 98.5 mm  |
| Mounting             | attaches to walls   |
| Angle of inclination | 0° to 15°   |
| Swivel               | 180°  |
| Wall clearance       | 105 mm  |
| Wall plate           | 130 x 70 mm   |

| black | 24180-000-55 |
|-------|--------------|
| white | 24180-000-57 |









GS-approved for loads up to 10 kg



#### **SPEAKER WALL/ CEILING MOUNT**

| 24185                |                   |
|----------------------|-------------------|
| Weight               | 0.7 kg            |
| Special features     | also suitable as  |
|                      | ceiling mount     |
| Material             | steel             |
| Max. load capacity   | 8 kg              |
| Bearing plate        | 95 x 80 mm        |
| Mounting             | attaches to walls |
|                      | and ceilings      |
| Angle of inclination | 0° to 90°         |
| Swivel               | 360°              |
| Adjustment           | swivel ball joint |
|                      | assembly          |
| Wall clearance       | 175 mm            |
| Wall plate           | 95 x 95 mm        |
|                      |                   |

#### Order No.

black black, without bearing plate, instead with 3/8"

threaded connector 24185-300-55

24185-000-55

#### **SPEAKER WALL / CEILING MOUNT**

| 24195                |                    |
|----------------------|--------------------|
| Weight               | 1.08 kg            |
| Special features     | also suitable as   |
|                      | ceiling mount;     |
|                      | steel safety wire  |
|                      | cable included     |
| Material             | steel              |
| Max. load capacity   | 15 kg              |
| Bearing plate        | 127 x 60 mm        |
| Mounting             | attaches to        |
|                      | walls and ceilings |
| Angle of inclination | 0° to 90°          |
| Swivel               | 360°               |
| Adjustment           | tooth system       |
|                      | with wing nut      |
| Wall clearance       | 271 mm             |
| Wall plate           | 170 x 95 mm        |
|                      |                    |

#### Order No.

black 24195-000-55

#### **SPEAKER WALL MOUNT**

| 0.6 kg            |
|-------------------|
| to hold a JBL     |
| Control 1 speaker |
| steel             |
| attaches to walls |
| 0° to 90°         |
| 85°               |
| 153 mm            |
| 120 x 85 mm       |
|                   |

| olack | 24465-000-55 |
|-------|--------------|
| white | 24465-000-57 |



#### **SPEAKER WALL MOUNT**

| 24471                | _  |
|----------------------|--|
| Weight               | 0.87 kg  |
| Special features     | easy mounting by<br>convenient hooking<br>in and screw locking;<br>swivelling and tiltable |
| Material             | steel  |
| Max. load capacity   | 15 kg  |
| Mounting             | attaches to walls  |
| Angle of inclination | 0° to 30°  |
| Swivel               | 90°  |
| Wall clearance       | 110 mm   |
| Wall plate           | 160 x 90 mm  |
|                      |  |

#### Order No.

| black | 24471-000-55 |
|-------|--------------|
| white | 24471-000-57 |

| Accessories           | Page |
|-----------------------|------|
| Adapter panel 1 24352 | 237  |
| Adapter panel 2 24354 | 237  |
| Adapter panel 3 24356 | 237  |
| Adapter panel 4 24357 | 237  |
| Adapter panel 5 24358 | 237  |
| Adapter panel 6 24359 | 237  |

#### **SPEAKER WALL MOUNT**

| 24481                | _   |
|----------------------|---|
| Weight               | 1.34 kg   |
| Special features     | easy mounting by<br>convenient hooking<br>in and screw locking;<br>swivelling and tiltable;<br>large wall plate for<br>heavy speakers |
| Material             | steel   |
| Max. load capacity   | 25 kg   |
| Mounting             | attaches to walls   |
| Angle of inclination | 0° to 30°   |
| Swivel               | 90°   |
| Wall clearance       | 110 mm  |
| Wall plate           | 220 x 120 mm  |
|                      |   |

#### Order No.

| black | 24481-000-55 |
|-------|--------------|
| white | 24481-000-57 |

| Accessories           | Page |
|-----------------------|------|
| Adapter panel 1 24352 | 237  |
| Adapter panel 2 24354 | 237  |
| Adapter panel 3 24356 | 237  |
| Adapter panel 4 24357 | 237  |
| Adapter panel 5 24358 | 237  |
| Adapter panel 6 24359 | 237  |
|                       |      |

#### SPEAKER CEILING MOUNT

NEW

| 24496                  |                      |
|------------------------|----------------------|
| Weight                 | 1.79 kg              |
| Special features       | internal cable       |
|                        | management;          |
|                        | easy mounting by     |
|                        | convenient hooking   |
|                        | in and screw locking |
| Material               | steel                |
| Bearing plate          | 90 x 47 mm           |
| Mounting               | attaches to ceilings |
| Angle of inclination   | 0° to 45°            |
| Swivel                 | 90°                  |
| Adjustment             | stepless             |
| Ceiling clearance      | 250 mm               |
| Ceiling mounting plate | 160 x 118 mm         |
| Spacing of holes       | from 70 to 76,2 mm   |

| black | 24496-000-55 |
|-------|--------------|
| white | 24496-000-57 |

| Accessories           | Page |
|-----------------------|------|
| Adapter panel 1 24352 | 237  |
| Adapter panel 2 24354 | 237  |
| Adapter panel 3 24356 | 237  |
| Adapter panel 4 24357 | 237  |
| Adapter panel 5 24358 | 237  |
| Adapter panel 6 24359 | 237  |







#### **ADAPTER PANEL 1**

Special features

24352 Weight

Material

Order No. black

Fits

white

Bearing plate

0.33 kg

steel

mounting templates:

69,9 x 127 mm - M8

50,8 x 107,9 mm - M6

70 to 76,2 mm - M6

24471, 24481, 24496

62 x 47 mm - M6

95 x 150 mm

24352-000-55

24352-000-57

| 24354            | _  |
|------------------|--|
| Weight           | 0.33 kg  |
| Special features | mounting templates:<br>127 x 69,9 mm - M8<br>107,9 x 50,8 mm - M6<br>70 bis 76,2 mm - M6 |
| Material         | steel  |
| Bearing plate    | 150 x 95 mm  |

**ADAPTER PANEL 2** 

#### **ADAPTER PANEL 3**

NEW

| 24356            | _  |
|------------------|--|
| Weight           | 0.22 kg                                    |
| Special features | mounting template:<br>50.8 x 107.9 mm - M6 |
| Material         | steel                                      |
| Bearing plate    | 71 x 128 mm                                |
| Fits             | 24471, 24481, 24496                        |
|                  |  |

## Order No.

Fits

|       | 0.10=1.000 == |
|-------|---------------|
| black | 24354-000-55  |
| white | 24354-000-57  |

24471, 24481, 24496

#### Order No.

| black | 24356-000-55 |
|-------|--------------|
| white | 24356-000-57 |





0.145 kg

40 x 145 mm 24471, 24481, 24496

steel

mounting template: 115 mm - M10



#### **ADAPTER PANEL 4**

Order No. black

white

NEW

| ADAPTER PANEL 5 | , |
|-----------------|---|
|-----------------|---|

Special features

NEW

**ADAPTER PANEL 6** 

NEW

| 24357            |   |
|------------------|---|
| Weight           | 0.24 kg                                       |
| Special features | mounting template:<br>107.9 x 50.8 mm<br>- M6 |
| Material         | steel   |
| Bearing plate    | 128 x 90 mm                                   |
| Fits             | 24471, 24481, 24496                           |

24357-000-55

24357-000-57

|      | 24358      |
|------|------------|
|      | Weight     |
| ate: | Special fe |
| n    |            |
|      | Material   |
|      | Bearing p  |
|      | Fits       |
|      |            |

| Bearing | plate |
|---------|-------|
| Fits    |       |

| Order No. |              |
|-----------|--------------|
| black     | 24358-000-55 |
| white     | 24358-000-57 |

24359

|                  | _                   |
|------------------|---------------------|
| Weight           | 0.14 kg             |
| Special features | mounting template:  |
|                  | 70 to 76.2 mm - M6  |
| Material         | steel               |
| Bearing plate    | 90 x 100 mm         |
| Fits             | 24471, 24481, 24496 |

#### Order No.

| black | 24359-000-55 |
|-------|--------------|
| white | 24359-000-57 |





Including locking screws for the Genelec 8000 series





#### **SPEAKER WALL MOUNT**

| 24484                |                          |  |  |
|----------------------|--------------------------|--|--|
| Weight               | 1.525 kg                 |  |  |
| Special features     | easy mounting by         |  |  |
|                      | convenient hooking       |  |  |
|                      | in and screw locking;    |  |  |
|                      | swivelling and tiltable; |  |  |
|                      | screws and keys are      |  |  |
|                      | included;                |  |  |
|                      | suitable for JBL         |  |  |
|                      | Series LSR 2328 P,       |  |  |
|                      | 2325 P, 4328 P           |  |  |
|                      | and 4326 P               |  |  |
| Material             | steel                    |  |  |
| Max. load capacity   | 20 kg                    |  |  |
| Mounting             | attaches to walls        |  |  |
| Angle of inclination | 0° to 30°                |  |  |
| Swivel               | 120°                     |  |  |
| Wall clearance       | 404 mm                   |  |  |
| Wall plate           | 90 x 160 mm              |  |  |

#### Order No.

black 24484-000-55





#### LIGHTING STAND

| 04000               | DAOELINE  |
|---------------------|---|
| 24620               | BASELINE  |
| Weight              | 3.66 kg   |
| Special features    | lightweight stand;<br>aluminum crossbar<br>with boreholes for<br>up to 8 spotlights<br>included |
| Material            | aluminum  |
| Number of legs      | 3 pieces  |
| Leg construction    | tube legs with cross braces   |
| Height adjustment   | clamping lever<br>and safety pin  |
| Max. load capacity  | 20 kg   |
| Tube end(s)         | diameter 35 mm  |
| Rod combination     | 2-piece folding design  |
| Height              | from 1,750 to<br>3,000 mm   |
| Crossbar dimensions | diameter 35 x<br>1,230 mm   |

#### Order No.

| black anodized | 24620-000-35 |
|----------------|--------------|

| Accessories             | Page |
|-------------------------|------|
| Carrying case 24611     | 231  |
| Screw fitting set 24621 | 244  |

#### LIGHTING STAND

| 24625              | BASELINE              |
|--------------------|-----------------------|
| Weight             | 2.71 kg               |
| Special features   | lightweight stand;    |
|                    | with adapter to       |
|                    | take a TV pin         |
|                    | (inner extension tube |
|                    | diameter 28 mm)       |
| Material           | aluminum              |
| Number of legs     | 3 pieces              |
| Leg construction   | tube legs with        |
|                    | cross braces          |
| Height adjustment  | clamping lever        |
|                    | and safety pin        |
| Max. load capacity | 20 kg                 |
| Tube end(s)        | diameter 35 mm        |
| Rod combination    | 2-piece folding       |
|                    | design                |
| Height             | from 1,800 to         |
|                    | 3,220 mm              |

#### Order No.

| Accessories         | Page |  |  |
|---------------------|------|--|--|
| Carrying case 24611 | 231  |  |  |
| Crossbar 24622      | 243  |  |  |

#### LIGHTING STAND

| 24630              | TOPLINE   |
|--------------------|---|
| Weight             | 7.11 kg   |
| Material           | steel   |
| Number of legs     | 3 pieces  |
| Leg construction   | tube legs with cross braces   |
| Height adjustment  | locking screw with push-button system                               |
| Max. load capacity | 20 kg   |
| Tube end(s)        | diameter 35 mm,<br>integrated threaded<br>bush M10 for<br>crossbars |
| Rod combination    | 2-piece folding design  |
| Height             | from 1,955 to<br>2,915 mm   |

#### Order No.

black 24630-009-55

| Accessories         | Page |
|---------------------|------|
| Crossbar 213/9      | 243  |
| Crossbar 21393      | 243  |
| Side crossbar 24637 | 243  |
| Crossbar 24622      | 243  |
| Carrying case 24611 | 231  |





#### LIGHTING STAND

| 24640              | TOPLINE   |
|--------------------|---|
| Weight             | 12.68 kg  |
| Special features   | adjustable up to 4 m; additional safety rings                       |
| Material           | steel   |
| Number of legs     | 3 pieces  |
| Leg construction   | tube legs with double cross braces                                  |
| Height adjustment  | non-scratching locking screws                                       |
| Max. load capacity | 20 kg   |
| Tube end(s)        | diameter 30 mm,<br>integrated threaded<br>bush M10 for<br>crossbars |
| Rod combination    | 3-piece folding design  |
| Height             | from 1,590 to<br>4,025 mm   |

#### Order No.

black 24640-009-55

| Accessories         | Page |  |  |
|---------------------|------|--|--|
| Crossbar 213/9      | 243  |  |  |
| Carrying case 24611 | 231  |  |  |









| L | .IGI | Н٦ | ΓIN | IG | S | TΑ | ND |
|---|------|----|-----|----|---|----|----|
|   |      |    |     |    |   |    |    |

NEW

| 24624              | STARLINE  |
|--------------------|---|
| Weight             | 17.4 kg   |
| Special features   | integrated shock  |
|                    | absorber;   |
|                    | gradual height  |
|                    | adjustment system;  |
|                    | zinc die-cast   |
|                    | connecting parts  |
| Material           | steel   |
| Leg construction   | flat steel plate  |
| Height adjustment  | spring-loaded bolt and locking screw                                |
| Max. load capacity | 18 kg   |
| Tube end(s)        | diameter 35 mm,<br>integrated threaded<br>bush M10 for<br>crossbars |
| Rod combination    | 2-piece folding design  |
| Base dimensions    | 550 x 550 mm  |
| Height             | from 1,400 to   |
|                    | 2,400 mm  |

#### Order No.

black 24624-000-55

Attractive lighting stand. Thanks to the heavy, flat steel plate the stand is well suited for use in small areas. The proven safety bolt with locking screw provides for comfortable and safe height adjustment. The stand's maximum extension height is 2400 mm and maximum weight is 18 kg. The integrated M10 threaded bushing provides for the attachment of crossbars.



#### LIGHTING/SPEAKER STAND

| 246/1              | STARLINE  |
|--------------------|---|
| Weight             | 8.14 kg   |
| Special features   | steel extension tube;<br>push-button system<br>and hand crank avoid<br>uncontrolled reverse<br>motion;<br>locking screw provides<br>additional safety;<br>zinc die-cast connec-<br>ting parts |
| Material           | aluminum  |
| Number of legs     | 3 pieces  |
| Leg construction   | tube legs with double cross braces  |
| Height adjustment  | hand crank with<br>push-button system<br>and locking screw  |
| Max. load capacity | 30 kg   |
| Tube end(s)        | diameter 35 mm,<br>integrated threaded<br>bush M10 for<br>crossbars   |
| Rod combination    | 2-piece folding design  |
| Height             | from 1,865 to<br>3,040 mm   |

#### Order No.

black 24610-009-55

High quality lighting stand for professional use. New die-cast zinc clamps and the larger aluminum leg tubing enhance safety. Height adjustment to any height is by means of a hand crank and push button system. The integrated M10 thread adaptor can be used to attach crossbars 213/9 and 21393.

| Accessories         | Page |
|---------------------|------|
| Crossbar 213/9      | 243  |
| Crossbar 21393      | 243  |
| Carrying case 24611 | 231  |





#### FLOOR STAND FOR SPOT LIGHTS NEW FLOOR STAND FOR SPOT LIGHTS NEW

| 17725            |                        |
|------------------|------------------------|
| Weight           | 0.7 kg                 |
| Special features | with threaded bolt M10 |
| Material         | steel                  |
| Base diameter    | 252 mm                 |
| Height           | 50 mm                  |

Order No.

17725-000-55 black

| 17720            |                    |
|------------------|--------------------|
| Weight           | 0.7 kg             |
| Special features | with mini TV mount |
| Material         | steel              |
| Base diameter    | 352 mm             |
| Height           | 68 mm              |
|                  |                    |

Order No.

|  | black | 17720-000-55 |
|--|-------|--------------|
|--|-------|--------------|

| 213/9            |                     |
|------------------|---------------------|
| Weight           | 2.14 kg             |
| Special features | M10 x 40 mm bolt    |
|                  | and washer included |
| Material         | steel               |
| Dimensions       | 1,260 x 40 x 20 mm  |
| Takes up to      | 10 spot lights      |
| Suitable for     | M10 thread          |
| Fits             | 246/1, 24630, 24640 |

Order No.

black 21390-000-55

| Accessories             | Page |
|-------------------------|------|
| Screw fitting set 21394 | 244  |



#### **CROSSBAR**

## 21303

| 21393            |                     |
|------------------|---------------------|
| Weight           | 2.92 kg             |
| Special features | secured by locking  |
|                  | screw;              |
|                  | 4 screw fittings    |
|                  | included            |
| Material         | steel               |
| Dimensions       | 1,455 x 40 x 20 mm  |
| Takes up to      | 10 spot lights      |
| Suitable for     | tube diameter 35 mm |
| Fits             | 246/1, 24630        |

Order No.

black 21393-070-55

| Accessories             | Page |
|-------------------------|------|
| Screw fitting set 21394 | 244  |

#### CROSSBAR

# 24622

| ı |                     |                     |
|---|---------------------|---------------------|
|   | Weight              | 0.65 kg             |
|   | Special features    | secured by locking  |
|   |                     | screw               |
|   | Material            | aluminum            |
|   | Max. load capacity  | 20 kg               |
|   | Dimensions diameter | 36 x 1,230 mm       |
|   | Takes up to         | 8 spot lights       |
|   | Suitable for        | tube diameter 35 mm |
|   | Fits                | 24625, 24630        |
|   |                     |                     |

Order No.

24622-000-35 black anodized

| Accessories             | Page |
|-------------------------|------|
| Screw fitting set 24621 | 244  |

#### SIDE CROSSBAR

| 24637               |                     |
|---------------------|---------------------|
| Weight              | 0.6 kg              |
| Material            | aluminum            |
| Dimensions diameter | 36 x 665 mm         |
| Takes up to         | 4 spot lights       |
| Suitable for        | tube diameter 35 mm |
| Fits                | 24630               |
|                     |                     |

Order No. black 24637-000-55



#### **SCREW FITTING SET**

| 21394               |                  |
|---------------------|------------------|
| Weight              | 0.36 kg          |
| Special features    | for crossbars    |
| Dimensions diameter | 50 x 45 mm       |
| Quantity            | 4 screw fittings |
| Fits                | 213/9, 21393     |

#### Order No.

black (unit: 4 pcs.) 21394-000-55

#### **SCREW FITTING SET**

| 24621               |                  |
|---------------------|------------------|
| Weight              | 0.3 kg           |
| Dimensions diameter | 54 x 51 mm       |
| Quantity            | 4 screw fittings |
| Fits                | 24620, 24622     |
|                     |                  |

#### Order No.

black (unit: 4 pcs.) 24621-000-55

#### **TV PIN**

| 24516              |                            |
|--------------------|----------------------------|
| Weight             | 0.02 kg                    |
| Material           | aluminum                   |
| Diameter           | 16 mm                      |
| Length             | 46.5 mm                    |
| Threaded connector | male thread<br>M10 x 17 mm |

#### Order No.

blank 24516-000-00







#### **TV PIN**

| 24518              |               |
|--------------------|---------------|
| Weight             | 0.48 kg       |
| Material           | steel         |
| Diameter           | 35 mm         |
| Length             | 215 mm        |
| Threaded connector | female thread |
|                    | M10 x 35 mm   |

#### Order No.

zinc-plated 24518-000-29

#### TV PIN

| 24519              |                              |
|--------------------|------------------------------|
| Weight             | 0.478 kg                     |
| Material           | steel                        |
| Diameter           | 28 mm                        |
| Length             | 115 mm                       |
| Threaded connector | female thread<br>M10 x 34 mm |

#### Order No.

zinc-plated 24519-000-29

#### REDUCER FLANGE

| 24521               |                  |
|---------------------|------------------|
| Weight              | 0.52 kg          |
| Special features    | secured by       |
|                     | locking screw    |
| Material            | steel            |
| Function            | to slip on stand |
| Suitable for tubing |                  |
| diameter of         | 35 mm            |
| Diameter            | 40 mm            |
| Length              | 100 mm           |

| black, M10 x 12 mm   | 24521-000-55  |
|----------------------|---------------|
| black, M6 x 18 mm    | 24521-060-55  |
| black, M8 x 18 mm    | 24521-070-5f5 |
| black, bolt diameter |               |
| 25 mm                | 24521-250-55  |
| black, 3/8" x 12 mm  | 24521-300-55  |







#### REDUCER FLANGE

| 24528               |                    |
|---------------------|--------------------|
| Weight              | 0.46 kg            |
| Special features    | secured by locking |
|                     | screw              |
| Material            | steel              |
| Function            | to slip on stand   |
| Suitable for tubing |                    |
| diameter of         | 35 mm              |
| Diameter            | 40 mm              |
| Length              | 100 mm             |
| Threaded connector  | M10                |

### Order No.

black 24528-000-55

#### **CONNECTION SLEEVE**

| 66350               |  |
|---------------------|--|
| Weight              | 0.66 kg  |
| Special features    | for TV-pin<br>diameter 28 mm;<br>with threaded bolt<br>M10 x 20 mm;<br>T-bar locking screw |
| Material            | steel  |
| Function            | to slip on stand   |
| Suitable for tubing |  |
| diameter of         | 35 mm  |
| Diameter            | 40 mm  |
| Length              | 249 mm   |
| Threaded connector  | M10  |

#### Order No.

black 66350-070-55









## MULTIMEDIA EQUIPMENT

The growing market for multimedia products
has in turn sparked a steadily climbing demand
for holders and stands for diverse purposes.

For example, monitors of all shapes and sizes need to be mounted on shop ceilings, on the walls of trade fair stands, or presented on stands in entrances.

König & Meyer offers flexible holders and stands for nearly every purpose in unmistakable designs and the usual high-quality workmanship.





#### **LECTERN »OVATION PRO«**

| 12386            |   |
|------------------|---|
| Weight           | 15.4 kg   |
| Special features | acoustic insulation<br>(shock-mount plates<br>effectively absorb<br>shock and vibrations) |
| Material         | stand aluminum,<br>wooden desk with<br>aluminum finish                                    |
| Size when folded | 1,170 x 250 x<br>620 mm   |
| Base dimensions  | 810 x 700 mm  |
| Connection       | two 3-pin XLR<br>microphone sockets   |
| Height           | 1,340 mm  |
| Sloping desktop  | 620 x 462 mm  |
| Level top        | 550 x 134 mm  |

#### Order No.

| silver | 12386-000-81 |
|--------|--------------|
|--------|--------------|

| Accessories             | Page |
|-------------------------|------|
| Promotional board 12383 | 248  |
| Protective cover 12387  | 248  |
| Transportation case     |      |
| (hard case) 12388       | 249  |

#### PROMOTIONAL BOARD (EXCL. LOGO)

| 12383            |   |
|------------------|---|
| Weight           | 1.78 kg   |
| Special features | quick mounting and removal with two locking screws, no tools required optional: foil lettering to customer specifications |
| Material         | aluminum  |
| Dimensions       | 480 x 230 mm  |
| Fits             | 12380, 12386  |

#### Order No.

| ilver | 12383-000-8 |
|-------|-------------|
|       |             |

#### PROTECTIVE COVER FOR LECTERN

| 12387            |                 |
|------------------|-----------------|
| Weight           | 3.66 kg         |
| Special features | foamed cover    |
| Material         | nylon           |
| Handle or        | handle and      |
| carrying type    | shoulder straps |
| Fastener         | zip fastener    |
| Fits             | 12380, 12386    |
|                  |                 |

#### Order No.

12387-000-00





## TRANSPORTATION CASE (HARD CASE) FOR LECTERN

| 12388            |   |
|------------------|---|
| Weight           | 15.58 kg  |
| Special features | with aluminum edges and casters; foamed compart- ments for housing the folded lectern and accessories |
| Material         | plastic   |
| Dimensions       | 1,265 x 685 x<br>305 mm   |
| Thickness        | 7 mm  |
| Fits             | 12380, 12386  |

#### Order No.

12388-000-00

#### **UNIVERSAL TABLE-TOP STAND**

| 12140              |   |
|--------------------|---|
| Weight             | 1.267 kg                                |
| Special features   | suitable for note-<br>books, multimedia |
|                    | equipment, books,                       |
|                    | sheet music, etc.;                      |
|                    | 4 rubber knobs included                 |
| Material           | steel stand,                            |
| iviateriai         | aluminum desk                           |
| Leg construction   | U-profile legs                          |
|                    | snap into socket                        |
| Max. load capacity | 4 kg                                    |
| Connection stand/  | prismatic »V-block«                     |
| plate              | connector                               |
| Bearing plate      | 350 x 273 mm                            |
| Height             | 240 mm                                  |
|                    |   |

#### Order No.

black 12140-000-55

#### **LAPTOP STAND**

| 12180                |   |
|----------------------|---|
| Weight               | 2.1 kg                                  |
| Special features     | soft caps;<br>4 rubber pads<br>included |
| Material             | steel                                   |
| Size when folded     | 440 x 370 x 35 mm                       |
| Dimensions           | 300 x 350 x 300 mm                      |
| Angle of inclination | 0° to 33°                               |
| Adjustment           | tilt gradual in<br>5 settings           |

#### Order No.

black 12180-013-55





#### LAPTOP STAND

| 12155              |                     |
|--------------------|---------------------|
| Weight             | 3.18 kg             |
| Special features   | 4 rubber            |
|                    | knobs included      |
| Material           | steel, plastic base |
| Leg construction   | socket with         |
|                    | foldable legs       |
| Max. load capacity | 5 kg                |
| Rod combination    | 2-piece folding     |
|                    | design              |
| Connection stand/  | prismatic »V-block« |
| plate              | connector           |
| Height             | from 780 to         |
|                    | 1,290 mm            |
| Laptop rest        | 400 x 290 mm        |

#### Order No.

black 12155-000-55

| Accessories         | Page |
|---------------------|------|
| Carrying case 11450 | 44   |







#### **LAPTOP STAND**

| 12150              |                     |
|--------------------|---------------------|
| Weight             | 4 kg                |
| Special features   | mouse pad and       |
|                    | 4 rubber knobs      |
|                    | included            |
| Material           | steel               |
| Leg construction   | U-profile legs      |
|                    | with cross braces   |
| Max. load capacity | 10 kg               |
| Rod combination    | 2-piece folding     |
|                    | design              |
| Connection stand/  | prismatic »V-block« |
| plate              | connector           |
| Height             | from 710 to         |
|                    | 1,210 mm            |
| Laptop rest        | 400 x 290 mm        |
| Mouse rest         | 245 x 195 mm        |

| Order No. |              |
|-----------|--------------|
| hlack     | 12150-000-55 |

This laptop stand is perfect for many occasions, whether used in presentations or simply as a work station. The ergonomically designed clamping elements allow easy and fast height adjustment. The separate mouse rest can be attached as required. The large laptop rest is easy and fast to connect to the stand with the prismatic »V-block« connector.

| Accessories        | Page |
|--------------------|------|
| Carning case 11450 | 11   |







#### **SCREEN/MONITOR STAND**

| Weight 17.12 kg  Special features internal cable routing possible; installation material (M4/M6/M8) and assembly tools included  Material steel Leg construction cast-iron base Rod combination 2-piece folding design  Height from 1,100 to 1,650 mm  Mounting device VESA MIS-D 100 (100x100) - ground plate, VESA MIS-E 200 (200x100) - ground plate, VESA MIS-F 200 (200x200) - with adapter bars, VESA MIS-F 200 (200x200) - with adapter bars, VESA MIS-F - with universal bracket: 250 to 600 mm horizontal 150 to 400 mm vertical  Height adjustment spring-loaded clamping knob  Suitable for flat screens from 24" to 46"  Base dimensions 420 x 420 mm | 26782             |   |
|---|-------------------|---|
| routing possible; installation material (M4/M6/M8) and assembly tools included  Material steel Leg construction cast-iron base Rod combination 2-piece folding design  Height from 1,100 to 1,650 mm  Mounting device VESA MIS-D 100 (100x100) - ground plate, VESA MIS-E 200 (200x100) - ground plate, VESA MIS-F 200 (200x200) - with adapter bars, VESA MIS-F - with universal bracket: 250 to 600 mm horizontal 150 to 400 mm vertical  Height adjustment spring-loaded clamping knob  Suitable for flat screens from 24" to 46"  | Weight            | 17.12 kg  |
| Leg construction Rod combination  2-piece folding design  Height  from 1,100 to 1,650 mm  Mounting device  VESA MIS-D 100  (100x100) - ground plate, VESA MIS-E 200  (200x100) - ground plate, VESA MIS-E 200  (100x200) - with adapter bars, VESA MIS-F 200  (200x200) - with adapter bars, VESA MIS-F - with universal bracket: 250 to 600 mm  horizontal 150 to 400 mm  vertical  Height adjustment  Suitable for  flat screens  from 24" to 46"   | Special features  | routing possible;<br>installation material<br>(M4/M6/M8) and<br>assembly tools  |
| Rod combination  2-piece folding design  Height  from 1,100 to 1,650 mm  Mounting device  VESA MIS-D 100  (100x100) - ground plate,  VESA MIS-E 200  (200x100) - ground plate,  VESA MIS-E 200  (100x200) - with adapter bars,  VESA MIS-F 200  (200x200) - with adapter bars,  VESA MIS-F - with universal bracket:  250 to 600 mm  horizontal  150 to 400 mm  vertical  Height adjustment  Suitable for  flat screens  from 24" to 46"  | Material          | steel   |
| design  Height from 1,100 to 1,650 mm  Mounting device VESA MIS-D 100 (100x100) - ground plate, VESA MIS-E 200 (200x100) - ground plate, VESA MIS-E 200 (100x200) - with adapter bars, VESA MIS-F 200 (200x200) - with adapter bars, VESA MIS-F - with universal bracket: 250 to 600 mm horizontal 150 to 400 mm vertical  Height adjustment spring-loaded clamping knob  Suitable for flat screens from 24" to 46"   |                   | cast-iron base  |
| 1,650 mm  Mounting device  VESA MIS-D 100 (100x100) - ground plate, VESA MIS-E 200 (200x100) - ground plate, VESA MIS-E 200 (100x200) - with adapter bars, VESA MIS-F 200 (200x200) - with adapter bars, VESA MIS-F - with universal bracket: 250 to 600 mm horizontal 150 to 400 mm vertical  Height adjustment  Spring-loaded clamping knob  Suitable for  flat screens from 24" to 46"   | Rod combination   |   |
| (100x100) - ground plate, VESA MIS-E 200 (200x100) - ground plate, VESA MIS-E 200 (100x200) - with adapter bars, VESA MIS-F 200 (200x200) - with adapter bars, VESA MIS-F - with universal bracket: 250 to 600 mm horizontal 150 to 400 mm vertical Height adjustment spring-loaded clamping knob Suitable for flat screens from 24" to 46"   | Height            | <i>'</i>  |
| Height adjustment spring-loaded clamping knob Suitable for flat screens from 24" to 46"   | Mounting device   | VESA MIS-D 100 (100x100) - ground plate, VESA MIS-E 200 (200x100) - ground plate, VESA MIS-E 200 (100x200) - with adapter bars, VESA MIS-F 200 (200x200) - with adapter bars, VESA MIS-F - with universal bracket: 250 to 600 mm horizontal 150 to 400 mm |
| from 24" to 46"   | Height adjustment |   |
| Base dimensions 420 x 420 mm  | Suitable for      | flat screens  |
|   | Base dimensions   | 420 x 420 mm  |

#### Order No.

structured black 26782-000-56

A representative screen/monitor stand with a beautifully designed heavy cast iron base. The assembly accessories provided with the product allow one to set up according to the VESA Standard for 24" to 46" flat screens. The large tubing saves space by providing a place to organize and store the cables. The height can be adjusted in steps using an ergonomic height adjustment screw.

#### **SCREEN/MONITOR STAND**

| 26783             |   |
|-------------------|---|
| Weight            | 17.7 kg   |
| Special features  | internal cable routing<br>possible;<br>installation material<br>(M6/M8) and assem-<br>bly tools included                |
| Material          | steel   |
| Leg construction  | Legs constructed from<br>steel profile tubes with<br>adjustable leveling feet<br>ensure that the setup<br>does not rock |
| Rod combination   | 2-piece folding design  |
| Height            | from 1,100 to<br>1,650 mm   |
| Mounting device   | VESA MIS-F - with<br>universal bracket:<br>300 to 800 mm<br>horizontal, 200 to<br>500 mm vertical                       |
| Height adjustment | spring-loaded clamping knob   |
| Suitable for      | flat screens from<br>42" to 65"   |
| Base dimensions   | 900 x 500 mm  |
|                   |   |

#### iPad STAND

| 19772                |   |
|----------------------|---|
| Weight               | 2.64 kg   |
| Special features     | iPad is easily clipped<br>into the holder;<br>dock-connector and<br>headphone jack are<br>accessible;<br>freely rotates 90°;<br>suitable for iPad 2nd,<br>3rd or 4th generation |
| Material             | plastic, steel  |
| Max. load capacity   | 1 kg  |
| Bearing plate        | 252.1 x 195.4 mm  |
| Height               | from 700 to<br>1,550 mm   |
| Angle of inclination | 0° to 90°   |
| Swivel               | 90°   |
| Adjustment           | stepless  |

| Order No. |              |
|-----------|--------------|
| black     | 19772-300-55 |

#### iPad Air STAND

| 2.075 kg              |
|-----------------------|
| iPad Air is easily    |
| clipped into the      |
| holder;               |
| lightning connector   |
| and headphone jack    |
| are accessible;       |
| freely rotates 90°;   |
| suitable for iPad Air |
| plastic, steel        |
| 1 kg                  |
| 249 x 178.7 mm        |
| from 700 to           |
| 1,550 mm              |
| 0° to 90°             |
| 90°                   |
| stepless              |
|                       |

## Order No.

black 19774-300-55



#### iPad Air 2 STAND

#### NEW

#### **TABLET PC STAND**

Special features

1.8 kg

also suitable for

tablets in cases or

protective covers;

adjustable clamping jaws ensure unhin-

dered access to the interfaces and the operating elements on the device; freely rotates 90°

plastic, steel

from 650 to 1,500 mm

0° to 90°

stepless

19776-300-55

90°

from 160 to 320 mm

1 kg

19776

Weight

# SMARTPHONE STAND 19850 Weight 0.072 kg Special features gentle grip pads Material acrylic Dimensions 75 x 50 x 85 mm

#### Order No.

| 19777                |                         |
|----------------------|-------------------------|
| Weight               | 2.075 kg                |
| Special features     | iPad Air 2 is easily    |
|                      | clipped into the        |
|                      | holder;                 |
|                      | lightning connector     |
|                      | and headphone jack      |
|                      | are accessible;         |
|                      | freely rotates 90°;     |
|                      | suitable for iPad Air 2 |
| Material             | plastic, steel          |
| Max. load capacity   | 1 kg                    |
| Bearing plate        | 249 x 178.7 mm          |
| Height               | from 700 to             |
|                      | 1,550 mm                |
| Angle of inclination | 0° to 90°               |
| Swivel               | 90°                     |
| Adjustment           | stepless                |
|                      |                         |

#### Order No.

black 19777-300-55

# Adjustment Order No.

Material

Height

Length

Swivel

black

Max. load capacity

Angle of inclination

Swiveling in all directions.

Switches rapidly between the vertical and horizontal format without slipping.

Product video

Product video



#### **TABLET-PC STAND**

#### iPad mini TABLE STAND

#### iPad TABLE STAND

| 19855            | _                 |
|------------------|-------------------|
| Weight           | 0.194 kg          |
| Special features | gentle grip pads  |
| Material         | acrylic           |
| Dimensions       | 130 x 80 x 140 mm |

| Order | Nο   |
|-------|------|
| Oluci | 110. |

| black | 19855-000-55 |
|-------|--------------|
|       |              |

| 19760                | _                      |
|----------------------|------------------------|
| Weight               | 0.99 kg                |
| Special features     | iPad mini is easily    |
|                      | clipped into the       |
|                      | holder;                |
|                      | lightning connector    |
|                      | and headphone jack     |
|                      | are accessible;        |
|                      | freely rotates 90°;    |
|                      | suitable for iPad mini |
|                      | or iPad mini with      |
|                      | Retina display         |
| Material             | plastic, steel         |
| Max. load capacity   | 0.75 kg                |
| Bearing plate        | 208.7 x 143.7 mm       |
| Angle of inclination | 0° to 90°              |
| Swivel               | 90°                    |
| Adjustment           | stepless               |
|                      |                        |

#### Order No.

black

| 19752                |                        |
|----------------------|------------------------|
| Weight               | 1.3 kg                 |
| Special features     | iPad is easily clipped |
|                      | into the holder;       |
|                      | dock-connector and     |
|                      | headphone jack are     |
|                      | accessible;            |
|                      | freely rotates 90°;    |
|                      | suitable for iPad 2nd, |
|                      | 3rd or 4th generation  |
| Material             | plastic, steel         |
| Max. load capacity   | 0.75 kg                |
| Bearing plate        | 252.1 x 195.4 mm       |
| Angle of inclination | 0° to 90°              |
| Swivel               | 90°                    |
| Adjustment           | stepless               |
| Order No.            |                        |







#### iPad Air TABLE STAND

| 19754                |                          |
|----------------------|--------------------------|
| Weight               | 1.295 kg                 |
| Special features     | iPad Air is easily clip- |
|                      | ped into the holder;     |
|                      | lightning connector      |
|                      | and headphone jack       |
|                      | are accessible;          |
|                      | freely rotates 90°;      |
|                      | suitable for iPad Air    |
| Material             | plastic, steel           |
| Max. load capacity   | 0.75 kg                  |
| Bearing plate        | 249 x 178.7 mm           |
| Angle of inclination | 0° to 90°                |
| Swivel               | 90°                      |
| Adjustment           | stepless                 |

#### Order No.

black 19754-000-55



Swiveling in all directions.

Switches rapidly between the vertical and horizontal format without slipping.









#### iPad Air 2 TABLE STAND

NEW

|                      | _                       |
|----------------------|-------------------------|
| 19757                |                         |
| Weight               | 1.295 kg                |
| Special features     | iPad Air 2 is easily    |
|                      | clipped into the        |
|                      | holder;                 |
|                      | lightning connector     |
|                      | and headphone jack      |
|                      | are accessible;         |
|                      | freely rotates 90°;     |
|                      | suitable for iPad Air 2 |
| Material             | plastic, steel          |
| Max. load capacity   | 0.75 kg                 |
| Bearing plate        | 249 x 178.7 mm          |
| Angle of inclination | 0° to 90°               |
| Swivel               | 90°                     |
| Adjustment           | stepless                |

#### Order No.

black 19757-000-55

Strength and stability! The mobile table stand for your iPad Air 2. The iPad Air 2 is held safely and securely thanks to the sturdy steel base. With this high-quality table stand, you can easily read, write, surf the Internet or just view pictures or videos without any vibrations. The iPad Air 2 clips in and out of the holder effortlessly. An easy-to-use wing nut adjusts the tilt so that every user can adapt the viewing angle to suit them optimally. The iPad Air 2 can be rapidly switched between the vertical and horizontal format without slipping.



#### iPad mini WALL MOUNT

| 19733              |                        |
|--------------------|------------------------|
| Weight             | 0.106 kg               |
| Special features   | iPad mini is easily    |
|                    | clipped into the       |
|                    | holder;                |
|                    | lightning connector    |
|                    | and headphone          |
|                    | jack are accessible;   |
|                    | freely rotatable by    |
|                    | 360°;                  |
|                    | suitable for iPad mini |
|                    | or iPad mini with      |
|                    | Retina display         |
| Material           | plastic                |
| Max. load capacity | 0.75 kg                |
| Bearing plate      | 208.7 x 143.7 mm       |
| Mounting           | attaches to walls      |
| Swivel             | 360°                   |

#### Order No.

black 19733-000-55

#### iPad WALL MOUNT

| 19732              |  |
|--------------------|--|
| Weight             | 0.43 kg  |
| Special features   | iPad is easily clipped<br>into the holder;<br>dock-connector and<br>headphone jack are<br>accessible;<br>freely rotatable by<br>360°;<br>suitable for iPad 2nd,<br>3rd or 4th generation |
| Material           | plastic  |
| Max. load capacity | 0.75 kg  |
| Bearing plate      | 252.1 x 195.4 mm   |
| Mounting           | attaches to walls  |
| Swivel             | 360°   |
|                    |  |

#### Order No.

black 19732-000-55

#### iPad Air WALL MOUNT

| _   |
|---|
| 0.275 kg  |
| iPad Air is easily clip-<br>ped into the holder;<br>lightning connector<br>and headphone jack<br>are accessible;<br>freely rotatable by<br>360°;<br>suitable for iPad Air |
| plastic   |
| 0.75 kg   |
| 249 x 178.7 mm  |
| attaches to walls   |
| 360°  |
|   |

#### Order No.

p10e.k-m.de Product video

black 19734-000-55



#### iPad Air 2 WALL MOUNT

NEW

| 19737              |                         |
|--------------------|-------------------------|
| Weight             | 0.229 kg                |
| Special features   | iPad Air 2 is easily    |
|                    | clipped into the        |
|                    | holder;                 |
|                    | lightning connector     |
|                    | and headphone jack      |
|                    | are accessible;         |
|                    | freely rotatable by     |
|                    | 360°;                   |
|                    | suitable for iPad Air 2 |
| Material           | plastic                 |
| Max. load capacity | 0.75 kg                 |
| Bearing plate      | 249 x 178.7 mm          |
| Mounting           | attaches to walls       |
| Swivel             | 360°                    |

#### Order No.

black 19737-000-55



Once attached, the iPad Air 2 turnes comfortably 360° and won't slip.



p10e.k-m.de Product video





#### **SMARTPHONE HOLDER**

#### NEW

#### iPad mini HOLDER

#### iPad HOLDER

| 19745            |                          |
|------------------|--------------------------|
| Weight           | 0.19 kg                  |
| Special features | to be attached to        |
|                  | tubes up to 30 mm        |
|                  | diameter;                |
|                  | particularly suitable    |
|                  | for smartphones, flat    |
|                  | devices and MP3          |
|                  | players;                 |
|                  | operating elements       |
|                  | are not impaired in      |
|                  | their function;          |
|                  | freely rotates 90°;      |
|                  | flexible holding arm     |
|                  | for individual alignment |
| Material         | plastic                  |
| Length           | from 44 to 84 mm         |
| Screw-on to      | tube diameter            |
|                  | up to 30 mm              |
|                  |                          |

| Order No. |              |
|-----------|--------------|
| black     | 19745-015-55 |

| 19723              |  |
|--------------------|--|
| Weight             | 0.63 kg                                  |
| Special features   | to be attached to                        |
|                    | tubes up to 30 mm                        |
|                    | diameter;                                |
|                    | iPad mini is easily                      |
|                    | clipped into the                         |
|                    | holder;                                  |
|                    | lightning connector                      |
|                    | and headphone jack                       |
|                    | are accessible;                          |
|                    | freely rotates 90°;                      |
|                    | alternatively: can be                    |
|                    | screwed on to 3/8"                       |
|                    | thread connectors;                       |
|                    | suitable for iPad mini or iPad mini with |
|                    | 0 0.0                                    |
| Material           | Retina display plastic                   |
| Max. load capacity | 0.75 kg                                  |
| Bearing plate      | 208.7 x 143.7 mm                         |
| Screw-on to        | tube diameter                            |
| COLOM OLL TO       | up to 30 mm                              |
| Swivel             | 90°                                      |
| O111101            |  |

| Order No. |              |
|-----------|--------------|
| black     | 19723-000-55 |

| Weight             | 0.89 kg  |
|--------------------|--|
| Special features   | to be attached to tubes up to 30 mm diameter; iPad is easily clipped into the holder; dock-connector and headphone jack are accessible; freely rotates 90°; alternatively: can be screwed on to 3/8" thread connectors; suitable for iPad 2nd, 3rd or 4th generation |
| Material           | plastic  |
| Max. load capacity | 0.75 kg  |
| Bearing plate      | 252.1 x 195.4 mm   |
| Screw-on to        | tube diameter<br>up to 30 mm   |
| Swivel             | 90°  |

Order No. black 19722-000-55





#### iPad Air HOLDER

| 19724              | _                        |
|--------------------|--------------------------|
| Weight             | 0.65 kg                  |
| Special features   | to be attached to        |
|                    | tubes up to 30 mm        |
|                    | diameter;                |
|                    | iPad Air is easily clip- |
|                    | ped into the holder;     |
|                    | lightning connector      |
|                    | and headphone jack       |
|                    | are accessible;          |
|                    | freely rotates 90°;      |
|                    | alternatively: can be    |
|                    | screwed on to 3/8"       |
|                    | thread connectors;       |
|                    | suitable for iPad Air    |
| Material           | plastic, steel           |
| Max. load capacity | 0.75 kg                  |
| Bearing plate      | 249 x 178.7 mm           |
| Screw-on to        | tube diameter            |
|                    | up to 30 mm              |
| Swivel             | 90°                      |
|                    |                          |

#### Order No.

black 19724-000-55

#### iPad Air 2 HOLDER

NEW

| 19727              |                                    |
|--------------------|------------------------------------|
| Weight             | 0.65 kg                            |
| Special features   | to be attached to                  |
|                    | tubes up to 30 mm                  |
|                    | diameter;                          |
|                    | iPad Air 2 is easily               |
|                    | clipped into the                   |
|                    | holder;                            |
|                    | lightning connector                |
|                    | and headphone jack are accessible; |
|                    | freely rotates 90°;                |
|                    | alternatively: can be              |
|                    | screwed on to 3/8"                 |
|                    | thread connectors;                 |
|                    | suitable for iPad Air 2            |
| Material           | plastic, steel                     |
| Max. load capacity | 0.75 kg                            |
| Bearing plate      | 249 x 178.7 mm                     |
| Screw-on to        | tube diameter                      |
|                    | up to 30 mm                        |
| Swivel             | 90°                                |

#### Order No.

black 19727-000-55



Swiveling in all directions.

Switches rapidly between the vertical and horizontal format without slipping.









p10e.k-m.de Product video





p12e.k-m.de Produktvideo





#### **TABLET PC HOLDER**

| 19740            |                       |
|------------------|-----------------------|
| Weight           | 0.79 kg               |
| Special features | to be attached to     |
|                  | tubes up to 30 mm     |
|                  | diameter;             |
|                  | also suitable for     |
|                  | tablets in cases or   |
|                  | protective covers;    |
|                  | adjustable clamping   |
|                  | jaws ensure unhin-    |
|                  | dered access to the   |
|                  | interfaces and the    |
|                  | operating elements    |
|                  | on the device;        |
|                  | freely rotates 90°;   |
|                  | alternatively: can be |
|                  | screwed on to 3/8"    |
|                  | thread connectors     |
| Material         | plastic               |
| Height           | from 120 to 220 mm    |
| Length           | from 160 to 320 mm    |
| Screw-on to      | tube diameter up to   |
|                  | 30 mm                 |
| Swivel           | 90°                   |
| Adjustment       | tension spring        |
|                  |                       |

#### Order No.

black 19740-000-55

A distinctive tensioning mechanism means this holder is suitable for attaching tablet PCs like iPad, iPad Air, iPad mini, Amazon Kindle, Samsung Galaxy Tab, Google Nexus, Asus Transformer or Microsoft Surface in size from 120 to 220 mm to a shaft diameter of max. 30 mm. The holder is equally suitable for tablets with a protective sleeve or case. A tension spring allows the tablet to be clipped in and removed from the holder easily and quickly. The holder does not affect the functioning of the operating controls. The felt-protected adjustable bracket provides extra security. The tablet holder can of course be switched between portrait and landscape format and potential slippage is prevented.



#### iPad mini STAND HOLDER

| 19713              |  |
|--------------------|--|
| Weight             | 0.3 kg   |
| Special features   | to be screwed on to 3/8" threaded bolts; iPad mini is easily clipped into the holder; lightning connector and headphone jack are accessible; freely rotates 90°; suitable for iPad mini or iPad mini with Retina display |
| Material           | plastic  |
| Max. load capacity | 0.75 kg  |
| Bearing plate      | 208.7 x 143.7 mm   |
| Suitable for       | 3/8" thread  |
| Swivel             | 90°  |
| Fits               | 18817, 19715   |

19713-300-55

#### Order No.

black 3/8"

| 19712              |   |
|--------------------|---|
| Weight             | 0.5 kg  |
| Special features   | to be screwed on to 3/8" threaded bolts; iPad is easily clipped into the holder; dock-connector and headphone jack are accessible; freely rotates 90°; suitable for iPad 2nd, 3rd or 4th generation |
| Material           | plastic   |
| Max. load capacity | 0.75 kg   |
| Bearing plate      | 252.1 x 195.4 mm  |
| Suitable for       | 3/8" thread   |
| Swivel             | 90°   |
| Fits               | 18817, 19715  |
|                    |   |

iPad STAND HOLDER

#### Order No.

black 3/8" 19712-300-55

#### iPad Air STAND HOLDER

| 19714              |   |
|--------------------|---|
| Weight             | 0.38 kg   |
| Special features   | to be screwed on to 3/8" threaded bolts; iPad Air is easily clipped into the holder; lightning connector and headphone jack are accessible; freely rotates 90°; suitable for iPad Air |
| Material           | plastic   |
| Max. load capacity | 0.75 kg   |
| Bearing plate      | 249 x 178.7 mm  |
| Suitable for       | 3/8" thread   |
| Swivel             | 90°   |
| Fits               | 18817, 19715  |

#### Order No.

black 3/8" 19714-300-55





#### iPad Air 2 STAND HOLDER

19717

#### **TABLET PC STAND HOLDER**

| 19742            | _                    |
|------------------|----------------------|
| Weight           | 0.42 kg              |
| Special features | to be screwed on to  |
|                  | 3/8" threaded bolts; |
|                  | also suitable for    |
|                  | tablets in cases or  |
|                  | protective covers;   |
|                  | adjustable clamping  |
|                  | jaws ensure unhin-   |
|                  | dered access to the  |
|                  | interfaces and the   |
|                  | operating elements   |
|                  | on the device;       |
|                  | freely rotates 90°   |
| Material         | plastic              |
| Height           | from 120 to 220 mm   |
| Length           | from 160 to 320 mm   |
| Suitable for     | 3/8" thread          |
| Swivel           | 90°                  |
| Fits             | 18817, 19715         |
|                  |                      |

| 0 | rde | ar I | No |   |
|---|-----|------|----|---|
| O | CUE | er i | NO | ļ |

Swivel

black 19685-300-55

ADAPTER FOR SCREENS

0.62 kg

stands

steel

5 kg

250°

prismatic »V-block« connector

swivel joint with wing nut attaches to mic

115 x 115 mm

4 mount holes VESA 75/100 3/8" thread

19685 Weight

Material

Special features

Max. load capacity

Bearing plate

Suitable for

Mounting device

| 19/1/              | _   |
|--------------------|---|
| Weight             | 0.38 kg   |
| Special features   | to be screwed on to 3/8" threaded bolts; iPad Air 2 is easily clipped into the holder; lightning connector and headphone jack are accessible; freely rotates 90°; suitable for iPad Air 2 |
| Material           | plastic   |
| Max. load capacity | 0.75 kg   |
| Bearing plate      | 249 x 178.7 mm  |
| Suitable for       | 3/8" thread   |
| Swivel             | 90°   |
| Fits               | 18817   |
| Order No           |   |

Order No.

black 3/8" 19717-300-55

| $\sim$ |     | er | N. | _  |
|--------|-----|----|----|----|
| u      | rcı | er | IN | C) |

black 3/8" 19742-300-55







p10e.k-m.de Product video





p12e.k-m.de Product video





#### SHOULDER BAG FOR SHEET MUSIC AND TABLETS

| 19705            |   |
|------------------|---|
| Weight           | 0.68 kg   |
| Special features | for sheet music,<br>tablets, netbooks and<br>ultrabooks up to max.<br>13.3" |
| Material         | imitation leather   |
| Dimensions       | 365 x 75 x 300 mm   |
| Handle or        |   |
| carrying type    | shoulder strap  |
| Fastener         | zip fastener  |

#### Order No.

black 19705-000-00

Many compartments providing order and easy access











# SHOP FITTINGS

The brand-compatible presentation of products in a shop is playing an increasingly important role in the buying decision process.

Clear and visually appealing, the large selection of König & Meyer instrument holders in combination with the professional SPACEWALL shop fitting system are a perfect solution for your business.

The flexible SPACEWALL wall panels can be installed in practically any texture or colour you desire in any shop. They will show off your merchandise perfectly, whether you have a small showroom or a huge megastore.







#### **SPACEWALL®**

#### 44000

#### Order No.

44000-000-00

The SPACEWALL® shop-fitting system can be individually implemented in already existing shops or in complete new stores. You can choose for example from following surface finishes for your slatwall: unfinished or paint finished surface or a painted wall according to your desired RAL/NCS color. You also have the choice between a melamine resin coated surface in the colors white, grey, ivory or cream-white or a plastic-laminated slatwall in either white E110 MP or grey E 6 MP.Further possibilities are metallic or acrylic mirror designs or wood veneer finishes like pine, spruce, maple or alder. Further finish variations on request. We offer you the following slat widths: 53.1 mm, 76.3 mm, 88.0 mm\*, 101.8 mm, 152.6 mm, 203.5 mm, 244.2 mm, 305.3 mm. Head pieces and bases can be produced on request. Ask for special design variations and other sizes for your slatwall!

 $<sup>^{\</sup>star}$  Size 2430 mm x 1210 mm or 1210 mm x 2430 mm.



#### PRODUCT SUPPORT ARM

| 441/1                |                    |
|----------------------|--------------------|
| Weight               | 0.568 kg           |
| Special features     | suitable for       |
|                      | heavy products     |
| Material             | steel              |
| Support              | felt pads          |
| Angle of inclination | 23°                |
| Support depth        | from 261 to 461 mm |

#### Order No.

black 44110-000-55

#### PRODUCT HOLDER

| 44130        | _                |
|--------------|------------------|
| Weight       | 0.179 kg         |
| Material     | steel            |
| Suitable for | Euroslot hangers |
| Length       | 150 mm           |
|              |                  |

| Order No. |              |
|-----------|--------------|
| lack      | 44130-000-55 |

#### PRODUCT HOLDER

| 0.22 kg          |
|------------------|
| steel            |
| Euroslot hangers |
| 280 mm           |
|                  |

|  | er |  |
|--|----|--|
|  |    |  |
|  |    |  |

black 44135-000-55





#### PRODUCT HOLDER FOR GUITAR

| Weight 0.44 kg Special features patented flexible |
|---|
| Special features patented flexible                |
|   |
| hooking-in and                                    |
| clamping system                                   |
| suitable for asym-                                |
| metric guitar necks                               |
| Material steel                                    |
| Direction forward-turned                          |
| Instrument support non-marring plastic            |
| material  |
| Yoke self-locking                                 |
| Suitable for acoustic and                         |
| electric guitars                                  |
| Dimensions 95 x 130 x 158 mm                      |

#### Order No.

black 44140-000-55



#### PRODUCT HOLDER FOR GUITAR

| 44160              |                                 |
|--------------------|---------------------------------|
| Weight             | 0.3 kg                          |
| Material           | steel                           |
| Direction          | forward-turned                  |
| Instrument support | non-marring plastic<br>material |
| Yoke               | self-locking                    |
| Suitable for       | acoustic and electric guitars   |
| Dimensions         | 88 x 93 x 140 mm                |

| Order No.              |              |
|------------------------|--------------|
| black with translucent | 44160-000-00 |
| support elements       |              |
| black                  | 44160-000-55 |

#### PRODUCT HOLDER FOR GUITAR

| 44170              |                                 |
|--------------------|---------------------------------|
| Weight             | 0.48 kg                         |
| Material           | steel                           |
| Direction          | left or right turned            |
| Instrument support | non-marring plastic<br>material |
| Yoke               | self-locking                    |
| Suitable for       | acoustic and electric guitars   |

| Order No.              |              |
|------------------------|--------------|
| black with translucent | 44170-000-00 |
| support elements       |              |
| black                  | 44170-000-55 |







#### PRODUCT HOLDER FOR GUITAR

| 44180              |                                 |
|--------------------|---------------------------------|
| Weight             | 0.29 kg                         |
| Material           | steel                           |
| Direction          | right                           |
| Instrument support | non-marring<br>plastic material |
| Yoke               | fixed                           |
| Suitable for       | acoustic and electric guitars   |
| Dimensions         | 88 x 107 x 300 mm               |

#### Order No.

black 44180-000-55

#### PRODUCT HOLDER FOR GUITAR

| 44181              |                   |
|--------------------|-------------------|
| Weight             | 0.29 kg           |
| Material           | steel             |
| Direction          | left              |
| Instrument support | non-marring       |
|                    | plastic material  |
| Yoke               | fixed             |
| Suitable for       | acoustic and      |
|                    | electric guitars  |
| Dimensions         | 88 x 107 x 300 mm |
|                    |                   |

#### Order No.

black 44181-000-55

#### PRODUCT HOLDER FOR ACOUSTIC GUITAR

| 44185            | _                     |
|------------------|-----------------------|
| Weight           | 1.09 kg               |
| Special features | flexible support arms |
|                  | for neck and body     |
| Material         | steel                 |
| Support          | silicone cover        |
| Direction        | in 8° settings        |
|                  | 360° adjustable       |
| Suitable for     | electric guitars      |
| Dimensions       | 690 x 220 x 165 mm    |

#### Order No.

44185-000-55 black







| 44186              |                       |
|--------------------|-----------------------|
| Weight             | 1.15 kg               |
| Special features   | flexible support arms |
|                    | for neck and body     |
| Material           | steel                 |
| Support            | silicone cover        |
| Direction          | in 8° settings        |
|                    | 360° adjustable       |
| Instrument support | non-marring rubber    |
| Suitable for       | acoustic guitars      |
| Dimensions         | 690 x 220 x 215 mm    |

#### Order No.

44186-000-55 black

#### PRODUCT HOLDER FOR ACOUSTIC GUITAR PRODUCT HOLDER FOR HEADPHONE

| 44195            |                      |
|------------------|----------------------|
| Weight           | 0.22 kg              |
| Special features | for up to 2 standard |
|                  | headphones and       |
|                  | 2 In-Ear headphones  |
| Material         | steel                |
| Support          | rubber covered       |
| Support width    | 100 mm               |
| Support depth    | 60 mm                |
|                  |                      |

## Order No.


44195-000-55 black

#### PRODUCT HOLDER FOR VIOLIN

| 44210              |                     |
|--------------------|---------------------|
| Weight             | 0.15 kg             |
| Special features   | high quality        |
|                    | flocking cover;     |
|                    | with holder for bow |
| Material           | plastic yoke, steel |
|                    | plate               |
| Instrument support | flocked             |
| Length             | 125 mm              |

#### Order No.

44210-000-55 black











#### PRODUCT HOLDER FOR SAXOPHONE

| 44240              |                                 |
|--------------------|---------------------------------|
| Weight             | 0.82 kg                         |
| Material           | steel                           |
| Instrument support | non-marring<br>plastic material |
|                    |                                 |

#### Order No.

black 44240-000-55

#### PRODUCT HOLDER FOR TROMBONE

| 44250              | _                            |
|--------------------|------------------------------|
| Weight             | 0.58 kg                      |
| Special features   | adjustable support cone      |
| Material           | steel                        |
| Instrument support | non-marring plastic material |
|                    |                              |

#### Order No.

black 44250-000-55

#### PRODUCT HOLDER FOR TRUMPET

| 44270              | _                  |
|--------------------|--------------------|
| Weight             | 0.5 kg             |
| Special features   | rubber-covered     |
|                    | peg top            |
| Material           | plastic peg, steel |
|                    | mounting bracket   |
| Instrument support | felt pads          |

#### Order No.

black 44270-000-55







#### PRODUCT HOLDER FOR CLARINET

| 44280            |                    |
|------------------|--------------------|
| Weight           | 0.38 kg            |
| Special features | with felt ring     |
| Material         | plastic peg, steel |
|                  | mounting bracket   |

#### Order No.

black 44280-000-55

#### PRODUCT HOLDER FOR FLUGEL HORN

| 44290              |                    |
|--------------------|--------------------|
| Weight             | 0.59 kg            |
| Material           | plastic peg, steel |
|                    | mounting bracket   |
| Instrument support | felt pads          |

#### Order No.

black 44290-000-55

# PRODUCT HOLDER FOR SOPRANO-SAXOPHONE

| 44300              |  |
|--------------------|--|
| Weight             | 0.5 kg                                 |
| Material           | plastic peg, steel<br>mounting bracket |
| Instrument support | felt pads                              |

#### Order No.

black 44300-000-55









#### PRODUCT HOLDER FOR FLUTE

| 44310    |   |
|----------|---|
| Weight   | 0.3 kg  |
| Material | plastic peg with steel<br>core, steel mounting<br>bracket |
| Diameter | 6.5 mm  |

#### Order No.

black 44310-000-55

#### PRODUCT HOLDER FOR FLUTE

| 44320    |   |
|----------|---|
| Weight   | 0.35 kg   |
| Material | plastic peg with steel<br>core, steel mounting<br>bracket |
| Diameter | 9.5 mm  |

#### Order No.

black 44320-000-55

#### PRODUCT HOLDER FOR FLUTE

| 44330    |  |
|----------|--|
| Weight   | 0.38 kg                                |
| Material | plastic peg, steel<br>mounting bracket |
| Diameter | 18 mm                                  |

#### Order No.

black 44330-000-55







#### PRODUCT HOLDER FOR CYMBAL

| 44380    |         |
|----------|---------|
| Weight   | 0.36 kg |
| Material | steel   |
| Diameter | 10 mm   |
| Length   | 300 mm  |
|          |         |

#### Order No.

black 44380-000-55

#### PRODUCT HOLDER FOR MICROPHONE

| 44500              |                      |
|--------------------|----------------------|
| Weight             | 0.31 kg              |
| Special features   | for microphones and  |
|                    | other equipment with |
|                    | 3/8" threads         |
| Material           | steel                |
| Length             | 140 mm               |
| Threaded connector | 3/8"                 |

#### Order No.

black 44500-000-55

#### ADAPTER FOR PRODUCT HOLDER

| 44060            | _                        |
|------------------|--------------------------|
| Weight           | 0.06 kg                  |
| Special features | it is easy to attach all |
|                  | SpaceWall® product       |
|                  | support arms/holder      |
|                  | to any regular wall      |
|                  | (except for 44140,       |
|                  | 44185 und 44186)         |
| Material         | plastic                  |
| Dimensions       | 101 x 84 x 18 mm         |
|                  |                          |

#### Order No.

black 44060-000-55







#### PRICE TAG HOLDER

| 44385      |               |
|------------|---------------|
| Weight     | 0.04 kg       |
| Material   | clear acrylic |
| Thickness  | 2 mm          |
| Dimensions | 100 x 55 mm   |

#### Order No.

44385-000-00

#### PRODUCT LABEL BUNDLE

| 77977            |   |
|------------------|---|
| Special features | download of corresponding product specifications on our website; a set consisting of: 10 pieces plastic cover (transparent) and 2 meter elastic (black) |
| Material         | plastic   |
| Dimensions       | 180 x 115 mm  |

#### Order No.

77977-000-00



#### **LEAFLET HOLDER**

| 44420        |                   |
|--------------|-------------------|
| Weight       | 0.56 kg           |
| Material     | clear acrylic     |
| Suitable for | A4 sheets         |
| Thickness    | 4 mm              |
| Dimensions   | 225 x 60 x 230 mm |

#### Order No.

44420-000-00







| 19" Power box   | 155, 156   |
|---|--|
| 19" Rack shelf  | 153  |
| 19"-Power box   | 155  |
| A-guitar stand  | 50   |
| A-guitar stand »Heli 2«   | 52   |
| A-guitar stand »Wave 10«  | 53   |
| Accordion stand   | 96   |
| Adapter   | 129, 133, 219  |
| Adapter bracket 1   | 237  |
| Adapter bracket 2   | 237  |
| Adapter bracket 3   | 237  |
| Adapter bracket 4   | 237  |
| Adapter bracket 5   | 237  |
| Adapter bracket 6   | 237  |
| Adapter for product holder  | 272  |
| Adapter for screens   | 264  |
| Adapter for »Spider Pro«  | 141  |
| Adapter for »Spider«  | 136  |
| Adapter sleeve  | 229  |
| Adapter sleeve »Ring Lock«  | 229  |
| Advertising panel for orchestra music desks   | 45   |
| Amp stand   | 149  |
| Ashtray   | 46   |
| Backrest  | 111  |
| Baritone saxophone stand  | 74   |
| Baritone stand  | 85   |
| Base plate  | 226  |
| Bass clarinet stand   | 77   |
| Bass drum stand   | 98   |
|   |  |
| Bass trombone stand   | 83<br>75   |
| Bassoon stand   |  |
| Bearing plate   | 218  |
| Boom arm Proplet  | 134, 180, 181  |
| Bracket   | 93   |
| Cable clamp   | 230  |
| Cable hanger  | 156  |
| Cable holder  | 230  |
| Carrier bag for round base  | 231  |
| 0   |  |
| Carrying case   | 42, 44, 72, 76, 85,  |
| Carrying case   | 111, 112, 113, 142,  |
|   | 111, 112, 113, 142,<br>143, 198, 199, 231  |
| Carrying case   | 111, 112, 113, 142,<br>143, 198, 199, 231<br>86, 230   |
| Carrying case Carrying case »Pro«   | 111, 112, 113, 142,<br>143, 198, 199, 231<br>86, 230<br>231  |
| Carrying case Carrying case »Pro« Ceiling stand   | 111, 112, 113, 142,<br>143, 198, 199, 231<br>86, 230<br>231<br>197   |
| Carrying case Carrying case »Pro« Ceiling stand Cello stand   | 111, 112, 113, 142,<br>143, 198, 199, 231<br>86, 230<br>231<br>197<br>71, 70   |
| Carrying case Carrying case »Pro« Ceiling stand Cello stand Clarinet holder   | 111, 112, 113, 142,<br>143, 198, 199, 231<br>86, 230<br>231<br>197<br>71, 70<br>78   |
| Carrying case Carrying case »Pro« Ceiling stand Cello stand Clarinet holder Clarinet peg  | 111, 112, 113, 142,<br>143, 198, 199, 231<br>86, 230<br>231<br>197<br>71, 70<br>78<br>94   |
| Carrying case Carrying case »Pro« Ceiling stand Cello stand Clarinet holder Clarinet peg Clarinet peg-set   | 111, 112, 113, 142,<br>143, 198, 199, 231<br>86, 230<br>231<br>197<br>71, 70<br>78<br>94   |
| Carrying case Carrying case »Pro« Ceiling stand Cello stand Clarinet holder Clarinet peg Clarinet peg-set Clarinet stand  | 111, 112, 113, 142,<br>143, 198, 199, 231<br>86, 230<br>231<br>197<br>71, 70<br>78<br>94<br>92<br>78, 79   |
| Carrying case Carrying case »Pro« Ceiling stand Cello stand Clarinet holder Clarinet peg Clarinet peg Clarinet stand Connection sleeve  | 111, 112, 113, 142,<br>143, 198, 199, 231<br>86, 230<br>231<br>197<br>71, 70<br>78<br>94<br>92<br>78, 79<br>245  |
| Carrying case Carrying case »Pro« Ceiling stand Cello stand Clarinet holder Clarinet peg Clarinet peg Clarinet stand Connection sleeve Connector plate  | 111, 112, 113, 142,<br>143, 198, 199, 231<br>86, 230<br>231<br>197<br>71, 70<br>78<br>94<br>92<br>78, 79<br>245<br>226   |
| Carrying case Carrying case »Pro« Ceiling stand Cello stand Clarinet holder Clarinet peg Clarinet peg Clarinet stand Connection sleeve Connector plate Contrabassoon stand  | 111, 112, 113, 142,<br>143, 198, 199, 231<br>86, 230<br>231<br>197<br>71, 70<br>78<br>94<br>92<br>78, 79<br>245<br>226<br>75   |
| Carrying case Carrying case »Pro« Ceiling stand Cello stand Clarinet holder Clarinet peg Clarinet peg Clarinet stand Connection sleeve Connector plate Controller keyboard tray   | 111, 112, 113, 142,<br>143, 198, 199, 231<br>86, 230<br>231<br>197<br>71, 70<br>78<br>94<br>92<br>78, 79<br>245<br>226<br>75<br>139  |
| Carrying case Carrying case »Pro« Ceiling stand Cello stand Clarinet holder Clarinet peg Clarinet peg Clarinet stand Connection sleeve Connector plate Contrabassoon stand Controller keyboard tray Counter weight  | 111, 112, 113, 142,<br>143, 198, 199, 231<br>86, 230<br>231<br>197<br>71, 70<br>78<br>94<br>92<br>78, 79<br>245<br>226<br>75<br>139<br>203   |
| Carrying case Carrying case »Pro« Ceiling stand Cello stand Clarinet holder Clarinet peg Clarinet peg Clarinet stand Connection sleeve Connector plate Contrabassoon stand Controller keyboard tray Counter weight Crossbar   | 111, 112, 113, 142,<br>143, 198, 199, 231<br>86, 230<br>231<br>197<br>71, 70<br>78<br>94<br>92<br>78, 79<br>245<br>226<br>75<br>139<br>203<br>243  |
| Carrying case Carrying case »Pro« Ceiling stand Cello stand Clarinet holder Clarinet peg Clarinet peg Clarinet stand Connection sleeve Connector plate Contrabassoon stand Controller keyboard tray Counter weight Crossbar Design microphone table stand   | 111, 112, 113, 142,<br>143, 198, 199, 231<br>86, 230<br>231<br>197<br>71, 70<br>78<br>94<br>92<br>78, 79<br>245<br>226<br>75<br>139<br>203<br>243<br>183   |
| Carrying case Carrying case »Pro« Ceiling stand Cello stand Clarinet holder Clarinet peg Clarinet peg Clarinet stand Connection sleeve Connector plate Contrabassoon stand Controller keyboard tray Counter weight Crossbar Design monitor stand  | 111, 112, 113, 142,<br>143, 198, 199, 231<br>86, 230<br>231<br>197<br>71, 70<br>78<br>94<br>92<br>78, 79<br>245<br>226<br>75<br>139<br>203<br>243<br>183<br>218  |
| Carrying case Carrying case »Pro« Ceiling stand Cello stand Clarinet holder Clarinet peg Clarinet peg Clarinet stand Connection sleeve Connector plate Contrabassoon stand Controller keyboard tray Counter weight Crossbar Design microphone table stand Distance rod  | 111, 112, 113, 142,<br>143, 198, 199, 231<br>86, 230<br>231<br>197<br>71, 70<br>78<br>94<br>92<br>78, 79<br>245<br>226<br>75<br>139<br>203<br>243<br>183<br>218<br>219, 220, 221, 222  |
| Carrying case Carrying case »Pro« Ceiling stand Cello stand Clarinet holder Clarinet peg Clarinet peg Clarinet stand Connection sleeve Connector plate Contrabassoon stand Controller keyboard tray Counter weight Crossbar Design microphone table stand Distance rod Distance rod with hand crank   | 111, 112, 113, 142,<br>143, 198, 199, 231<br>86, 230<br>231<br>197<br>71, 70<br>78<br>94<br>92<br>78, 79<br>245<br>226<br>75<br>139<br>203<br>243<br>183<br>218  |
| Carrying case Carrying case »Pro« Ceiling stand Cello stand Clarinet holder Clarinet peg Clarinet peg Clarinet stand Connection sleeve Connector plate Contrabassoon stand Controller keyboard tray Counter weight Crossbar Design microphone table stand Distance rod  | 111, 112, 113, 142,<br>143, 198, 199, 231<br>86, 230<br>231<br>197<br>71, 70<br>78<br>94<br>92<br>78, 79<br>245<br>226<br>75<br>139<br>203<br>243<br>183<br>218<br>219, 220, 221, 222  |
| Carrying case Carrying case »Pro« Ceiling stand Cello stand Clarinet holder Clarinet peg Clarinet peg Clarinet stand Connection sleeve Connector plate Contrabassoon stand Controller keyboard tray Counter weight Crossbar Design microphone table stand Distance rod Distance rod with hand crank   | 111, 112, 113, 142,<br>143, 198, 199, 231<br>86, 230<br>231<br>197<br>71, 70<br>78<br>94<br>92<br>78, 79<br>245<br>226<br>75<br>139<br>203<br>243<br>183<br>218<br>219, 220, 221, 222<br>221   |
| Carrying case Carrying case »Pro« Ceiling stand Cello stand Clarinet holder Clarinet peg Clarinet peg Clarinet stand Connection sleeve Connector plate Contrabassoon stand Controller keyboard tray Counter weight Crossbar Design microphone table stand Distance rod Distance rod with hand crank Distance rod with hand crank and »Ring Lock«  | 111, 112, 113, 142,<br>143, 198, 199, 231<br>86, 230<br>231<br>197<br>71, 70<br>78<br>94<br>92<br>78, 79<br>245<br>226<br>75<br>139<br>203<br>243<br>183<br>218<br>219, 220, 221, 222<br>221   |
| Carrying case Carrying case »Pro« Ceiling stand Cello stand Clarinet holder Clarinet peg Clarinet peg Clarinet stand Connection sleeve Connector plate Contrabassoon stand Controller keyboard tray Counter weight Crossbar Design microphone table stand Distance rod Distance rod with hand crank Distance rod with hand crank and »Ring Lock« Distance rod with pneumatic spring   | 111, 112, 113, 142,<br>143, 198, 199, 231<br>86, 230<br>231<br>197<br>71, 70<br>78<br>94<br>92<br>78, 79<br>245<br>226<br>75<br>139<br>203<br>243<br>183<br>218<br>219, 220, 221, 222<br>221<br>222<br>223                             |
| Carrying case Carrying case »Pro« Ceiling stand Cello stand Clarinet holder Clarinet peg Clarinet peg Clarinet stand Connection sleeve Connector plate Contrabassoon stand Controller keyboard tray Counter weight Crossbar Design microphone table stand Design monitor stand Distance rod Distance rod with hand crank and »Ring Lock« Distance rod with pneumatic spring Distance rod with pneumatic spring Distance rod with pneumatic spring | 111, 112, 113, 142,<br>143, 198, 199, 231<br>86, 230<br>231<br>197<br>71, 70<br>78<br>94<br>92<br>78, 79<br>245<br>226<br>75<br>139<br>203<br>243<br>183<br>218<br>219, 220, 221, 222<br>221<br>222<br>223<br>223, 224, 225, 226       |
| Carrying case Carrying case »Pro« Ceiling stand Cello stand Clarinet holder Clarinet peg Clarinet peg Clarinet stand Connection sleeve Connector plate Contrabassoon stand Controller keyboard tray Counter weight Crossbar Design microphone table stand Distance rod Distance rod with hand crank Distance rod with pneumatic spring Distance rod with pneumatic spring Distance rod »Ring Lock« Double bass stand                              | 111, 112, 113, 142,<br>143, 198, 199, 231<br>86, 230<br>231<br>197<br>71, 70<br>78<br>94<br>92<br>78, 79<br>245<br>226<br>75<br>139<br>203<br>243<br>183<br>218<br>219, 220, 221, 222<br>221<br>222<br>223<br>223, 224, 225, 226<br>71 |
| Carrying case Carrying case »Pro« Ceiling stand Cello stand Clarinet holder Clarinet peg Clarinet peg Clarinet stand Connection sleeve Connector plate Contrabassoon stand Controller keyboard tray Counter weight Crossbar Design microphone table stand Design monitor stand Distance rod Distance rod with hand crank and »Ring Lock« Distance rod with pneumatic spring Distance rod »Ring Lock« Double bass stand Double music stand light   | 111, 112, 113, 142, 143, 198, 199, 231 86, 230 231 197 71, 70 78 94 92 78, 79 245 226 75 139 203 243 183 218 219, 220, 221, 222 221 222 223 223, 224, 225, 226 71 31   |

| Drum stick holder                 | 110              |
|-----------------------------------|------------------|
| Drummer's throne                  | 103, 105         |
| Drummer's throne »Gomezz«         | 104              |
| Drummer's throne »Nick«           | 103              |
| Drummer's throne »Grande«         | 102              |
| Drummer's throne »Piccolino«      | 102              |
| Drummer's throne »Picco«          | 102              |
| E+A guitar stand »Duet«           | 51               |
| E-guitar stand                    | 50               |
| E-guitar stand »Heli 2«           | 53               |
| E-guitar stand »Wave 20«          | 53               |
| English horn peg                  | 94               |
| Equipment stand                   | 130              |
| Extender brackets 19"             | 152              |
| Extension rod                     | 142, 219         |
| File holder                       | 45               |
| Five e-guitar stand »Guardian 5«  | 57               |
| Five guitar stand »Guardian 5«    | 58               |
| Flange adapter                    | 227              |
| Floor stand for spot lights       | 243              |
| Flugelhorn peg                    | 94               |
| Flugelhorn stand                  | 92               |
| Flute holder                      | 82, 83           |
| Flute peg                         | 95               |
| Flute stand                       | 79, 80, 81, 82   |
| Foldable base                     | 93               |
| Footrest                          | 62, 63, 111      |
| Four guitar stand »Roadie«        | 56               |
| French horn stand                 | 92               |
|                                   |                  |
| Gooseneck                         | 187, 188         |
| Guitar capo<br>Guitar holder      | 64, 65, 66<br>59 |
|                                   |                  |
| Guitar performer stand            | 58, 59           |
| Guitar playing-aid »Pohlmann«     | 66               |
| Guitar stand »Double«             | 55<br>54         |
| Guitar stand »Memphis 10«         | 54               |
| Guitar stand Memphis 20«          |                  |
| Guitar stand »Memphis Pro«        | 54               |
| Guitar stand »Memphis Travel«     | 50               |
| Guitar tool Guitar wall mount     | 66               |
|                                   | 59, 60, 61       |
| Hackbrett stand                   | 68               |
| Harmonica holder                  | 96, 97           |
| Headphone holder                  | 146, 156         |
| Headphone holder with table clamp | 146              |
| Headphone wall holder             | 147              |
| Holder with tuning key            | 110              |
| Inclinable stand adapter          | 229              |
| Keyboard bench                    | 113              |
| Keyboard stand                    | 122, 123, 124    |
| Keyboard stand for kids           | 122              |
| Keyboard stand »Baby-Spider Pro«  | 138              |
| Keyboard stand »Rick 20«          | 126              |
| Keyboard stand »Rick«             | 125              |
| Keyboard stand »Spider Pro«       | 137              |
| Keyboard stand »Spider«           | 136              |
| Knurled washer                    | 203              |
| LED piano lamp                    | 32, 33           |
| LED replacement bulp              | 43               |
| LED USB light »Mighty Bright«     | 42               |
| LED USB light »Mighty Bright«     | 42               |
| Laptop holder                     | 129              |
| Laptop rest                       | 140              |
| Laptop stand                      | 249, 250, 251    |
| Leaflet holder                    | 273              |
| Lectern desk for the »Spider Pro« | 140              |
|                                   |                  |



| Lectern »Ovation Pro«   | 248   | Power magnet  | 46  |
|---|---|---|---|
| Levelling adapter   | 229   | Power unit  | 42  |
| Lighting stand  | 239, 240, 241   | Price tag holder  | 273   |
| Lighting/Speaker stand  | 242   | Product holder  | 269   |
| Magnet  | 45  | Product holder for acoustic guitar  | 270   |
| Magnet holder   | 42  | Product holder for clarinet   | 271   |
| Microphone arm  | 195   | Product holder for cymbal   | 272   |
| Microphone bar  | 198   | Product holder for flugel horn  | 271   |
| Microphone clip   | 201, 202  | Product holder for flute  | 272   |
| Microphone desk arm   | 194   | Product holder for guitar   | 269, 270  |
| Microphone holder   | 195, 198  | Product holder for headphone  | 270   |
| Microphone holder for drums   | 195   | Product holder for microphone   | 272   |
| Microphone stand  | 160, 161, 163, 164,   | Product holder for saxophone  | 271   |
| Microphone stand  | 167, 168, 169, 170,   | Product holder for soprano-saxophone  | 271   |
|   | 171, 173, 176, 178  | Product holder for trombone   | 271   |
| Microphone stand »Rien«   | 177   | Product holder for trumpet  | 271   |
|   | 163, 171, 172, 179  | Product holder for violin   | 270   |
| Microphone stand »Soft-Touch«  Microphone table base  | 185, 186  | Product label bundle  | 273   |
| <u> </u>  | ·   |   | 269   |
| Microphone »Fishing Pole«   | 189, 190, 191   | Product support arm   |   |
| Mini boom arm   | 181   | Projector tray  | 217   |
| Mixer stand   | 148, 150  | Promotional board (excl. Logo)  | 248   |
| Monitor stand   | 148, 217  | Protective cover for lectern  | 248   |
| Mounting adapter  | 227   | Quick-Release Adapter for microphones   | 204   |
| Music holder  | 45, 68, 134   | Rack  | 152, 153  |
| Music stand   | 16, 17, 18, 19, 20, 21  | Rack desk stand   | 151   |
| Music stand light   | 31, 34, 36  | Rack wagon  | 151, 152  |
| Music stand light package   | 36  | Rackmount lockbox   | 154   |
| Music stand light »Mighty Bright - Crescendo«   | 41  | Rackmount storage   | 155   |
| Music stand light »Mighty Bright - Double Flex«   | 37  | Rackshelly  | 153   |
| Music stand light »Mighty Bright - Duet 2«  | 38  | Reading light »Mighty Bright - Xtra Flex 2«   | 36  |
| Music stand light »Mighty Bright - Encore Light«  | 40  | Reducer flange  | 244, 245  |
| Music stand light »Mighty Bright - Hammer Head«   | 39  | Replacement bulb  | 43  |
| Music stand light »Mighty Bright - Orchestra Light«   | 39  | Safety ring   | 230   |
| Music stand light »Mighty Bright - Pedal Board Light«   | 39  | Saxophone stand   | 72  |
| Music stand light »Mighty Bright - Xtra Flex«   | 37  | Saxophone stand »Jazz«  | 73  |
| Music stand light »Twin Head«   | 35  | Saxophone stand »Saxxy«   | 73, 74  |
| Music stand »Robby Plus«  | 19  | School orchestra music stand  | 21  |
|   | 19  |   |   |
| Mute holder   | 91  | Screen/Monitor stand  | 252, 253  |
|   |   | Screen/Monitor stand Screw fitting set  | 252, 253<br>244   |
| Mute holder   | 91  |   |   |
| Mute holder Mute holder ring  | 91<br>91  | Screw fitting set   | 244   |
| Mute holder Mute holder ring Oboe peg   | 91<br>91<br>94  | Screw fitting set<br>Screw-on adapter   | 244<br>227  |
| Mute holder  Mute holder ring  Oboe peg  Oboe stand   | 91<br>91<br>94<br>79  | Screw fitting set Screw-on adapter Seat cushion - imitation leather   | 244<br>227<br>117   |
| Mute holder  Mute holder ring  Oboe peg  Oboe stand  One hand microphone stand  | 91<br>91<br>94<br>79<br>162, 163  | Screw fitting set Screw-on adapter Seat cushion - imitation leather Seat cushion - leather  | 244<br>227<br>117<br>117  |
| Mute holder  Mute holder ring  Oboe peg  Oboe stand  One hand microphone stand  One-hand microphone stand »Elegance«  | 91<br>91<br>94<br>79<br>162, 163<br>165   | Screw fitting set Screw-on adapter Seat cushion - imitation leather Seat cushion - leather Seat cushion - velvet  | 244<br>227<br>117<br>117<br>116   |
| Mute holder  Mute holder ring  Oboe peg  Oboe stand  One hand microphone stand  One-hand microphone stand »Elegance«  One-hand microphone stand »Performance«   | 91<br>91<br>94<br>79<br>162, 163<br>165   | Screw fitting set Screw-on adapter Seat cushion - imitation leather Seat cushion - leather Seat cushion - velvet Sheet music and document holder  | 244<br>227<br>117<br>117<br>116<br>199  |
| Mute holder  Mute holder ring  Oboe peg  Oboe stand  One hand microphone stand  One-hand microphone stand »Elegance«  One-hand microphone stand »Performance«  One-hand orchestra music stand   | 91<br>91<br>94<br>79<br>162, 163<br>165<br>166<br>26  | Screw fitting set Screw-on adapter Seat cushion - imitation leather Seat cushion - leather Seat cushion - velvet Sheet music and document holder Sheet music clip   | 244<br>227<br>117<br>117<br>116<br>199<br>46  |
| Mute holder  Mute holder ring  Oboe peg  Oboe stand  One hand microphone stand  One-hand microphone stand »Elegance«  One-hand microphone stand »Performance«  One-hand orchestra music stand  Orchestra conductor stand  | 91<br>91<br>94<br>79<br>162, 163<br>165<br>166<br>26<br>27  | Screw fitting set Screw-on adapter Seat cushion - imitation leather Seat cushion - leather Seat cushion - velvet Sheet music and document holder Sheet music clip Sheet music holder  | 244<br>227<br>117<br>117<br>116<br>199<br>46<br>46  |
| Mute holder  Mute holder ring  Oboe peg  Oboe stand  One hand microphone stand  One-hand microphone stand »Elegance«  One-hand microphone stand »Performance«  One-hand orchestra music stand  Orchestra conductor stand  Orchestra music stand   | 91<br>91<br>94<br>79<br>162, 163<br>165<br>166<br>26<br>27<br>21, 22, 23, 24, 25  | Screw fitting set Screw-on adapter Seat cushion - imitation leather Seat cushion - leather Seat cushion - velvet Sheet music and document holder Sheet music clip Sheet music holder Sheet music holder Sheet music holder for »Spider Pro«   | 244<br>227<br>117<br>117<br>116<br>199<br>46<br>46<br>46  |
| Mute holder  Mute holder ring  Oboe peg  Oboe stand  One hand microphone stand  One-hand microphone stand »Elegance«  One-hand microphone stand »Performance«  One-hand orchestra music stand  Orchestra conductor stand  Orchestra music stand  Orchestra music stand  Orchestra music stand  Orchestra music stand  | 91<br>91<br>94<br>79<br>162, 163<br>165<br>166<br>26<br>27<br>21, 22, 23, 24, 25<br>23  | Screw fitting set Screw-on adapter Seat cushion - imitation leather Seat cushion - leather Seat cushion - velvet Sheet music and document holder Sheet music clip Sheet music holder Sheet music holder Sheet music holder for »Spider Pro« Shoulder bag for sheet music and tablets  | 244<br>227<br>117<br>117<br>116<br>199<br>46<br>46<br>46<br>141   |
| Mute holder  Mute holder ring  Oboe peg  Oboe stand  One hand microphone stand  One-hand microphone stand »Elegance«  One-hand microphone stand »Performance«  One-hand orchestra music stand  Orchestra conductor stand  Orchestra music stand »Symphony«  Overhead microphone stand   | 91<br>91<br>94<br>79<br>162, 163<br>165<br>166<br>26<br>27<br>21, 22, 23, 24, 25<br>23<br>174, 175  | Screw fitting set Screw-on adapter Seat cushion - imitation leather Seat cushion - leather Seat cushion - velvet Sheet music and document holder Sheet music clip Sheet music holder Sheet music holder Sheet music holder for »Spider Pro« Shoulder bag for sheet music and tablets Side cover   | 244<br>227<br>117<br>117<br>116<br>199<br>46<br>46<br>46<br>141<br>265  |
| Mute holder  Mute holder ring  Oboe peg  Oboe stand  One hand microphone stand  One-hand microphone stand »Elegance«  One-hand microphone stand »Performance«  One-hand orchestra music stand  Orchestra conductor stand  Orchestra music stand  | 91<br>91<br>94<br>79<br>162, 163<br>165<br>166<br>26<br>27<br>21, 22, 23, 24, 25<br>23<br>174, 175<br>83  | Screw fitting set Screw-on adapter Seat cushion - imitation leather Seat cushion - leather Seat cushion - leather Seat cushion - velvet Sheet music and document holder Sheet music clip Sheet music holder Sheet music holder for »Spider Pro« Shoulder bag for sheet music and tablets Side cover Side crossbar Single rack rail  | 244 227 117 117 116 199 46 46 141 265 151 243   |
| Mute holder  Mute holder ring  Oboe peg  Oboe stand  One hand microphone stand  One-hand microphone stand »Elegance«  One-hand microphone stand »Performance«  One-hand orchestra music stand  Orchestra conductor stand  Orchestra music stand  Pan pipe holder  Panel  Peg adapter  | 91<br>91<br>94<br>79<br>162, 163<br>165<br>166<br>26<br>27<br>21, 22, 23, 24, 25<br>23<br>174, 175<br>83<br>154   | Screw fitting set Screw-on adapter Seat cushion - imitation leather Seat cushion - leather Seat cushion - velvet Sheet music and document holder Sheet music clip Sheet music holder Sheet music holder Sheet music holder for »Spider Pro« Shoulder bag for sheet music and tablets Side cover Side crossbar Single rack rail Sliding shelf  | 244 227 117 117 116 199 46 46 46 141 265 151 243 156 153  |
| Mute holder  Mute holder ring  Oboe peg  Oboe stand  One hand microphone stand  One-hand microphone stand »Elegance«  One-hand microphone stand »Performance«  One-hand orchestra music stand  Orchestra conductor stand  Orchestra music stand  Pan pipe holder  Panel  Peg adapter  Peg holder  | 91<br>91<br>94<br>79<br>162, 163<br>165<br>166<br>26<br>27<br>21, 22, 23, 24, 25<br>23<br>174, 175<br>83<br>154<br>95<br>95   | Screw fitting set Screw-on adapter Seat cushion - imitation leather Seat cushion - leather Seat cushion - leather Seat cushion - velvet Sheet music and document holder Sheet music clip Sheet music holder Sheet music holder Sheet music holder for »Spider Pro« Shoulder bag for sheet music and tablets Side cover Side crossbar Single rack rail Sliding shelf Smartphone holder   | 244 227 117 117 116 199 46 46 46 141 265 151 243 156 153 260  |
| Mute holder  Mute holder ring Oboe peg Oboe stand One hand microphone stand One-hand microphone stand »Elegance« One-hand microphone stand »Performance« One-hand orchestra music stand Orchestra conductor stand Orchestra music stand Orchestra music stand Orchestra music stand Orchestra music stand Pan pipe holder Panel Peg adapter Peg holder Pencil holder  | 91<br>91<br>94<br>79<br>162, 163<br>165<br>166<br>26<br>27<br>21, 22, 23, 24, 25<br>23<br>174, 175<br>83<br>154<br>95<br>95<br>47   | Screw fitting set Screw-on adapter Seat cushion - imitation leather Seat cushion - leather Seat cushion - leather Seat cushion - velvet Sheet music and document holder Sheet music clip Sheet music holder Sheet music holder Sheet music holder for »Spider Pro« Shoulder bag for sheet music and tablets Side cover Side crossbar Single rack rail Sliding shelf Smartphone holder Smartphone stand  | 244 227 117 117 116 199 46 46 46 141 265 151 243 156 153 260 254  |
| Mute holder  Mute holder ring Oboe peg Oboe stand One hand microphone stand One-hand microphone stand »Elegance« One-hand microphone stand »Performance« One-hand orchestra music stand Orchestra conductor stand Orchestra music stand Orchestra music stand Orchestra music stand Orchestra music stand Pan pipe holder Panel Peg adapter Peg holder Pencil holder Piano bench  | 91<br>91<br>94<br>79<br>162, 163<br>165<br>166<br>26<br>27<br>21, 22, 23, 24, 25<br>23<br>174, 175<br>83<br>154<br>95<br>95<br>47<br>114  | Screw fitting set Screw-on adapter Seat cushion - imitation leather Seat cushion - leather Seat cushion - leather Seat cushion - velvet Sheet music and document holder Sheet music clip Sheet music holder Sheet music holder Sheet music holder for »Spider Pro« Shoulder bag for sheet music and tablets Side cover Side crossbar Single rack rail Sliding shelf Smartphone holder   | 244 227 117 117 116 199 46 46 46 141 265 151 243 156 153 260 254 94   |
| Mute holder  Mute holder ring  Oboe peg  Oboe stand  One hand microphone stand  One-hand microphone stand »Elegance«  One-hand microphone stand »Performance«  One-hand orchestra music stand  Orchestra conductor stand  Orchestra music stand  Orchestra music stand  Orchestra music stand  Orchestra music stand  Pan pipe holder  Panel  Peg adapter  Peg holder  Pencil holder  Piano bench  Piano bench - wooden-frame   | 91<br>91<br>94<br>79<br>162, 163<br>165<br>166<br>26<br>27<br>21, 22, 23, 24, 25<br>23<br>174, 175<br>83<br>154<br>95<br>95<br>47<br>114<br>115   | Screw fitting set Screw-on adapter Seat cushion - imitation leather Seat cushion - leather Seat cushion - leather Seat cushion - velvet Sheet music and document holder Sheet music clip Sheet music holder Sheet music holder Sheet music holder for »Spider Pro« Shoulder bag for sheet music and tablets Side cover Side crossbar Single rack rail Sliding shelf Smartphone holder Smartphone stand Soprano saxophone peg Soprano saxophone stand  | 244 227 117 117 116 199 46 46 46 141 265 151 243 156 153 260 254 94 72, 74  |
| Mute holder  Mute holder ring  Oboe peg  Oboe stand  One hand microphone stand  One-hand microphone stand »Elegance«  One-hand microphone stand »Performance«  One-hand orchestra music stand  Orchestra conductor stand  Orchestra music stand  Orchestra music stand  Orchestra music stand  Orchestra music stand  Pan pipe holder  Panel  Peg adapter  Peg holder  Pencil holder  Piano bench  Piano bench - wooden-frame  Piano bench with quilted seat cushion  | 91<br>91<br>94<br>79<br>162, 163<br>165<br>166<br>26<br>27<br>21, 22, 23, 24, 25<br>23<br>174, 175<br>83<br>154<br>95<br>95<br>47<br>114<br>115<br>118  | Screw fitting set Screw-on adapter Seat cushion - imitation leather Seat cushion - leather Seat cushion - leather Seat cushion - velvet Sheet music and document holder Sheet music clip Sheet music holder Sheet music holder Sheet music holder for »Spider Pro« Shoulder bag for sheet music and tablets Side cover Side crossbar Single rack rail Sliding shelf Smartphone holder Smartphone stand Soprano saxophone peg Soprano saxophone stand Sound insulation stand   | 244 227 117 117 116 199 46 46 46 141 265 151 243 156 153 260 254 94 72,74 28  |
| Mute holder  Mute holder ring  Oboe peg  Oboe stand  One hand microphone stand  One-hand microphone stand »Elegance«  One-hand microphone stand »Performance«  One-hand orchestra music stand  Orchestra conductor stand  Orchestra music stand  Orchestra music stand  Orchestra music stand  Orchestra music stand  Pan pipe holder  Panel  Peg adapter  Peg holder  Pencil holder  Piano bench  Piano bench - wooden-frame  Piano bench with quilted seat cushion  Piano bench with sheet music storage  | 91<br>91<br>94<br>79<br>162, 163<br>165<br>166<br>26<br>27<br>21, 22, 23, 24, 25<br>23<br>174, 175<br>83<br>154<br>95<br>95<br>47<br>114<br>115<br>118<br>117   | Screw fitting set Screw-on adapter Seat cushion - imitation leather Seat cushion - leather Seat cushion - leather Seat cushion - velvet Sheet music and document holder Sheet music clip Sheet music holder Sheet music holder Sheet music holder for »Spider Pro« Shoulder bag for sheet music and tablets Side cover Side crossbar Single rack rail Sliding shelf Smartphone holder Smartphone stand Soprano saxophone peg Soprano saxophone stand Sound insulation stand Sousaphone stand  | 244 227 117 117 116 199 46 46 46 141 265 151 243 156 153 260 254 94 72,74 28 88   |
| Mute holder  Mute holder ring  Oboe peg  Oboe stand  One hand microphone stand  One-hand microphone stand »Elegance«  One-hand microphone stand »Performance«  One-hand orchestra music stand  Orchestra conductor stand  Orchestra music stand  Orchestra music stand  Orchestra music stand  Orchestra music stand  Pan pipe holder  Panel  Peg adapter  Peg holder  Pencil holder  Piano bench  Piano bench - wooden-frame  Piano bench with quilted seat cushion  Piano bench with sheet music storage  Piano bench »Uplift«                        | 91<br>91<br>94<br>79<br>162, 163<br>165<br>166<br>26<br>27<br>21, 22, 23, 24, 25<br>23<br>174, 175<br>83<br>154<br>95<br>95<br>47<br>114<br>115<br>118<br>117<br>114                                  | Screw fitting set Screw-on adapter Seat cushion - imitation leather Seat cushion - leather Seat cushion - leather Seat cushion - velvet Sheet music and document holder Sheet music clip Sheet music holder Sheet music holder Sheet music holder for »Spider Pro« Shoulder bag for sheet music and tablets Side cover Side crossbar Single rack rail Sliding shelf Smartphone holder Smartphone stand Soprano saxophone peg Soprano saxophone stand Sound insulation stand Sousaphone stand Sousaphone stand Sousaphone stand                                    | 244 227 117 117 116 199 46 46 46 141 265 151 243 156 153 260 254 94 72,74 28 88 268   |
| Mute holder  Mute holder ring  Oboe peg  Oboe stand  One hand microphone stand  One-hand microphone stand »Elegance«  One-hand microphone stand »Performance«  One-hand orchestra music stand  Orchestra conductor stand  Orchestra music stand  Orchestra music stand  Orchestra music stand  Pan pipe holder  Panel  Peg adapter  Peg holder  Pencil holder  Piano bench  Piano bench with quilted seat cushion  Piano bench with sheet music storage  Piano stool  | 91<br>91<br>94<br>79<br>162, 163<br>165<br>166<br>26<br>27<br>21, 22, 23, 24, 25<br>23<br>174, 175<br>83<br>154<br>95<br>95<br>47<br>114<br>115<br>118<br>117<br>114<br>119                           | Screw fitting set Screw-on adapter Seat cushion - imitation leather Seat cushion - leather Seat cushion - leather Seat cushion - velvet Sheet music and document holder Sheet music clip Sheet music holder Sheet music holder Sheet music holder for »Spider Pro« Shoulder bag for sheet music and tablets Side cover Side crossbar Single rack rail Sliding shelf Smartphone holder Smartphone stand Soprano saxophone peg Soprano saxophone stand Sound insulation stand Sousaphone stand SpaceWall® Speaker ceiling mount                                     | 244 227 117 117 116 199 46 46 46 141 265 151 243 156 153 260 254 94 72,74 28 88 268 236   |
| Mute holder  Mute holder ring  Oboe peg  Oboe stand  One hand microphone stand  One-hand microphone stand »Elegance«  One-hand microphone stand »Performance«  One-hand orchestra music stand  Orchestra conductor stand  Orchestra music stand  Orchestra music stand  Orchestra music stand  Pan pipe holder  Panel  Peg adapter  Peg holder  Pencil holder  Piano bench  Piano bench with quilted seat cushion  Piano bench with sheet music storage  Piano stool  Piano stool  Piano tuning lever   | 91<br>91<br>94<br>79<br>162, 163<br>165<br>166<br>26<br>27<br>21, 22, 23, 24, 25<br>23<br>174, 175<br>83<br>154<br>95<br>95<br>47<br>114<br>115<br>118<br>117<br>114<br>119<br>99                     | Screw fitting set Screw-on adapter Seat cushion - imitation leather Seat cushion - leather Seat cushion - leather Seat cushion - velvet Sheet music and document holder Sheet music clip Sheet music holder Sheet music holder Sheet music holder for »Spider Pro« Shoulder bag for sheet music and tablets Side cover Side crossbar Single rack rail Sliding shelf Smartphone holder Smartphone stand Soprano saxophone peg Soprano saxophone stand Sound insulation stand Sousaphone stand SpaceWall® Speaker ceiling mount Speaker mount                       | 244 227 117 117 116 199 46 46 141 265 151 243 156 153 260 254 94 72,74 28 88 268 236 228  |
| Mute holder  Mute holder ring  Oboe peg  Oboe stand  One hand microphone stand  One-hand microphone stand »Elegance«  One-hand microphone stand »Performance«  One-hand orchestra music stand  Orchestra conductor stand  Orchestra music stand  Orchestra music stand  Orchestra music stand  Pan pipe holder  Panel  Peg adapter  Peg holder  Pencil holder  Piano bench  Piano bench with quilted seat cushion  Piano bench »Uplift«  Piano stool  Piano tuning lever  Piano tuning lever  Piano tuning lever set                                    | 91<br>91<br>94<br>79<br>162, 163<br>165<br>166<br>26<br>27<br>21, 22, 23, 24, 25<br>23<br>174, 175<br>83<br>154<br>95<br>95<br>47<br>114<br>115<br>118<br>117<br>114<br>119<br>99                     | Screw fitting set Screw-on adapter Seat cushion - imitation leather Seat cushion - leather Seat cushion - leather Seat cushion - velvet Sheet music and document holder Sheet music clip Sheet music holder Sheet music holder Sheet music holder for »Spider Pro« Shoulder bag for sheet music and tablets Side cover Side crossbar Single rack rail Sliding shelf Smartphone holder Smartphone stand Soprano saxophone peg Soprano saxophone stand Sound insulation stand Sousaphone stand SpaceWall® Speaker ceiling mount Speaker mounting fork               | 244 227 117 117 116 199 46 46 46 141 265 151 243 156 153 260 254 94 72,74 28 88 268 236 228 230                                   |
| Mute holder Mute holder ring Oboe peg Oboe stand One hand microphone stand One-hand microphone stand »Elegance« One-hand microphone stand »Performance« One-hand orchestra music stand Orchestra conductor stand Orchestra music stand Orchestra music stand Orchestra music stand Orchestra music stand Pan pipe holder Panel Peg adapter Peg holder Pencil holder Piano bench Piano bench with quilted seat cushion Piano bench with sheet music storage Piano stool Piano tuning lever Piano tuning lever Piano tuning lever set Pick holder         | 91<br>91<br>94<br>79<br>162, 163<br>165<br>166<br>26<br>27<br>21, 22, 23, 24, 25<br>23<br>174, 175<br>83<br>154<br>95<br>95<br>47<br>114<br>115<br>118<br>117<br>114<br>119<br>99<br>99<br>203        | Screw fitting set Screw-on adapter Seat cushion - imitation leather Seat cushion - leather Seat cushion - leather Seat cushion - velvet Sheet music and document holder Sheet music clip Sheet music holder Sheet music holder Sheet music holder for »Spider Pro« Shoulder bag for sheet music and tablets Side cover Side crossbar Single rack rail Sliding shelf Smartphone holder Smartphone stand Soprano saxophone peg Soprano saxophone stand Sound insulation stand Sousaphone stand SpaceWall® Speaker ceiling mount Speaker mount                       | 244 227 117 117 116 199 46 46 46 141 265 151 243 156 153 260 254 94 72,74 28 88 268 236 228 230 208, 209, 210, 211,               |
| Mute holder Mute holder ring Oboe peg Oboe stand One hand microphone stand One-hand microphone stand »Elegance« One-hand microphone stand »Performance« One-hand orchestra music stand Orchestra conductor stand Orchestra music stand Orchestra music stand Orchestra music stand Panpipe holder Panel Peg adapter Peg holder Pencil holder Piano bench Piano bench with quilted seat cushion Piano bench with sheet music storage Piano tuning lever Piano tuning lever Piano tuning lever set Pick holder Plexiglass security cover                  | 91<br>91<br>94<br>79<br>162, 163<br>165<br>166<br>26<br>27<br>21, 22, 23, 24, 25<br>23<br>174, 175<br>83<br>154<br>95<br>95<br>47<br>114<br>115<br>118<br>117<br>114<br>119<br>99<br>99<br>203<br>157 | Screw fitting set Screw-on adapter Seat cushion - imitation leather Seat cushion - leather Seat cushion - leather Seat cushion - velvet Sheet music and document holder Sheet music clip Sheet music holder Sheet music holder Sheet music holder for »Spider Pro« Shoulder bag for sheet music and tablets Side cover Side crossbar Single rack rail Sliding shelf Smartphone holder Smartphone stand Soprano saxophone peg Soprano saxophone stand Sound insulation stand Sousaphone stand SpaceWall® Speaker ceiling mount Speaker mounting fork Speaker stand | 244 227 117 117 116 199 46 46 46 141 265 151 243 156 153 260 254 94 72,74 28 88 268 236 228 230 208, 209, 210, 211, 212, 213, 214 |
| Mute holder  Mute holder ring Oboe peg Oboe stand One hand microphone stand One-hand microphone stand »Elegance« One-hand microphone stand »Performance« One-hand orchestra music stand Orchestra conductor stand Orchestra music stand Orchestra music stand Orchestra music stand Orchestra music stand Panpipe holder Panel Peg adapter Peg holder Pencil holder Piano bench Piano bench - wooden-frame Piano bench with quilted seat cushion Piano bench with sheet music storage Piano stool Piano tuning lever Piano tuning lever set Pick holder | 91<br>91<br>94<br>79<br>162, 163<br>165<br>166<br>26<br>27<br>21, 22, 23, 24, 25<br>23<br>174, 175<br>83<br>154<br>95<br>95<br>47<br>114<br>115<br>118<br>117<br>114<br>119<br>99<br>99<br>203        | Screw fitting set Screw-on adapter Seat cushion - imitation leather Seat cushion - leather Seat cushion - leather Seat cushion - velvet Sheet music and document holder Sheet music clip Sheet music holder Sheet music holder Sheet music holder for »Spider Pro« Shoulder bag for sheet music and tablets Side cover Side crossbar Single rack rail Sliding shelf Smartphone holder Smartphone stand Soprano saxophone peg Soprano saxophone stand Sound insulation stand Sousaphone stand SpaceWall® Speaker ceiling mount Speaker mounting fork               | 244 227 117 117 116 199 46 46 46 141 265 151 243 156 153 260 254 94 72,74 28 88 268 236 228 230 208, 209, 210, 211,               |



| Speaker stand »Ring Lock«   | 215, 216  |
|---|---|
| Speaker tilt connector  | 228   |
| Speaker tilt connector »Ring Lock«  | 228   |
| Speaker wall mount  | 232, 233, 234, 235,   |
|   | 236, 238  |
| Speaker wall/ ceiling mount   | 235   |
| Speaker/Monitor stand   | 208   |
| Spike set   | 110   |
| Stackable microphone stand  | 162   |
| Stackable one-hand microphone stand   | 162   |
| Stacker Stacker A   | 124, 129, 133<br>130  |
| Stacker B   | 131   |
| Stage stool   | 109   |
| Stand for electric double bass  | 71  |
| Stand for kingsize tuba   | 86  |
| Stool   | 106, 108  |
| Support arm set   | 136   |
| Support arm set A   | 139   |
| Support arm set B   | 139   |
| Support bracket   | 156   |
| TV pin  | 244   |
| Table clamp   | 195, 196  |
| Table flange  | 194, 202  |
| Table microphone clamp  | 195   |
| Table microphone stand  | 182, 183, 184   |
| Table music stand   | 30  |
| Table- /Floor microphone stand  | 184, 185  |
| Table-style keyboard stand  | 130, 132  |
| Table-style keyboard stand »Omega« Table-style stage piano stand  | 128   |
| Tablet PC holder  | 262   |
| Tablet PC stand   | 254, 255  |
| Tablet PC stand holder  | 264   |
| Tabletop microphone stand   | 184   |
| Tenor horn stand  | 85  |
| Thread adapter  | 199, 200, 201, 203  |
| · · · · · · · · · · · · · · · · · · ·   |   |
| Threaded bolt   | 196   |
| Threaded bolt Threaded bolt set for »Spider Pro«  | 141   |
|   |   |
| Threaded bolt set for »Spider Pro«  | 141   |
| Threaded bolt set for »Spider Pro« Three guitar stand »Guardian 3«  | 141<br>58   |
| Threaded bolt set for »Spider Pro« Three guitar stand »Guardian 3« Transportation case (hard case) for Lectern  | 141<br>58<br>249  |
| Threaded bolt set for »Spider Pro« Three guitar stand »Guardian 3« Transportation case (hard case) for Lectern Tray   | 141<br>58<br>249<br>45  |
| Threaded bolt set for »Spider Pro« Three guitar stand »Guardian 3« Transportation case (hard case) for Lectern Tray Triangle holder Trombone stand Trumpet holder   | 141<br>58<br>249<br>45<br>98<br>84<br>90  |
| Threaded bolt set for »Spider Pro« Three guitar stand »Guardian 3« Transportation case (hard case) for Lectern Tray Triangle holder Trombone stand Trumpet holder Trumpet peg   | 141<br>58<br>249<br>45<br>98<br>84<br>90<br>93  |
| Threaded bolt set for »Spider Pro« Three guitar stand »Guardian 3« Transportation case (hard case) for Lectern Tray Triangle holder Trombone stand Trumpet holder Trumpet peg Trumpet stand   | 141<br>58<br>249<br>45<br>98<br>84<br>90<br>93<br>88, 89, 90  |
| Threaded bolt set for »Spider Pro« Three guitar stand »Guardian 3« Transportation case (hard case) for Lectern Tray Triangle holder Trombone stand Trumpet holder Trumpet peg Trumpet stand Trumpet work station  | 141<br>58<br>249<br>45<br>98<br>84<br>90<br>93<br>88, 89, 90<br>91  |
| Threaded bolt set for »Spider Pro« Three guitar stand »Guardian 3« Transportation case (hard case) for Lectern Tray Triangle holder Trombone stand Trumpet holder Trumpet peg Trumpet stand Trumpet work station Tuba performer stand   | 141<br>58<br>249<br>45<br>98<br>84<br>90<br>93<br>88, 89, 90<br>91<br>87  |
| Threaded bolt set for »Spider Pro« Three guitar stand »Guardian 3« Transportation case (hard case) for Lectern Tray Triangle holder Trombone stand Trumpet holder Trumpet peg Trumpet stand Trumpet work station Tuba performer stand Tuba performer stand for children   | 141<br>58<br>249<br>45<br>98<br>84<br>90<br>93<br>88, 89, 90<br>91<br>87  |
| Threaded bolt set for »Spider Pro« Three guitar stand »Guardian 3« Transportation case (hard case) for Lectern Tray Triangle holder Trombone stand Trumpet holder Trumpet peg Trumpet stand Trumpet stand Trumpet work station Tuba performer stand Tuba performer stand for children Tuba stand  | 141<br>58<br>249<br>45<br>98<br>84<br>90<br>93<br>88, 89, 90<br>91<br>87<br>87  |
| Threaded bolt set for »Spider Pro« Three guitar stand »Guardian 3« Transportation case (hard case) for Lectern Tray Triangle holder Trombone stand Trumpet holder Trumpet peg Trumpet stand Trumpet stand Trumpet work station Tuba performer stand Tuba performer stand for children Tuba stand Tuning fork  | 141<br>58<br>249<br>45<br>98<br>84<br>90<br>93<br>88, 89, 90<br>91<br>87<br>87<br>86<br>99  |
| Threaded bolt set for »Spider Pro« Three guitar stand »Guardian 3« Transportation case (hard case) for Lectern Tray Triangle holder Trombone stand Trumpet holder Trumpet peg Trumpet stand Trumpet work station Tuba performer stand Tuba performer stand Tuba stand Tuba stand Tuba stand Tuba holder Tuba stand Tuba holder  | 141<br>58<br>249<br>45<br>98<br>84<br>90<br>93<br>88, 89, 90<br>91<br>87<br>87<br>86<br>99<br>67  |
| Threaded bolt set for »Spider Pro« Three guitar stand »Guardian 3« Transportation case (hard case) for Lectern Tray Triangle holder Trombone stand Trumpet holder Trumpet peg Trumpet stand Trumpet work station Tuba performer stand Tuba performer stand Tuba stand   | 141<br>58<br>249<br>45<br>98<br>84<br>90<br>93<br>88, 89, 90<br>91<br>87<br>87<br>86<br>99<br>67<br>67  |
| Threaded bolt set for »Spider Pro« Three guitar stand »Guardian 3« Transportation case (hard case) for Lectern Tray Triangle holder Trombone stand Trumpet holder Trumpet peg Trumpet stand Trumpet work station Tuba performer stand Tuba performer stand Tuba stand                              | 141<br>58<br>249<br>45<br>98<br>84<br>90<br>93<br>88, 89, 90<br>91<br>87<br>87<br>86<br>99<br>67<br>67<br>30  |
| Threaded bolt set for »Spider Pro« Three guitar stand »Guardian 3« Transportation case (hard case) for Lectern Tray Triangle holder Trombone stand Trumpet holder Trumpet peg Trumpet stand Trumpet stand Trumpet work station Tuba performer stand Tuba performer stand for children Tuba stand Tuning fork Ukulele holder Ukulele wall mount Uni-Boy »Book« stand Uni-Boy »Classic« stand   | 141<br>58<br>249<br>45<br>98<br>84<br>90<br>93<br>88, 89, 90<br>91<br>87<br>87<br>86<br>99<br>67<br>67<br>30<br>30  |
| Threaded bolt set for »Spider Pro« Three guitar stand »Guardian 3« Transportation case (hard case) for Lectern Tray Triangle holder Trombone stand Trumpet holder Trumpet peg Trumpet stand Trumpet stand Trumpet work station Tuba performer stand Tuba performer stand for children Tuba stand Tuning fork Ukulele holder Ukulele wall mount Uni-Boy »Book« stand Uni-Boy »Classic« stand Universal carrying case   | 141<br>58<br>249<br>45<br>98<br>84<br>90<br>93<br>88, 89, 90<br>91<br>87<br>87<br>86<br>99<br>67<br>67<br>30<br>30<br>75  |
| Threaded bolt set for »Spider Pro« Three guitar stand »Guardian 3« Transportation case (hard case) for Lectern Tray Triangle holder Trombone stand Trumpet holder Trumpet peg Trumpet stand Trumpet stand Trumpet work station Tuba performer stand Tuba performer stand for children Tuba stand Tuning fork Ukulele holder Ukulele wall mount Uni-Boy »Book« stand Uni-Boy »Classic« stand   | 141<br>58<br>249<br>45<br>98<br>84<br>90<br>93<br>88, 89, 90<br>91<br>87<br>87<br>86<br>99<br>67<br>67<br>30<br>30  |
| Threaded bolt set for »Spider Pro« Three guitar stand »Guardian 3« Transportation case (hard case) for Lectern Tray Triangle holder Trombone stand Trumpet holder Trumpet peg Trumpet stand Trumpet stand Trumpet work station Tuba performer stand Tuba performer stand Tuba stand Tuba stand Tuning fork Ukulele holder Ukulele wall mount Uni-Boy »Book« stand Uni-Boy »Classic« stand Universal carrying case Universal clamping holder   | 141<br>58<br>249<br>45<br>98<br>84<br>90<br>93<br>88, 89, 90<br>91<br>87<br>87<br>86<br>99<br>67<br>67<br>30<br>30<br>75<br>196   |
| Threaded bolt set for "Spider Pro" Three guitar stand "Guardian 3" Transportation case (hard case) for Lectern Tray Triangle holder Trombone stand Trumpet holder Trumpet peg Trumpet stand Trumpet work station Tuba performer stand Tuba performer stand Tuba stand Tuba stand Tuba stand Tuba stand Tuning fork Ukulele holder Ukulele wall mount Uni-Boy "Book" stand Uni-Boy "Classic" stand Universal carrying case Universal drink holder  | 141<br>58<br>249<br>45<br>98<br>84<br>90<br>93<br>88, 89, 90<br>91<br>87<br>87<br>86<br>99<br>67<br>67<br>30<br>30<br>30<br>75<br>196<br>46   |
| Threaded bolt set for "Spider Pro" Three guitar stand "Guardian 3" Transportation case (hard case) for Lectern Tray Triangle holder Trombone stand Trumpet holder Trumpet peg Trumpet stand Trumpet work station Tuba performer stand Tuba performer stand Tuba stand Tuba stand Tuba stand Tuba stand Tuba stand Tuba stand Tuning fork Ukulele holder Ukulele wall mount Uni-Boy "Book" stand Uni-Boy "Classic" stand Universal carrying case Universal drink holder Universal holder                             | 141<br>58<br>249<br>45<br>98<br>84<br>90<br>93<br>88, 89, 90<br>91<br>87<br>87<br>86<br>99<br>67<br>67<br>30<br>30<br>30<br>75<br>196<br>46<br>134, 147                             |
| Threaded bolt set for »Spider Pro« Three guitar stand »Guardian 3« Transportation case (hard case) for Lectern Tray Triangle holder Trombone stand Trumpet holder Trumpet peg Trumpet stand Trumpet stand Trumpet work station Tuba performer stand Tuba performer stand Tuba stand Tuba stand Tuning fork Ukulele holder Ukulele wall mount Uni-Boy »Book« stand Uni-Boy »Classic« stand Universal carrying case Universal drink holder Universal holder Universal holder Universal holder Fro«                    | 141<br>58<br>249<br>45<br>98<br>84<br>90<br>93<br>88, 89, 90<br>91<br>87<br>87<br>86<br>99<br>67<br>67<br>30<br>30<br>30<br>75<br>196<br>46<br>134, 147<br>140                      |
| Threaded bolt set for »Spider Pro« Three guitar stand »Guardian 3« Transportation case (hard case) for Lectern Tray Triangle holder Trombone stand Trumpet holder Trumpet peg Trumpet stand Trumpet work station Tuba performer stand Tuba performer stand Tuba stand Tuba stand Tuba stand Tuba stand Tuning fork Ukulele holder Ukulele wall mount Uni-Boy »Book« stand Uni-Boy »Classic« stand Universal carrying case Universal drink holder Universal holder Universal holder for »Spider Pro« Universal joint | 141<br>58<br>249<br>45<br>98<br>84<br>90<br>93<br>88, 89, 90<br>91<br>87<br>87<br>86<br>99<br>67<br>67<br>30<br>30<br>30<br>75<br>196<br>46<br>134, 147<br>140<br>201               |
| Threaded bolt set for »Spider Pro« Three guitar stand »Guardian 3« Transportation case (hard case) for Lectern Tray Triangle holder Trombone stand Trumpet holder Trumpet peg Trumpet stand Trumpet stand Trumpet work station Tuba performer stand Tuba performer stand Tuba stand Tuba stand Tuning fork Ukulele holder Ukulele wall mount Uni-Boy »Book« stand Uni-Boy »Classic« stand Universal carrying case Universal drink holder Universal holder Universal holder Universal joint Universal rack shelf     | 141<br>58<br>249<br>45<br>98<br>84<br>90<br>93<br>88, 89, 90<br>91<br>87<br>87<br>86<br>99<br>67<br>67<br>30<br>30<br>75<br>196<br>46<br>134, 147<br>140<br>201<br>153              |
| Threaded bolt set for »Spider Pro« Three guitar stand »Guardian 3« Transportation case (hard case) for Lectern Tray Triangle holder Trombone stand Trumpet holder Trumpet peg Trumpet stand Trumpet work station Tuba performer stand Tuba performer stand Tuba stand Tuning fork Ukulele holder Ukulele wall mount Uni-Boy »Book« stand Uni-Boy »Classic« stand Universal carrying case Universal drink holder Universal holder Universal holder Universal joint Universal rack shelf Universal speaker wall mount | 141<br>58<br>249<br>45<br>98<br>84<br>90<br>93<br>88, 89, 90<br>91<br>87<br>87<br>86<br>99<br>67<br>67<br>30<br>30<br>30<br>75<br>196<br>46<br>134, 147<br>140<br>201<br>153<br>234 |

| Violin holder                  | 69     |
|--------------------------------|--------|
| Violin stand                   | 69, 70 |
| Violin wall holder             | 69     |
| Violin/Ukulele display stand   | 70     |
| Wall mount for acoustic guitar | 62     |
| Wall mount for electric guitar | 62     |
| Warning strip                  | 230    |
| Wooden music stand             | 29     |
| iPad Air 2 holder              | 261    |
| iPad Air 2 stand               | 254    |
| iPad Air 2 stand holder        | 264    |
| iPad Air 2 table stand         | 257    |
| iPad Air 2 wall mount          | 259    |
| iPad Air holder                | 261    |
| iPad Air stand                 | 253    |
| iPad Air stand holder          | 263    |
| iPad Air table stand           | 256    |
| iPad Air wall mount            | 258    |
| iPad holder                    | 260    |
| iPad mini holder               | 260    |
| iPad mini stand holder         | 263    |
| iPad mini table stand          | 255    |
| iPad mini wall mount           | 258    |
| iPad stand                     | 253    |
| iPad stand holder              | 263    |
| iPad table stand               | 255    |
| iPad wall mount                | 258    |





KÖNIG & MEYER GmbH & Co. KG
Postfach 1453 · 97864 Wertheim/Main · Germany
Kiesweg 2 · 97877 Wertheim/Main · Germany
Tel.: +49 (0) 93 42/806-0 · Fax: +49 (0) 93 42/806-150
e-Mail: contact@k-m.de · www.k-m.de